# Mifflin County 2025 Hazard Mitigation Plan

#### Prepared for:

Mifflin County Office of Public Safety

20 North Wayne Street, Lewistown, PA 17044

Prepared by:

MCM Consulting Group, Inc.

328 Innovation Boulevard

State College, PA 16803



## **Certification of Annual Review Meetings**

YEAR	DATE OF MEETING	PUBLIC OUTREACH ADDRESSED? *	SIGNATURE
2025			
2026			
2027			
2028			
2029			

\*Confirm yes here annually and describe on record of change page.

# **Record of Changes**

DATE	DESCRIPTION OF CHANGE MADE, MITIGATION ACTION COMPLETED, OR PUBLIC OUTREACH PERFORMED	CHANGE MADE BY (PRINT NAME)	CHANGE MADE BY (SIGNATURE)

## **Table of Contents**

Certific	ation of Annual Review Meetings2
Record	of Changes
Table o	f Contents 4
Tables.	
Acrony	ns13
Executi	ve Summary
1. Int	roduction
1.1.	Background
1.2.	<b>Purpose</b>
1.3.	Scope
1.4.	Authority and References
2. Con	nmunity Profile
2.1.	Geography and the Environment
2.2.	Community Facts
2.3.	Population and Demographics
2.4.	Land Use and Development
3. Pla	anning Process
3.1.	Update Process and Participation Summary
3.2.	The Planning Team
3.3.	Meetings and Documentation
3.4.	Public and Stakeholder Participation
3.5.	Multi-Jurisdictional Planning
4. Ris	sk Assessment
4.1.	Update Process Summary
4.2.	Hazard Identification
4.2.	1. Presidential and Gubernatorial Disaster Declarations

4.2.2.	Summary of Hazards	
4.2.3.	Climate Change	60
4.3. Ha	zard Profiles	
4.3.1.	Drought	
4.3.2.	Earthquake	74
4.3.3.	Extreme Temperature	
4.3.4.	Flooding, Flash Flooding, Ice Jam Flooding	
4.3.5.	Hurricane and Tropical Storm	
4.3.6.	Invasive Species	
4.3.7.	Landslide	
4.3.8.	Lightning Strike	
4.3.9.	Pandemic, Epidemic, Endemic, and Infectious Disease	
4.3.10.	Radon Exposure	
4.3.11.	Subsidence and Sinkhole	
4.3.12.	Tornado and Windstorm	
4.3.13.	Wildfire	
4.3.14.	Winter Storm	
4.3.15.	Blighted Properties	
4.3.16.	Civil Disturbance	
4.3.17.	Dam Failure	
4.3.18.	Disorientation	
4.3.19.	Drowning	
4.3.20.	Environmental Hazards	
4.3.21.	Nuclear Incidents	
4.3.22.	Substance Use Disorder	
4.3.23.	Terrorism and Cyberterrorism	
4.3.24.	Transportation Accidents	
4.3.25.	Urban Fire and Explosion	
4.3.26.	Utility Interruption	

4.4. Hazard Vulnerability Summary	
4.4.1. Methodology	
4.4.2. Ranking Results	
4.4.3. Potential Loss Estimates	
4.4.4. Future Development and Vulnerability	
5. Capability Assessment	
5.1. Update Process Summary	
5.2. Capability Assessment Findings	
5.2.1. Planning and Regulatory Capability	
5.2.2. Administrative and Technical Capability	
5.2.3. Financial Capability	
5.2.4. Education and Outreach	
5.2.5. Plan Integration	
6. Mitigation Strategy	
6.1. Update Process Summary	
6.2. Mitigation Goals and Objectives	
6.3. Identification and Analysis of Mitigation Techniques	
6.4. Mitigation Action Plan	
7. Plan Maintenance	
7.1. Update Process Summary	
7.2. Monitoring, Evaluating and Updating the Plan	
7.3. Continued Public Involvement	
8. Plan Adoption	
8.1. Resolutions	
9. Appendices	
APPENDIX A: References	
APPENDIX B: FEMA Local Mitigation Review Tool	
APPENDIX C: Meetings and Support Documents	
APPENDIX D: Municipal Flood Maps	

<b>APPENDIX E:</b>	Critical and Community Lifeline Facilities	395
<b>APPENDIX F:</b>	2024 HAZUS Reports	395
<b>APPENDIX G:</b>	2024 Mitigation Project Opportunities	395
<b>APPENDIX H:</b>	2024 Mitigation Action Evaluation & Prioritization	395
<b>APPENDIX I:</b>	Annual Review Documentation	395
<b>APPENDIX J:</b>	Mifflin County & Municipal Adoption Resolutions	395

# Figures

Figure 1 - Köppen-Geiger Climate Map	24
Figure 2 - Unemployment Rate Jan. 2014 to Feb. 2024	29
Figure 3 - Mifflin County Basemap	
Figure 4 - Mifflin County Watersheds	37
Figure 5 - Mifflin County Population Density	
Figure 6 - Mifflin County Land Use	
Figure 7 - Pennsylvania Palmer Drought Index 1900 – 1999	68
Figure 8 - U.S. Drought Monitor, Pennsylvania	72
Figure 9 - Palmer Drought Severity Index	
Figure 10 - Drought-Vulnerable Land Use and Public Water Supply	73
Figure 11 - Ramapo Fault System	74
Figure 12 - Pennsylvania Earthquake Hazard Zones	82
Figure 13 - Pennsylvania Oil and Gas Geology	83
Figure 14 - Mifflin County Earthquake Activity	84
Figure 15 - National Weather Service's Heat Index Matrix	86
Figure 16 - National Weather Service's Wind Chill Matrix	86
Figure 17 - Observed and Projected Temperature Change for Pennsylvania	88
Figure 18 - Average Minimum Temperature Trends for Pennsylvania	92
Figure 19 - Average Maximum Temperature Trends for Pennsylvania	93
Figure 20 - Flooding and Floodplain Diagram	95
Figure 21 - Loss by Occupancy Type	99
Figure 22 - Historic Tropical Storms/Hurricanes in Pennsylvania	115
Figure 23 - Pennsylvania Wind Zones	119
Figure 24 - Emerald Ash Borer Infestation in Pennsylvania	121
Figure 25 - Hemlock Woolly Adelgid Infestation in Pennsylvania	122
Figure 26 - Pennsylvania Spotted Lanternfly Infestation	132
Figure 27 - Landslide Hazard Areas	138
Figure 28 - United States Lightning Risk Rating	143
Figure 29 - U.S. Lightning Strike Fatalities 2018 to 2022	144
Figure 30 - Pennsylvania Department of Health Districts	157
Figure 31 - Sketch of Radon Entry Points into a House	160
Figure 32 - Pennsylvania Radon Levels	169
Figure 33 - Radon Levels by Zip Code	170
Figure 34 - Sinkhole Susceptibility in Pennsylvania	177
Figure 35 - Unsuitable Areas for Mining in Pennsylvania	178
Figure 36 - Pennsylvania Wind Zones	194

Figure 37 - Tornado Activity in Mifflin County	195
Figure 38 - Tornado Activity in Pennsylvania	196
Figure 39 - Seasonal Wildfire Percentage	203
Figure 40 - Wildland Urban Interface	207
Figure 41 - Fire Station Locations	208
Figure 42 - Winter Storm Events by County in Pennsylvania	220
Figure 43 - Pennsylvania Annual Snowfall 1981 – 2010	221
Figure 44 - Mifflin County Dams	239
Figure 45 - Mifflin County Disorientation Vulnerability	242
Figure 46 - Oil and Gas Well Locations	254
Figure 47 - Hazardous Waste Locations	255
Figure 48 - Environmental Hazard Transportation Vulnerability	256
Figure 49 - Annual Truck Traffic Percentages	257
Figure 50 - Pennsylvania Nuclear Power Stations	265
Figure 51 - Mifflin County Municipalities in the 50-Mile Ingestion Exposure Pathways	266
Figure 52 - Opioid Overdose Deaths in Pennsylvania 2021	275
Figure 53 - Opioid Overdose Deaths in Pennsylvania 2022	276
Figure 54 - Active Shooter Incidents – 20 Year Active Shooter Summary	284
Figure 55 - Education Environments	
Figure 56 - Education Environments Continued	286
Figure 57 - Major Transportation Routes	291
Figure 58 - Airports and Vulnerability Zones	292
Figure 59 - Average Daily Traffic on Major Highway Vulnerability	293
Figure 60 - Mifflin County Truck Percentages	294
Figure 61 - Mifflin County Working Fires	298
Figure 62 - Mifflin County Utilities	307

## Tables

Table 1 - Watersheds in Mifflin County	25
Table 2 - Mifflin County National Historic Places	26
Table 3 - Population Change in Mifflin County	26
Table 4 - Mifflin County Top Employers	29
Table 5 - Quarterly Census of Employment and Wages, 2023 Annual Averages in Mifflin	
County	30
Table 6 - Steering Committee	41
Table 7 - Local Planning Team	42
Table 8 - HMP Process Timeline	44
Table 9 - Municipality Worksheets, Surveys, and Forms Participation	47
Table 10 - Presidential & Gubernatorial Disaster Declaration	50
Table 11 - Drought Preparation Phases	64
Table 12 - Palmer Drought Severity Index	65
Table 13 - Economic and Environmental Impacts of Drought Events	66
Table 14 - Past Drought Events in Mifflin County	67
Table 15 - Richter Scale	76
Table 16 - Modified Mercalli Intensity Scale	76
Table 17 - Recent Earthquake Trends in Northeastern United States	79
Table 18 - Bridge Conditions in Mifflin County	80
Table 19 - Past Extreme Temperature Occurrences for Mifflin County	88
Table 20 - Flood Hazard High Risk Zones	95
Table 21 - HAZUS Building Loss Figures	98
Table 22 - HAZUS Business Interruption Economic Loss Figures	98
Table 23 - Past Flood and Flash Flood Events	99
Table 24 - Repetitive Loss Properties	. 101
Table 25 - Summary of Type of Repetitive Loss Properties by Municipality	. 103
Table 26 - Severe Repetitive Loss Properties	. 104
Table 27 - Municipal NFIP Participation	. 104
Table 28 - Flood Probability Summary	. 106
Table 29 - Expected Damage to Essential Facilities (HAZUS)	. 107
Table 30 - County Structures Within Special Flood Hazard Area	. 107
Table 31 - Community Lifeline Facilities Additional Information	. 108
Table 32 - Saffir-Simpson Scale	. 113
Table 33 - History of Coastal Storms Impacting Mifflin County	. 114
Table 34 - Annual Probability of Wind Speeds	. 116
Table 35 - Prevalent Invasive Species	. 124

Table 36 - Future Vulnerable Species	125
Table 37 - Structure Vulnerability Data	135
Table 38 - Pandemic Influenza Phases	147
Table 39 - Past Pandemic Events in the United States	149
Table 40 - West Nile Virus Control Program in Mifflin County since 2018	150
Table 41 - Lyme Disease Data for Mifflin County	151
Table 42 - Radon Risk for Smokers and Nonsmokers	161
Table 43 - Radon Test Results in Mifflin County	163
Table 44 - Suggested Actions and Time Frame for Exposure to Radon Daughters	164
Table 45 - Enhanced Fujita Scale	181
Table 46 - Mifflin County Tornado History	184
Table 47 - Mifflin County High Wind History	184
Table 48 - Wildland Fire Assessment System	198
Table 49 - Annual Summary of Wildfire Events	199
Table 50 - NESIS Winter Storm Rankings	210
Table 51 - Recent Annual Snowfall Estimates	212
Table 52 - Mifflin County Winter Weather History	213
Table 53 - Population per Municipality under 5 Years or 65 Years or Older	216
Table 54 - Utility Outages in Mifflin County in Winter	
Table 55 - Civil Disturbance Events Reported to PEMA 2018-2023	227
Table 56 - High-Hazard Dams Municipality Summary	
Table 57 - Mifflin County Dam Inventory	230
Table 58 - Dam Classification	233
Table 59 - High-Hazard Potential Dams Risk Type	235
Table 60 - Mifflin County High-Hazard Dam Vulnerability (RAPT)	237
Table 61 - Mifflin County High-Hazard Dam Vulnerability - Infrastructure (RAPT)	237
Table 62 - Mifflin County High-Hazard Dam Vulnerability - 2-Mile Infrastructure	237
Table 63 - Search and Rescue Operations in Mifflin County 2020 to 2023	241
Table 64 - Drownings in Mifflin County 2020 to 2023	244
Table 65 - Drowning Hazards - Water Features	246
Table 66 - Hazardous Material Incidents	250
Table 67 - TRI Facilities	251
Table 68 - Oil and Gas Wells & Drinking Water Wells	253
Table 69 - Emergency Planning Zones	259
Table 70 - Drug Overdose Mortality In Mifflin County	
Table 71 - Drugs Present in 2020 Pennsylvania Overdose Deaths	270
Table 72 - PennDOT Crash Report for Mifflin County	288
Table 73 - Mifflin County Fire Occurrence	296

Table 74 - Mifflin County Utility Providers	299
Table 75 - Utility Interruptions in Mifflin County	301
Table 76 - 2018 Winter Storms Riley and Quinn Power Outages	303
Table 77 - Risk Factor Approach Summary – Equation	308
Table 78 - Risk Factor Approach Summary	309
Table 79 - Risk Factor Assessment	310
Table 80 - Countywide Risk Factor	312
Table 81 - 2010 – 2020 Population Change	316
Table 82 - 2019 Mitigation Goals and Objectives Review	337
Table 83 - 2019 Mitigation Actions Review	341
Table 84 - 2025 Goals and Objectives	356
Table 85 - Mitigation Strategy Technique Matrix	360
Table 86 - 2025 Mitigation Action Plan	365
Table 87 - Municipal Hazard Mitigation Actions Checklist	384
Table 88 - Objective to Action Checklist	388
Table 89 - Actions Tied to Hazard	388

## Acronyms

AACT:	American Academy of Clinical Toxicology
ACHA:	American College Health Association
ACMT:	American College of Medical Toxicology
AHJ:	Authority Having Jurisdiction
AMD:	Acid Mine Drainage
ANSI:	American National Standards Institute
ASAM:	American Society of Addiction Medicine
ASHRAE:	American Society of Heating, Refrigerating, and Air-Conditioning Engineers
ASIRT:	Association for Safe International Road Travel
BFE:	Base Flood Elevation
CBRNE:	Chemical, Biological, Radiological, Nuclear, or Explosive
CDC:	Centers for Disease Control and Prevention
CERT:	Community Emergency Response Team
CFR:	Code of Federal Regulations
CFS:	Commodity Flow Study
CHSN:	College Health Surveillance Network
CCIDRAP:	Center for Infectious Disease Research and Policy
CRS:	Community Rating System
DCNR:	Department of Conservation and Natural Resources
DDAP:	Department of Drug and Alcohol Programs
DEA:	Drug Enforcement Administration
DFIRM:	Digital Flood Insurance Rate Map
DMA:	Disaster Mitigation Act
DPS:	Department of Public Safety
EF:	Enhanced Fujita
EIA:	Energy Information Administration
EMA:	Emergency Management Agency

EMPG:	Emergency Management Performance Grant
EMS:	Emergency Medical Services
EOP:	Emergency Operations Plan
EPA:	Environmental Protection Agency
EPCRA:	Emergency Planning and Community Right-To-Know Act
EPZ:	Emergency Planning Zone
FBI:	Federal Bureau of Investigations
FEMA:	Federal Emergency Management Agency
FMA:	Flood Mitigation Assistance Grant Program
FRA:	Federal Railroad Association
GIS:	Geographic Information Systems/Sciences
HAZUS:	Hazards U.S. Software
HMA:	Hazard Mitigation Assistance
HMEP:	Hazardous Material Emergency Planning Grant
HMGP:	Hazard Mitigation Grant Planning
HMP:	Hazard Mitigation Plan
HMRF:	Hazardous Material Response Fund
HSCA:	Hazardous Sites Cleanup Act
HSGP:	Homeland Security Grant Program
HVE:	Homegrown Violent Extremist
ICC:	International Code Council
IES:	Illuminating Engineering Society
LEPC:	Local Emergency Planning Committee
LGTBQ:	Lesbian, Gay, Bisexual, Trans & Queer
LPT:	Local Planning Team
MAT:	Medication-Assisted Treatment
MPC:	Municipalities Planning Code
NARM:	Notification and Resource Manual
NAS:	Neonatal Abstinence Syndrome

NCDC:	National Climatic Data Center
NCEI:	National Centers for Environmental Information
NFIP:	National Flood Insurance Program
NFPA:	National Fire Protection Association
NIH:	National Institute of Health
NLD:	National Levee Database
NOAA:	National Oceanic and Atmospheric Administration
NTP:	Narcotic Treatment Program
NWS:	National Weather Service
OIH:	Opioid-Induced Hyperalgesia
OUD:	Opioid Use Disorder
PA DCED:	Pennsylvania Department of Community and Economic Development
PA DEP:	Pennsylvania Department of Environmental Protection
PA DOA:	Pennsylvania Department of Agriculture
PA GWIS:	Pennsylvania Groundwater Information System
PA HART:	Pennsylvania Helicopter Aquatic Rescue Team
PAWNVCP:	Pennsylvania West Nile Virus Control Program
PDMP:	Prescription Drug Monitoring Program
PDSI:	Palmer Drought Severity Index
PEMA:	Pennsylvania Emergency Management Agency
PennDOT:	Pennsylvania Department of Transportation
PHMSA:	Pipeline and Hazardous Materials Safety Administration
PISC:	Pennsylvania Invasive Species Council
POD:	Points of Dispensing
PWSA:	Public Water Service Area
RF:	Risk Factor
SARA:	Superfund Amendments and Reauthorization Act
SC:	Steering Committee

SFHA:	Special Flood Hazard Area
TRI:	Toxic Release Inventory
UCC:	Uniform Construction Code
US HHS:	United States Department of Health and Human Services
USACE:	Untied States Army Corp of Engineers
USDA:	United States Department of Agriculture
USDA FS:	United States Department of Agriculture Forest Service
USGS:	United States Geological Survey
WL:	Working Level
WMD:	Weapon of Mass Destruction
WUI:	Wildland Urban Interface

#### **Executive Summary**

Mitigation is the effort to reduce loss of life and property by lessening the impact of disasters. Hazard mitigation focuses attention and resources on county and municipal policies and actions that will produce successive benefits over time. State and local governments engage in hazard mitigation planning to identify risks and vulnerabilities associated with natural as well as humancaused hazards and develop long-term strategies for protecting people and property from future hazard events. Mitigation plans are key to breaking the cycle of disaster damage, reconstruction, and repeated damage. This plan represents the work of citizens, elected and appointed government officials, business leaders, and volunteer and nonprofit groups to protect community assets, preserve the economic viability of the community, and save lives.

In 2024, the Mifflin County Office of Public Safety contracted the services of a consulting agency to revise and update the Mifflin County Hazard Mitigation Plan. The plan was successfully updated in accordance with the requirements set forth by PEMA and FEMA. The updated Mifflin County Hazard Mitigation Plan was adopted by the Mifflin County Commissioners in 2020. All sixteen municipalities adopted the 2019 Mifflin County Hazard Mitigation Plan as the municipal hazard mitigation plan, and it is anticipated that all participating municipalities will adopt the 2025 Mifflin County Hazard Mitigation Plan Update.

The Mifflin County Commissioners secured a grant to complete the 2025 update to the Mifflin County Hazard Mitigation Plan. MCM Consulting Group, Inc. was hired to assist the county with the update of the plan. The planning kick-off meeting was conducted on January 24, 2024.

The planning process for the 2025 Mifflin County Hazard Mitigation Plan Update consisted of the following:

- Identification and prioritization of the hazards that may affect the county and its municipalities.
- Assessment of the county's and municipalities' vulnerability to these hazards.
- Identification of the mitigation actions and projects that can reduce that vulnerability.
- Development of a strategy for implementing the actions and projects, including identifying the agency(ies) responsible for that implementation.

Throughout the planning process, the general public was given the opportunity to comment on the existing HMP and provide suggestions for the updated version. Due to COVID-19, public meetings were conducted via an online survey to provide residents an opportunity to provide

input on the HMP. Several meetings were held in person with a virtual option, and participants were invited to submit surveys and other documents via an online survey.

The following hazards were identified by the local planning team as presenting the highest risk to the county and its municipalities:

Natural hazards:

- Drought
- Earthquake
- Extreme Temperatures
- Flooding, Flash Flooding, Ice Jam Flooding
- Hurricane and Tropical Storm
- Invasive Species
- Landslide
- Lightning Strike
- Pandemic and Infectious Disease
- Radon Exposure
- Subsidence and Sinkhole
- Tornado/Windstorm
- Wildfire
- Winter Storm

Human-caused hazards:

- Blighted Properties
- Civil Disturbance
- Dam Failure
- Disorientation
- Drowning
- Environmental Hazards / Hazardous Materials
- Nuclear Incident
- Substance Use Disorder
- Terrorism/Cyberterrorism Incidents
- Transportation Accidents
- Urban Fire and Explosion
- Utility Interruption

A total of twenty-six hazards have been identified in the 2025 Mifflin County Hazard Mitigation Plan. A total of twenty-one identified hazards were listed in the previous 2019 plan update. The new hazards include blighted properties, disorientation, nuclear incidents, substance use disorder, and terrorism/cyberterrorism.

To mitigate against the effects of these hazards, the local planning team identified the following goals for hazard mitigation over the next five years:

- Reduce potential injury/death and damage to existing community assets due to floods, flash floods, and ice jams.
- Reduce potential injury/death and damage to community assets due to all hazards.
- Promote disaster-resistant future development.
- Promote hazard mitigation as a public value in recognition of its importance to the health, safety, and welfare of the population.
- Improve response and recovery capabilities.
- Protect critical infrastructure.

Mitigation actions are specific projects and activities that help achieve goals. A total of seventy actions were developed for this plan update as they pertain to hazards identified by the local planning team. The 2019 Mifflin County Hazard Mitigation Plan consisted of fifty-five total actions. The individual objectives and actions that will be implemented are shown in Section 6.4. Each municipality was provided the opportunity to submit new project opportunity forms for this update. A total of eighteen project opportunities were submitted for this plan update.

The 2025 Mifflin County Hazard Mitigation Plan is the cornerstone to reducing Mifflin County's vulnerability to disasters. It is the commitment to reducing risks from hazards and serves as a guide for decision makers as they commit resources to reducing the effects of hazards. Hazard mitigation is the only phase of emergency management specifically dedicated to breaking the cycle of damage, reconstruction, and repeated damage.

The 2025 Mifflin County Hazard Mitigation Plan is a living document that reflects ongoing hazard mitigation activities and requires monitoring, evaluating, and updating to ensure the mitigation actions are implemented. To facilitate the hazard mitigation planning process and adhere to regulatory requirements, the plan will be reviewed annually, and any major revisions will be incorporated into the five-year update.

## 1. Introduction

#### 1.1. Background

The Mifflin County Board of Commissioners, in response to the Disaster Mitigation Act of 2000 (DMA 2000), organized a countywide hazard mitigation planning effort to prepare, adopt, and implement a multi-jurisdictional Hazard Mitigation Plan (HMP) for Mifflin County and all of its sixteen municipalities. The Mifflin County Office of Public Safety was charged by the County Board of Commissioners to prepare the 2025 plan. The 2019 HMP has been utilized and maintained during the five-year life cycle.

The Mifflin County Commissioners were successful in securing hazard mitigation grant funding to update the county hazard mitigation plan. The pre-disaster mitigation grant funding was administered by the Pennsylvania Emergency Management Agency and provided to Mifflin County as a sub-grantee. The Mifflin County Commissioners assigned the Mifflin County Office of Public Safety with the primary responsibility to update the hazard mitigation plan. MCM Consulting Group, Inc. was selected to complete the update of the HMP. A local hazard mitigation planning team was developed comprised of government leaders and citizens from Mifflin County. This updated HMP will provide another solid foundation for the Mifflin County Hazard Mitigation Program.

Hazard mitigation describes sustained actions taken to prevent or minimize long-term risks to life and property from hazards and to create successive benefits over time. Pre-disaster mitigation actions are taken in advance of a hazard event and are essential to breaking the disaster cycles of damage, reconstruction, and repeated damage. With careful selection, successful mitigation actions are cost-effective means of reducing risk of loss over the long term.

Hazard mitigation planning has the potential to produce long-term and recurring benefits. A core assumption of mitigation is that current dollars invested in mitigation practices will significantly reduce the demand for future dollars by lessening the amount needed for recovery, repair, and reconstruction. These mitigation practices will also enable local residents, businesses, and industries to reestablish themselves in the wake of a disaster, getting the economy back on track sooner with less interruption.

#### 1.2. Purpose

The purpose of this all-hazard mitigation plan (HMP) is:

- Protect life, safety, and property by reducing the potential for future damages and economic losses that result from hazards.
- Qualify for additional grant funding, in both the pre-disaster and the post-disaster environment.
- Speed recovery and redevelopment following future disaster events.
- Demonstrate a firm local commitment to hazard mitigation principles.
- Comply with both state and federal legislative requirements for local hazard mitigation plans.

#### 1.3. Scope

This Mifflin County Multi-Jurisdictional Hazard Mitigation Plan serves as a framework for saving lives, protecting assets, and preserving the economic viability of the forty-eight municipalities in Mifflin County. The HMP outlines actions designed to address and reduce the impact of a full range of natural hazards facing Mifflin County, including drought, earthquakes, flooding, tornadoes, hurricanes/tropical storms, invasive species, and severe winter weather. Human-caused hazards such as transportation accidents, emergency services shortage, hazardous materials spills, and fires are also addressed.

A multi-jurisdictional planning approach was utilized for the Mifflin County HMP update, thereby eliminating the need for each municipality to develop its own approach to hazard mitigation projects, common mitigation goals and objectives, and an evaluation of a broad capabilities assessment examining policies and regulations throughout the county and its municipalities.

#### **1.4.** Authority and References

Authority for this plan originates from the following federal sources:

- Robert T. Stafford Disaster Relief and Emergency Assistance Act, 42 U.S.C., Section 322, as amended
- Code of Federal Regulations (CFR), Title 44, Parts 201 and 206
- Disaster Mitigation Act of 2000, Public Law 106-390, as amended.
- National Flood Insurance Act of 1968, as amended, 42 U.S.C. 4001 et seq.

Authority for this plan originates from the following Commonwealth of Pennsylvania sources:

• Pennsylvania Emergency Management Services Code. Title 35, Pa C.S. Section 101

- Pennsylvania Municipalities Planning Code of 1968, Act 247 as reenacted and amended by Act 170 of 1988.
- Pennsylvania Stormwater Management Act of October 4, 1978. P.L. 864, No. 167

The following Federal Emergency Management Agency (FEMA) guides and reference documents were used to prepare this document:

- FEMA 386-1: Getting Started. September 2002
- FEMA 386-2: Understanding Your Risks: Identifying Hazards and Estimating Losses. August 2001
- FEMA 386-3: Developing the Mitigation Plan. April 2003
- FEMA 386-4: Bringing the Plan to Life. August 2003
- FEMA 386-5: Using Benefit-Cost Review in Mitigation Planning. May 2007
- FEMA 386-6: Integrating Historic Property and Cultural Resource Considerations into Hazard Mitigation Planning. May 2005
- FEMA 386-7: Integrating Manmade Hazards into Mitigation Planning. September 2003
- FEMA 386-8: Multijurisdictional Mitigation Planning. August 2006
- FEMA 386-9: Using the Hazard Mitigation Plan to Prepare Successful Mitigation Projects. August 2008
- FEMA Local Multi-Hazard Mitigation Planning Guidance. July 1, 2008
- FEMA National Fire Incident Reporting System 5.0: Complete Reference Guide. January 2008
- FEMA Mitigation Ideas: A Resource for Reducing Risk to Natural Hazards. January 2013
- FEMA Rehabilitation of High Hazard Potential Dams: Grant Program Guidance, June 2020

The following Pennsylvania Emergency Management Agency (PEMA) guides and reference documents were used to prepare this document:

- PEMA: Hazard Mitigation Planning Made Easy!
- PEMA Mitigation Ideas: Potential Mitigation Measures by Hazard Type: A Mitigation Planning Tool for Communities. March 6, 2009
- PEMA: All-Hazard Mitigation Planning Standard Operating Guide, 2020.

The following document produced by the National Fire Protection Association (NFPA) provided additional guidance for updating this plan:

NFPA 1600: Standard on Disaster/Emergency Management and Business Continuity Programs. 2011


## 2. Community Profile

#### 2.1. Geography and the Environment

Mifflin County covers approximately 415 square miles and is situated in central Pennsylvania. The county is bordered by Huntingdon County in the west and southwest, Centre County to the north, Union County to the northeast, Snyder County to the east, and by Juniata County to the south. Mifflin County lies within the Ridge and Valley Province. Mifflin County is entirely covered by the Appalachian Mountain section of the Ridge and Valley Province. Mifflin County is the 46<sup>th</sup> ranked county in terms of population within the Commonwealth of Pennsylvania. There is a total of 411 square miles of land and 3.7 square miles of water.

Mifflin County presents a wide range of topographic features. The surface ranges from almost level on plateaus and in valleys, to rolling and hilly in other areas. Elevations in the county range from a high of 2,379 feet at Broad Mountain to a low of approximately 480 feet in Lewistown Borough.

The Köppen-Geiger Climate Areas map classifies Mifflin County, and the rest of Pennsylvania, as Humid Continental, which can be seen in *Figure 1 – Köppen-Geiger Climate Map*. While the counties of Pennsylvania share many weather similarities, there are also a few unique characteristics to the area.





Produced by MCM Consulting Group, Inc.

According to current data, the climate in Mifflin County is temperate, being characterized by moderately hot summers and moderately severe winters. In winter, the average temperature is 33.4°F and the average daily minimum temperature is 24.7°F. In summer, the average temperature is 70.3°F and the average daily maximum temperature is 81.6°F. The average amount of snowfall each year is approximately 26.2 inches.

River and stream valleys dominate the landscape of Mifflin County. The Juniata River is the primary feature and runs through the majority of the county.

Mifflin County is comprised of five watersheds:

Table 1 - Watersheds in Mifflin County

Watersheds in Mifflin County
Juniata River
Kishacoquillas Creek
Middle Creek
Penns Creek
Tuscarora Creek

#### 2.2. Community Facts

Mifflin County was created on September 19, 1789, from parts of Cumberland County and Northumberland County. The county is named after the former Governor of Pennsylvania, Thomas Mifflin. In 1790, Lewistown Borough was laid out and was later incorporated as the county seat on February 6, 1811. The county seat is named after a local ironmaster, William Lewis.

The following boroughs and townships are located in Mifflin County:

- Boroughs: Burnham, Juniata Terrace, Kistler, Lewistown, McVeytown, Newton Hamilton
- Townships: Armagh, Bratton, Brown, Decatur, Derry, Granville, Menno, Oliver, Union, Wayne

There are two museums in Mifflin County. These museums include the Mifflin County Historical Society and the McCoy House. The Mifflin County Historical Society primarily focuses on the history and culture of Mifflin County and operates on the support of paid memberships and community activism. The McCoy House is also a museum that displays local history and is owned by the Mifflin County Historical Society. The National Park Service's (NPS) National Register of Historic Places lists six locations in Mifflin County that are considered historic properties or buildings. These buildings can be found in *Table 2 – Mifflin County National Historic Places*, including the year that the building was added to list and the municipality where it is located.

Mifflin County National Historic Places					
<b>Building/Location Name</b>	Date Added to NRHP	Municipality			
Embassy Theatre	July 23 <sup>rd</sup> , 1998	Lewistown Borough			
McCoy House	March 14 <sup>th</sup> , 1973	Lewistown Borough			
Mifflin County Courthouse	May 28 <sup>th</sup> , 1976	Lewistown Borough			
Montgomery Ward Building	September 7 <sup>th</sup> , 1984	Lewistown Borough			
Old Hoopes School	December 20 <sup>th</sup> , 1978	Derry Township			
Wollner Building	August 23 <sup>rd</sup> , 1984	Lewistown Borough			
Source: NPS NRHP, 2024					

Table 2 - Mifflin County National Historic Places

#### 2.3. Population and Demographics

The total population for Mifflin County is 46,143 based on 2020 United States Census Bureau. The total change in population for Mifflin County from 2010 to 2020 was a decrease of 404 residents and a change of -0.87%. The most populous municipality is Lewistown Borough with 8,157 residents. Lewistown Borough is also the county seat and home to many businesses and government buildings. The municipalities in the county that had the largest percentage of decrease from 2010 to 2020 were Kistler Borough with a change of 17.11% decrease, Burnham Borough with a change of 15.47% decrease, and Menno Township with a change of 8.69% decrease. The municipalities that had the highest percentage of increase for the period from 2010 to 2020 were Juniata Terrace Borough with a 39.49% increase, New Hamilton Borough with a 38.17% increase, and Bratton Township with a 10.94% increase. *Table 3 – Population Change in Mifflin County* illustrates the trends and data from United States Census Bureau. These figures are based off data from the United States Census Bureau in 2020. *Figure 5 – Mifflin County Population Density* illustrates the average population density values per census track in the various municipalities of Mifflin County.

Table 3 - Population Change in Mifflin County

Population Change in Mifflin County from 2010-2020					
Municipality	2010 Census	2020 Census	Percent of Change 2010-2020		
Armagh Township	3,888	3,808	-2.06		
Bratton Township	1,289	1,430	10.94		
Brown Township	4,011	4,072	1.52		
Burnham Borough	2,153	1,820	-15.47		
Decatur Township	3,107	3,073	-1.1		
Derry Township	7,340	7,307	-0.45		
Granville Township	5,053	4,992	-1.21		
Juniata Terrace Borough	482	597	39.49		
Kistler Borough	380	315	-17.11		
Lewistown Borough	8,422	8,157	-3.15		
McVeytown Borough	331	334	0.91		
Menno Township	2,082	1,901	-8.69		
Newton Hamilton Borough	186	257	38.17		
Oliver Township	1,912	2,094	9.52		
Union Township	3,423	3,508	2.48		
Wayne Township	2,524	2,514	-0.4		
Source: United States Census Bureau (2024), 2010 Census Data, 2020 Census Data					

Source: United States Census Bureau (2024), 2010 Census Data, 2020 Census Data

During this hazard mitigation planning period, socially vulnerable populations were reviewed for Mifflin County. For the purposes of this hazard mitigation plan, socially vulnerable populations include the unhoused and unsheltered populations of Mifflin County, individuals who have mobility challenges, and those populations which may have not had an active role in hazard mitigation planning in the past. Social vulnerability can also include portions of the population that may not have access to specific resources or community lifelines. In Mifflin County, this includes, but is not limited to, populations with limited internet access, those individuals who do not have easy access to public transportation, and those populations that are not near grocery or food community lifelines. In Mifflin County, populations located far from grocery stores or food locations are at increased vulnerability to natural and human-caused hazards.

Vulnerable populations in Mifflin County are represented by a variety of different groups. The Mifflin-Juniata Human Services represents individuals located or utilizing low-income housing. The local planning team for this hazard mitigation plan made efforts to include individuals from the Mifflin-Juniata Human Services in the planning process.


As of 2022, there are approximately 21,391 housing units in Mifflin County, Pennsylvania. Of these housing units, there are an estimated 18,612 households within the county, with an average household size of 2.44 persons. Married couples make up a majority of households in the county making up approximately 52.8% of all households, with an average family size of 2.93 persons. The estimated owner-occupied housing rate of Mifflin County is 71.5%, with an overall occupancy rate of 87.0% of all units. The median value of the owner-occupied housing units in Mifflin County from 2018 to 2022 is \$131,300.00. The median monthly owner's costs for a structure with a mortgage was \$532.00. The median gross rent for rental properties in Mifflin County was \$763.00 for the same date range.

The racial composition of the county is 96.9% White, 1.0% Black or African American, 2.0% Hispanic or Latino, 0.2% American Indian and Alaska Native, 0.6% Asian, 0.1% Native Hawaiian and other Pacific Islander, and 1.3% two or more races. The median age of residents in Mifflin County is 43.3 years of age, which is higher than the median age of Pennsylvania at 40.8 and the national median of 38.5 years of age. The percentage of Mifflin County under the age of 5 years old is 6.4%, between the ages of 18 and 64 years old is 55.9%, and aged 65 years old and older is 21.6%.

The median household income for households in Mifflin County is \$58,012.00 and the poverty rate of Mifflin County is 14.7% of the total population. The poverty rate for the Commonwealth of Pennsylvania as a whole is 11.8%. There are approximately 3,062 veterans in Mifflin County. The median veteran income in Mifflin County as of 2020 was \$40,869.00 with 7.54% of Mifflin County veterans living below the poverty level. The veteran unemployment rate in the county was approximately 2.2%.

The Covid-19 Pandemic created an increase in unemployment and interruptions in employment throughout the United States, to include Pennsylvania and Mifflin County. According to Pennsylvania Department of Labor and Industry data, there was a large spike in unemployment both across the Commonwealth and Mifflin County. At the height of the Covid-19 Pandemic in the spring of 2020, the unemployment rate for Mifflin County hit 16.4% of the working population of the county. That is higher than the peak unemployment percentage for Pennsylvania, which peaked at 16.1% of the working population of the entire state. *Figure 2 – Unemployment Rate Jan. 2014 to Feb. 2024* illustrates the trend and large spike in unemployment. The unemployment rate for Mifflin County in February 2024 was 3.3%, which roughly accounted for 700 working age adults (ages 16 to 65). The total estimated workforce for Mifflin County was 21,200 working age adults (ages 16 to 65) in February 2024.

Figure 2 - Unemployment Rate Jan. 2014 to Feb. 2024



Source: Pennsylvania Department of Labor & Industry

Mifflin County's leading industries are education, healthcare, manufacturing, food services and retail trade. The primary employment providers within Mifflin County are displayed below in *Table 4 – Mifflin County Top Employers*. *Error! Reference source not found*.

Table 4 - Mifflin County Top Employers

Mifflin County Top Employers (Excluding State Employers)				
Ranking	Company			
1	Geisinger-Lewistown Hospital			
2	Mifflin County School District			
3	Standard Steel LLC			
4	Philips Ultrasound LLC			
5	Trinity Plastics Inc			
6	Geisinger Clinic			
7	Wal-Mart Associates Inc			
8	First Quality Retail Services			
9	Overhead Door Corp			
10	Valley View Haven			
Source: Penn	Source: Pennsylvania Department of Labor & Industry, 2024			

The top employers' data was obtained through the Pennsylvania Department of Labor and Industry, Center for Workforce Information and Analysis. This data only provided a list of employers, their ranking, and North American Industry Classification System (NAICS) descriptions. *Table 5 – Quarterly Census of Employment and Wages, 2023 Annual Averages in Mifflin County* only calls out how many locations per NAICS description and total number of employees.

Quarterly Census of Employment and Wages, 2023 Annual Averages in Mifflin County (PA DLI)					
NAICS	Description	Number of Locations	Number of Employees	Employment Percentage	Average Wages
11	Agriculture, Forestry, Fishing, and Hunting	28	211	1.3%	\$45,529.00
21	Mining, Quarrying, and Oil & Gas	0	0	0.0%	\$0.00
22	Utilities	5	78	0.5%	\$81,057.00
23	Construction	108	812	5.1%	\$58,336.00
31-33	Manufacturing	88	3,942	24.9%	\$60,667.00
42	Wholesale Trade	43	407	2.6%	\$52,304.00
44-45	Retail Trade	165	2,214	14.0%	\$30,729.00
48-49	Transportation and Warehousing	63	629	4.0%	\$54,023.00
51	Information	10	94	0.6%	\$45,918.00
52	Finance and Insurance	49	403	2.5%	\$59,823.00
53	Real Estate, Rental, and Leasing	25	72	0.5%	\$35,539.00
54	Professional and Technical Services	32	114	0.7%	\$60,621.00
55	Management of Companies and Enterprises	7	42	0.3%	\$126,922.00
56	Administrative and Waste Services	41	296	1.9%	\$30,626.00
61	Educational Services	29	1,022	6.5%	\$46,902.00

Table 5 - Quarterly Census of Employment and Wages, 2023 Annual Averages in Mifflin County

Quarterly Census of Employment and Wages, 2023 Annual Averages in Mifflin County (PA DLI)					
NAICS	Description	Number of Locations	Number of Employees	Employment Percentage	Average Wages
62	Healthcare and Social Assistance	178	3,396	21.4%	\$55,341.00
71	Arts, Entertainment, and Recreation	8	52	0.3%	\$22,305.00
72	Accommodation and Food Services	89	1,209	7.6%	\$16,929.00
81	Other Services (Except Public Administration)	73	356	2.2%	\$24,467.00
92	Public Administration	42	494	3.1%	\$44,080.00
-	Total, All Industries	1,082	15,840	100.0%	\$48,360.00
NAICS (North American Industry Classification System)					

## 2.4. Land Use and Development

Mifflin County is composed of sixteen municipalities, which include:

- Ten townships
- Six boroughs

The majority of acreage in Mifflin County is forested, while approximately 24.47% (or 64,994 acres) of the acreage is agriculture. Mifflin County has a total acreage of 265,416 acres in the Bay watershed. Mifflin County is mostly made up of natural land which consists of forests, streams, and wetlands.

Mifflin County has approximately 263,040 acres of total land area, and 2,368 acres of water area, with a population per square mile of 112.3 persons based on 2020 data estimates. Forested areas make up over 65% of the county, while agriculture makes up approximately 24.47% of the total land area in Mifflin County, and high density urban, low density urban, water, transitional, resource extraction, quarries, and wetlands account for 10.53% of the land area.

#### Systems

The specific systems in Mifflin County must also be considered when discussing the community characteristics. Food, water, and shelter are of primary concern when looking at a community's lifelines. As Mifflin County is a rural county, food areas and grocery stores are spread over a wide geographic area. Specific grocery stores can be found in, but are not limited to, Lewistown

Borough, Burnham Borough, and McVeytown Borough. Water in Mifflin County is primarily provided by small, local water authorities and public water suppliers. Local domestic water wells are also prevalent throughout the entire community. Shelter features in Mifflin County during emergencies can include municipal borough and township buildings and any buildings that are currently part of emergency response and recovery planning for Mifflin County.

#### 2.5. Data Sources and Limitations

The following data sources were used during the update process:

- United States Census Bureau.
- National Climatic Data Center (NCDC).
- National Oceanic and Atmospheric Administration (NOAA).
- Pennsylvania Department of Conservation and Natural Resources (PA DCNR).
- Pennsylvania Department of Environmental Protection (PA DEP).
- Pennsylvania Department of Labor and Industry (PA DLI).
- Pennsylvania Groundwater Information System (PaGWIS).
- Pennsylvania Emergency Incident Reporting System. (PEIRS)
- Pennsylvania Emergency Management Agency (PEMA).
- Mifflin County Comprehensive Plan 2014.

The countywide Digital Flood Insurance Rate Maps (DFIRM) were used for all flood risk analysis and estimation of loss. The Mifflin County DFIRMs were approved and effective in 2013. The DFIRM database provides flood frequency and elevation information used in the flood hazard risk assessment. Other Mifflin County GIS datasets including road centerlines, structures, and municipalities were utilized in conjunction with the DFIRM data.

In order to assess the vulnerability of different jurisdictions to the hazards, data on past occurrences of damaging weather events was compiled. A large number of natural-hazard events were gathered from the National Climatic Data Center (NCDC) database. The NCDC is a division of the United States Department of Commerce's National Oceanic and Atmospheric Administration (NOAA). Information on hazard events is compiled by the NCDC from data gathered by the National Weather Service (NWS), another division of NOAA. The data is then presented by the NCDC as tabular data that can be queried in the United States Storm Events database, which "documents the occurrences of storms and other significant weather phenomena having sufficient intensity to cause loss of life, injuries, significant property damage, and/or disruption to commerce" (NOAA, 2006). The classification of storm events in the database is based off of data collected from around the United States and the Commonwealth of

Pennsylvania, so the data may not be filed under the correct storm category due to user input error. The reason for this data issue results from some storm events falling under multiple categories, including but not limited to winter storm, ice storm, tornado, hurricane / tropical storm, flooding, and flash flooding. Many of the events listed in the United States Storm Events database can fall under multiple of these categories. In an effort to include a comprehensive list of prior storm events for Mifflin County, search queries with multiple storm classifications were conducted for each hazard.

Throughout the risk and vulnerability assessment included in Section 4 of this Hazard Mitigation Plan, descriptions of limited data indicate some areas in which the county and the municipalities can improve their ability to identify vulnerable structures and improve loss estimates. As the county and municipal governments work to increase their overall technical capacity and implement comprehensive planning goals, they will also attempt to improve the ability to identify ulnerability.

This hazard mitigation plan evaluates the vulnerability of the county's community lifelines. For the purposes of this plan, critical infrastructure facilities are those entities that are essential to the health, welfare, and safety of the community. This includes but is not limited to airports, emergency medical service (EMS) stations, communication facilities and towers, day care centers and preschools, fire departments, hospitals and medical facilities, police departments, schools, and senior living facilities. The locations of these facilities were provided by the Mifflin County GIS Department.

#### Geographic Information Systems (GIS) Data

GIS data was utilized in risk assessment, estimation of loss and the development of map products for the hazard mitigation plan update. A foundation of data was available from the Mifflin County GIS Department. Some of the utilized data was downloaded from the Pennsylvania Spatial Data Access (PASDA). A large portion of the plan utilizes census data from the United States Census Bureau, but the 2020 census data collection and dissemination was disrupted due to the Covid-19 Pandemic in 2020 and 2021. The 2020 census was delayed, and the information received during the census was spread out due to social distancing and the limiting of census takers going door to door to gather information.

The Mifflin County GIS Department provided the following layers for use in the development of hazard profiles and hazard profile mapping for the 2025 Hazard Mitigation Plan Update:

- Mifflin County Amish Schools
- Mifflin County EMS Agencies


- Mifflin County Fire Departments
- Mifflin County Incorporated Municipalities
- Mifflin County Industry Sites
- Mifflin County Landing Zones
- Mifflin County Law Enforcement Departments
- Mifflin County Mennonite Schools
- Mifflin County Private Schools
- Mifflin County Public Schools
- Mifflin County Road Centerlines
- Mifflin County SARA Facilities
- Mifflin County Site Structure Address Points

The following GIS Data layers were developed for use in the 2025 Hazard Mitigation Plan Update:

- Mifflin County Airports
- Mifflin County Boundary
- Mifflin County Community Lifelines
- Mifflin County Dam Inventory
- Mifflin County Electricity Transmission Lines
- Mifflin County Electric Substations
- Mifflin County Groundwater Withdrawal Points
- Mifflin County Historic Streams
- Mifflin County Historic Tornado Tracks
- Mifflin County Lakes
- Mifflin County Levee Areas
- Mifflin County Levee Centerlines
- Mifflin County Major Roadways
- Mifflin County Natural Gas Pipelines
- Mifflin County Ponds
- Mifflin County Power Plants
- Mifflin County Special Flood Hazard Area (SFHA)
- Mifflin County Traffic Information
- Mifflin County Trails
- Mifflin County Toxic Release Inventory (TRI) Locations
- Mifflin County Wildland Urban Interface

• Mifflin County Zip Codes


Figure 3 - Mifflin County Basemap



Produced by MCM Consulting Group, Inc.

Page - 36


Figure 4 - Mifflin County Watersheds



Produced by MCM Consulting Group, Inc.

Page - 37


Figure 5 - Mifflin County Population Density



Produced by MCM Consulting Group, Inc.

Page - 38

Figure 6 - Mifflin County Land Use



Produced by MCM Consulting Group, Inc.



# **3.** Planning Process

# 3.1. Update Process and Participation Summary

The Mifflin County Hazard Mitigation Plan update began January 24, 2024. The Mifflin County Commissioners were able to secure a hazard mitigation grant to start the process. The Mifflin County Office of Public Safety was identified as the lead agency for the Mifflin County Hazard Mitigation Plan update. The planning process involved a variety of key decision makers and stakeholders within Mifflin County. Mifflin County immediately determined that the utilization of a contracted consulting agency would be necessary to assist with the plan update process. MCM Consulting Group, Inc. was selected as the contracted consulting agency to complete the update of the hazard mitigation plan. The core hazard mitigation team, which was referred to as the steering committee, included officials from the Mifflin County Office of Public Safety and MCM Consulting Group, Inc. (MCM).

The process was developed around the requirements laid out in the Federal Emergency Management Agency (FEMA) Local Hazard Mitigation Crosswalk, referenced throughout this plan, as well as numerous other guidance documents including, but not limited to, Pennsylvania's All-Hazard Mitigation Standard Operating Guide, FEMA's State and Local Mitigation Planning How-to Guide series of documents (FEMA 386-series), and the National Fire Protection Association (NFPA) 1600 Standard on Disaster/Emergency Management and Business Continuity Programs.

MCM Consulting Group, Inc. assisted Mifflin County Office of Public Safety in coordinating and leading public involvement meetings, local planning team meetings, analysis, and the writing of the updated HMP. The Mifflin County Local Planning Team (LPT) worked closely with MCM in the writing and review of the HMP. MCM conducted project meetings and local planning team meetings throughout the update process. Due to COVID-19, meetings were held with the option to attend virtually. Meeting agendas, meeting minutes and sign-in sheets were developed and maintained for each meeting conducted by MCM. These documents are detailed in Appendix C of this plan.

Public meetings with local elected officials were held, as well as work sessions and in-progress review meetings with the Mifflin County Local Planning Team and staff. At each of the public meetings, respecting the importance of local knowledge, municipal officials were strongly encouraged to submit hazard mitigation project opportunity forms, complete their respective portions of the capability's assessment and review, and eventually adopt the county hazard

mitigation plan. Mifflin County will continue to work with all local municipalities to collect local hazard mitigation project opportunities.

The HMP planning process consisted of:

- Applying for and receiving a hazard mitigation planning grant (HMPG) to fund the planning project.
- Announcing the initiative via press releases and postings on the county website.
- Involving elected and appointed county and municipal officials in a series of meetings, training sessions, and workshops.
- Identifying capabilities and reviewed the information with the municipalities.
- Identifying hazards.
- Assessment of risk and analyzing vulnerabilities.
- Identifying mitigation strategies, goals, and objectives.
- Developing an implementation plan.
- Announcing completion via press releases and postings on the county website.
- Plan adoption at a public meeting of the Mifflin County Board of Commissioners.
- Plan submission to FEMA and PEMA.

The 2025 Mifflin County HMP was completed November 15, 2024. The 2025 plan follows an outline developed by PEMA which provides a standardized format for all local HMPs in the Commonwealth of Pennsylvania. The 2025 HMP format is consistent with the PEMA recommended format. The 2025 Mifflin County HMP combined dam failure and levee failure profiles; and has added additional hazard profiles to the HMP, and these additional profiles increased the subsections in section 4.3 of the HMP.

# **3.2.** The Planning Team

The 2025 Mifflin County Hazard Mitigation Plan update was led by the Mifflin County Steering Committee. The Mifflin County Steering Committee provided guidance and leadership for the overall project. The steering committee assisted MCM Consulting Group, Inc. with dissemination of information and administrative tasks. *Table 6 – Steering Committee* outlines the individuals that comprised this team.

Mifflin County Hazard Mitigation Plan Update Steering Committee			
NameOrganizationPosition			
Phil Lucas	Mifflin County Office of Public Safety	Director	

#### Table 6 - Steering Committee

Mifflin County Hazard Mitigation Plan Update Steering Committee			
Name	Organization	Position	
Ashlee Crownover	Mifflin County Office of Public Safety	Data Analyst	
Jim Lettiere	Mifflin County Planning Department	Director	
Michael Rearick	MCM Consulting Group, Inc.	Director of Operations	
Adam Leister	MCM Consulting Group, Inc.	Senior GIS Consultant	
Daniel Becker	MCM Consulting Group, Inc.	Consultant	
Valerie Zents	MCM Consulting Group, Inc.	Senior Consultant	
Alyssa Rusnock	MCM Consulting Group, Inc.	Project Coordinator	
Ashley Day	MCM Consulting Group, Inc.	Project Coordinator	

In order to represent the county, the Mifflin County Steering Committee developed a diversified list of potential local planning team (LPT) members. Members that participated in the 2019 hazard mitigation plan were highly encouraged to join the 2025 team. The steering committee then provided invitations to the prospective members and provided a description of duties to serve on the LPT. The invitations for members of the LPT were disseminated by the Mifflin County Office of Public Safety utilizing letters, email, and telephone calls. These invitations included local and regional agencies involved in HMP activities, agencies with the authority to regulate development, neighboring communities, businesses and academia, and representatives for county offices and agencies involved in reaching out to socially vulnerable populations. The LPT worked throughout the process to plan and hold meetings, collect information, and conduct public outreach.

The stakeholders listed in *Table 7 – Local Planning Team* served on the 2025 Mifflin County Hazard Mitigation Local Planning Team, actively participated in the planning process by attending meetings, completing assessments, surveys, and worksheets and/or submitting comments. All potential local planning team members were presented with an email invitation or a mailed letter on February 18<sup>th</sup>, 2024, which was prior to the local planning team kickoff meeting. Those invitation letters for the local planning team are included in Appendix C – Support Documentation of this hazard mitigation plan update.

Individuals representing local interests in dams were presented with the opportunity to participate in the local planning team. Emails were sent to officials involved in the ownership of dams. Increased participation for representatives for socially vulnerable and unserved populations in Mifflin County is a goal for the next planning period, and mitigation actions can be found in section 6.4.

Table 7 - Local Planning Team

Mifflin County Hazard Mitigation Plan Local Planning Team			
Name	Organization	Position	
Ryan Casner	Oliver Township	Supervisor/Roadmaster	
Harry Clever	Menno Township	Supervisor	
Ashlee Crownover	Mifflin County Department of Public Safety	Planner/Data Analyst	
James Drayer	Mifflin County Sheriff's Department	Sheriff	
Andrew Elder	Mifflin County Department of Public Safety	Intern	
Rex Fink	Lewistown Borough	Code Enforcement Officer	
Jamie Fultz	Brown Township	Chairman	
Don Gearhart	Wayne Township	Supervisor	
Sharina Harshburger	Bratton Township	Secretary/Treasurer	
Mary Herto	Granville Township	Township Manager	
Torrey Hildebrand	Menno Township	Chairman	
Douglas Kepner	Juniata Terrace Borough	President	
Teresa King	Brown Township	Secretary	
James Lettiere	Mifflin County Planning Department	Director	
Laura Lettiere	Mifflin County GIS Department	GIS Director	
Phil Lucas	Mifflin County Department of Public Safety	Director	
Russ McMahon	Juniata Terrace Borough	EMA	
Chuck Milos	Wayne Township	Supervisor	
Ron Napikoski	Derry Township	Supervisor	
Ted Reed	Wayne Township	Supervisor	
Dusty Sipes	Mifflin County Regional Police Department	Mental Health Co-Responder	
Melissa Stewart	Mifflin-Juniata Human Services	Director	
Peter Sunderland	McVeytown Borough	Chairman	
Daniel Taptich	Taptich Engineering/Decatur and Union Township	Engineer	
John Wagner	Juniata Terrace Borough	Mayor	
Craig Wheeler	Geisinger – Lewistown Hospital – Security Services Manager		
Kristen Wiser	Lewistown Police Department	Mental Health Co-Responder	
Mark Wolfgang	Decatur Township	Supervisor	
Matthew Yohn	Mifflin County Department of Public Safety	Telecommunicator	
Geralee Zeigler	SEDA-COG, Flood Resiliency	Program Manager	
Kim Zimmerman	Lewistown Borough	Borough Manager	

# **3.3.** Meetings and Documentation

Meetings with local elected officials and the local planning team were held as needed. At each of the meetings, municipal officials were strongly encouraged to submit hazard mitigation project opportunity forms, complete their respective portions of the capability assessment, review and eventually adopt the multi-jurisdictional HMP. *Table 8 – HMP Process Timeline* lists the meetings held during the HMP planning process, which organizations and municipalities attended and the topic that was discussed at each meeting. All meeting agendas, sign-in sheets, presentation slides, and other documentation is in Appendix C.

The draft plan was made available for public review on September 24, 2024. The draft was advertised on Mifflin County's social media page and was made available digitally on the Mifflin County website at: https://www.mifflincountypa.gov/planning/hazard-mitigation-plan

The public comment period remained open until October 24, 2024. All public comments were submitted via an online survey or in writing to Phil Lucas the Director of the Mifflin County Office of Public Safety. Public commenting was available during the public comment period via a Survey Monkey link that was advertised on the county website and social media pages. No public comments were received for this planning period, so no comments are included in Appendix C of this hazard mitigation plan update.

Mifflin County HMP Process Timeline			
Date	Meeting	Description	
01/24/2024	Mifflin County Hazard Mitigation Steering Committee Kickoff Meeting	Meeting was used to determine individuals to invite to the local planning team and to review the draft project schedule.	
02/27/2024	Mifflin County HMP Local Planning Team Kickoff Meeting	Meeting was used to review the project schedule and discuss roles and responsibilities for the hazard mitigation plan. Initial worksheets were introduced and reviewed (Haz ID, Capability assessments, project opportunity, and NFIP survey).	

Table 8 - HMP Process Timeline

Mifflin County HMP Process Timeline			
Date	Meeting	Description	
02/27/2024	Municipality Kickoff Meetings	Meeting was used to review the project schedule and discuss roles and responsibilities for the hazard mitigation plan at the municipal level. Initial worksheets were introduced and reviewed (Haz ID, capability assessment, project opportunity, and NFIP survey).	
03/26/2024	Local Planning Team Meeting – Risk Assessment	Meeting was used to review initial documentation. Selection of hazards for the 2025 hazard mitigation plan was conducted. Risk factor scores were also updated based on changing conditions in Mifflin County since the 2019 HMP.	
04/23/2024	Local Planning Team Meeting – Capability Assessment	Meeting was used to review specific capability items for Mifflin County.	
05/28/2024	Local Planning Team Meeting – Mitigation Strategy	Meeting was used to begin the local planning team work on the mitigation strategy section of the hazard mitigation plan. This included a review of the previous mitigation goals, objectives, and actions.	
05/28/2024	Municipality Mitigation Opportunity Form Meetings	Meeting was used to review the municipality mitigation opportunity forms and to work with individual municipalities on form development.	
05/28/2024	Public Meeting – Risk Assessment	Meeting was used as a public meeting to review the completed risk assessment section with constituents of Mifflin County.	
06/25/2024	Local Planning Team Meeting – Continued Mitigation Strategy	Meeting was used to continue the mitigation strategy discussions and to start development on 2025 mitigation strategy goals, objectives, and actions.	
07/23/2024	Local Planning Team Meeting – Finalization of Mitigation Strategy	Meeting was used to finalize the 2025 mitigation strategy goals, objectives, and actions and to review the mitigation action evaluation and prioritization process.	
09/03/2024	Local Planning Team Meeting – Draft Plan Review	Meeting was used to review the draft plan with the Mifflin County local planning team.	

Mifflin County HMP Process Timeline			
Date	Meeting	Description	
09/24/2024	Public Meeting – Draft Plan Review	Meeting was used as a public meeting to review the draft hazard mitigation plan with the constituents of Mifflin County.	

# 3.4. Public and Stakeholder Participation

Mifflin County engaged numerous stakeholders and encouraged public participation during the HMP update process. Advertisements for public meetings were completed utilizing the local newspaper and the Mifflin County website. Copies of those advertisements are in Appendix C. Municipalities and other county entities were invited to participate in various meetings and encouraged to review and update various worksheets and surveys. Copies of all meeting agendas, meeting minutes and sign-in sheets are located in Appendix C. Worksheets and surveys completed by the municipalities and other stakeholders are located in appendices of this plan update as well. Municipalities were also encouraged to review hazard mitigation related items with other constituents located in the municipality like businesses, academia, private and nonprofit interests.

The tools listed below were distributed with meeting invitations, provided directly to municipalities for completion and return to the Mifflin County Office of Public Safety or at meetings to solicit information, data, and comments from both local municipalities and other key stakeholders. Responses to these worksheets and surveys are available for review at the Mifflin County Office of Public Safety.

- 1. **Risk Assessment Hazard Identification and Risk Evaluation Worksheet**: Capitalizes on local knowledge to evaluate the change in the frequency of occurrence, magnitude, or impact and/or geographic extent of existing hazards and allows communities to evaluate hazards not previously profiled using the Pennsylvania Standard List of Hazards.
- 2. **Capability Assessment Survey**: Collects information on local planning, regulatory, administrative, technical, fiscal, and political capabilities that can be included in the countywide mitigation strategy.
- 3. Municipal Project Opportunity Forms and Mitigation Actions: Copies of the 2025 mitigation opportunity forms that were included in the current HMP were provided to the municipalities for review and amendment. These opportunities are located in Appendix G. The previous mitigation actions were provided and reviewed at update meetings. New 2025 municipal project opportunity forms are included as well, located in Appendix G.

In an effort to capture public input, the Mifflin County LPT held in person meetings and offered on-line surveys. Members of the public were also encouraged to contact Mifflin County Office of Public Safety or MCM Consulting Group, Inc. with any comments or questions regarding this update. Any public comment that was received during public meetings or during the draft review of the plan were documented and included in the plan. Copies of newspaper public meeting notices, website posted public notices, and other correspondence are included in Appendix C of this plan.

Mifflin County invited all contiguous counties to review the 2025 draft hazard mitigation plan. A letter was sent to the emergency management coordinator in Centre, Union, Snyder, Juniata, and Huntingdon counties in Pennsylvania, on. Copies of these letters are included in Appendix C Multi-Jurisdictional Planning.

# 3.5. Multi-Jurisdictional Planning

Mifflin County used an open, public process to prepare this HMP. Meetings and letters to municipal officials were conducted to inform and educate them about hazard mitigation planning and its local requirements. Municipal officials provided information related to existing codes and ordinances, the risk and impacts of known hazards on local infrastructure and critical facilities and recommendations for related mitigation opportunities. The pinnacle to the municipal involvement process was the adoption of the final plan. *Table 9 – Municipality Worksheets, Surveys, and Forms Participation* reflects the municipalities participation by completing worksheets, surveys, and forms.

Mifflin County HMP Worksheets, Surveys, and Forms Participation					
Municipality	Capability Assessment Survey	Risk Assessment Hazard Identification and Risk Evaluation Worksheet	NFIP	Risk Factor	Hazard Mitigation Opportunity Form Review and Updates
Armagh Township	Х	Х	Х	Х	
Bratton Township	Х	X	Х		
Brown Township	Х	Х	Х		Х
Burnham Borough	Х	X	Х		
Decatur Township				Х	Х
Derry Township	Х	Х	Х	Х	

Table 9 - Municipality Worksheets, Surveys, and Forms Participation

Mifflin County HMP Worksheets, Surveys, and Forms Participation					
Municipality	Capability Assessment Survey	Risk Assessment Hazard Identification and Risk Evaluation Worksheet	NFIP	Risk Factor	Hazard Mitigation Opportunity Form Review and Updates
Granville Township	Х	Х	Х		
Juniata Terrace Borough	Х	Х	Х		Х
Kistler Borough		Х		Х	
Lewistown Borough	X	Х	Х	X	
McVeytown Borough	X	Х	Х		
Menno Township	X	X	Х	Х	Х
Newton Hamilton Borough	X	Х	Х	X	Х
Oliver Township	X	Х	Х		
Union Township		Х		X	
Wayne Township		Х			Х
Mifflin County	Х	Х	Х	X	Х

The majority of the sixteen municipalities within Mifflin County adopted the 2019 Mifflin County Hazard Mitigation Plan as the municipal hazard mitigation plan. The goal of the Mifflin County Local Planning Team is to have 100% participation by municipalities in adopting the 2025 Mifflin County Hazard Mitigation.

The table above was completed with the most accurate information available at the time of the writing of this Hazard Mitigation Plan Update. Since the writing of this plan, some of the municipalities listed above have provided information to Mifflin County which updates their participation status.

# 4. Risk Assessment

# 4.1. Update Process Summary

A key component to reducing future loss is to first have a clear understanding of what the current risks are and what steps may be taken to lessen their threat. The development of the risk assessment is a critical first step in the entire mitigation process, as it is an organized and coordinated way of assessing potential hazards and risks. The risk assessment identifies the effects of both natural and human-caused hazards and describes each hazard in terms of its frequency, severity, and county impact. Numerous hazards were identified as part of the process.

A risk assessment evaluates threats associated with a specific hazard and is defined by probability and frequency of occurrence, magnitude, severity, exposure, and consequences. The Mifflin County risk assessment provides in-depth knowledge of the hazards and vulnerabilities that affect Mifflin County and its municipalities. This document uses an all-hazards approach when evaluating the hazards that affect the county and the associated risks and impacts each hazard presents.

This risk assessment provides the basic information necessary to develop effective hazard mitigation/prevention strategies. Moreover, this document provides the foundation for the Mifflin County Emergency Operations Plan (EOP), local EOPs and other public and private emergency management plans.

The Mifflin County risk assessment is not a static document, but rather, is a biennial review requiring periodic updates. Potential future hazards include changing technology, new facilities and infrastructure, dynamic development patterns and demographic and socioeconomic changes into or out of hazard areas. By contrast, old hazards, such as brownfields and landfills, may pose new threats as county conditions evolve.

Using the best information available and geographic information systems (GIS) technologies, the county can objectively analyze its hazards and vulnerabilities. Assessing past events is limited by the number of occurrences, scope and changing circumstances. For example, ever-changing development patterns in Pennsylvania have a dynamic impact on traffic patterns, population density and distribution, storm water runoff and other related factors. Therefore, limiting the risk assessment to past events is myopic and inadequate.

The Mifflin County Local Planning Team (LPT) reviewed and assessed the change in risk for all natural and human-caused hazards identified in the 2019 hazard mitigation plan. The mitigation

planning team then identified hazards that were outlined within the Pennsylvania Hazard Mitigation Plan but not included in the 2019 Mifflin County Hazard Mitigation Plan that could impact Mifflin County. The team utilized the hazard identification and risk evaluation worksheet that was provided by the Pennsylvania Emergency Management Agency.

The Mifflin County Steering Committee met with municipalities and provided guidance on how to complete the municipal hazard identification and risk evaluation worksheet. Fifteen of the sixteen municipalities in Mifflin County returned a completed worksheet. This information was combined with the county information to develop an overall list of hazards that would need to be profiled.

Once the natural and human-caused hazards were identified and profiled, the local planning team then completed a vulnerability assessment for each hazard. An inventory of vulnerable assets was completed utilizing GIS data and local planning team knowledge. The team used the most recent Mifflin County assessment data to estimate loss to particular hazards. Risk factor was then assessed to each of the twenty-six hazards utilizing the hazard prioritization matrix. This assessment allows the county and its municipalities to focus on and prioritize local mitigation efforts on areas that are most likely to be damaged or require early response to a hazard event.

# 4.2. Hazard Identification

# 4.2.1. Presidential and Gubernatorial Disaster Declarations

*Table 10 – Presidential & Gubernatorial Disaster Declaration* contains a list of all Presidential and Gubernatorial disaster declarations that have affected Mifflin County and its municipalities from 1955 through the writing of this plan, according to the Pennsylvania Emergency Management Agency.

Presidential Disaster Declarations and Gubernatorial Declarations and Proclamations			
Date	Hazard Event	Action	
January 1066	Hoovy Spow	Gubernatorial Proclamation of	
January 1966	Heavy Snow	Emergency	
Echrucry 1072		Gubernatorial Proclamation of	
February 1972	Heavy Snow	Emergency	
June 1972	Flood, Tropical Storm	Presidential Disaster Declaration	
Julie 1972	Agnes		

Table 10 - Presidential & Gubernatorial Disaster Declaration

Presidential Disaster Declarations and Gubernatorial Declarations and Proclamations				
Date	Hazard Event	Action		
February 1974	Truckers' Strike	Gubernatorial Proclamation of		
		Emergency		
September 1975	Flood, Tropical Storm	Presidential Disaster Declaration		
	Eloise			
October 1976	Severe Storms, Flooding	Presidential Disaster Declaration		
January 1978	Heavy Snow	Gubernatorial Proclamation of		
		Emergency		
February 1978	Blizzard	Gubernatorial Proclamation of		
		Emergency		
November 1980	Drought Emergency	Gubernatorial Proclamation of		
		Emergency		
March 1993	Blizzard	Presidential Emergency Declaration		
March 1994	Severe Winter Storm	Presidential Disaster Declaration		
January 1996	Blizzard	Presidential Disaster Declaration		
January 1996	Flooding	Presidential Disaster Declaration		
July 1999	Drought	Gubernatorial Proclamation of		
		Emergency		
September 1996	Hurricane Fran	Presidential Disaster Declaration		
September 1999	Hurricane Floyd	Presidential Disaster Declaration		
March 2003	Severe Winter Storm	Presidential Emergency Declaration		
September 2004	Tropical Depression Ivan	Presidential Disaster Declaration		
September 2005	Hurricane Katrina	Gubernatorial Proclamation of		
		Emergency		
September 2005	Hurricane Katrina	Presidential Emergency Declaration		
June 2006	Proclamation of	Gubernatorial Proclamation of		
Julie 2000	Emergency- Flooding	Emergency		
June 2006	Flooding	Presidential Proclamation of Emergency		
September 2006	Tropical Depression Ernesto	Gubernatorial Proclamation of		
		Emergency		
February 2007	Regulations	Gubernatorial Proclamation of		
		Emergency		

Presidential Disaster Declarations and Gubernatorial Declarations and Proclamation			
Date	Hazard Event	Action	
February 2007	Severe Winter Storm	Gubernatorial Proclamation of	
		Emergency	
April 2007	Severe Winter Storm	Gubernatorial Proclamation of	
		Emergency	
February 2010	Severe Winter Storm	Gubernatorial Proclamation of	
		Emergency	
January 2011	Severe Winter Storm	Gubernatorial Proclamation of	
		Emergency	
August 2011,		Gubernatorial Proclamation of	
amended	Hurricane Lee/Irene	Emergency	
September 2011			
Sontombor 2011	Remnants of Tropical Storm	Presidential Disaster Declaration	
September 2011	Lee		
October 2012	Hurricane Sandy	Gubernatorial Proclamation of	
		Emergency	
October 2012	Hurricane Sandy	Presidential Emergency Declaration	
June 2013	High Winds,	Gubernatorial Proclamation of	
	Thunderstorms, Heavy	Emergency	
	Rain, Tornado, Flooding		
January 2014	Extreme Weather, Utility	Gubernatorial Proclamation of	
	Interruption	Emergency	
February 2014	Severe Winter Storm	Gubernatorial Proclamation of	
1 columny 2014	Severe winter Storm	Emergency	
January 2015	Severe Winter Storms	Gubernatorial Proclamation of	
January 2015	Severe white Storms	Emergency	
August 2015	Severe Storms	Gubernatorial Proclamation of	
August 2013	Severe Storms	Emergency	
January 2016	Severe Winter Storm	Gubernatorial Proclamation of	
January 2010		Emergency	
March 2017	Severe Winter Storm	Gubernatorial Proclamation of	
March 2017	Severe winter Storm	Emergency	

Presidential Disaster Declarations and Gubernatorial Declarations and Proclamations				
Date	Hazard Event	Action		
January 2018	Opioid Crisis	Gubernatorial Proclamation of		
January 2010	Opiola Crisis	Emergency		
August 2018	Severe Weather	Gubernatorial Proclamation of		
	Severe Weather	Emergency		
January 2019	Severe Winter Event	Gubernatorial Proclamation of		
January 2017	Severe white Event	Emergency		
March 2020	COVID-19 Pandemic	Presidential Proclamation of Emergency		
March 2020	COVID-19 Pandemic	Presidential Disaster Declaration		
Nr. 1.2020		Gubernatorial Proclamation of		
March 2020	COVID-19 Pandemic	Emergency		
D 1 2020		Gubernatorial Proclamation of		
December 2020	Severe Winter Event	Emergency		
<b>F</b> 1 0001		Gubernatorial Proclamation of		
February 2021	Severe Winter Events	Emergency		
April 2021	Civil Disturbance	Gubernatorial Proclamation of		
April 2021		Emergency		
September 2021	Hurricane Ida	Gubernatorial Proclamation of		
		Emergency		
Source: Pennsylvania Emergency Management Agency and Federal Emergency Management Agency				

# 4.2.2. Summary of Hazards

The Mifflin County LPT was provided the Pennsylvania Standard List of Hazards to be considered for evaluation in the 2025 HMP Update. Following a review of the hazards considered in the 2019 HMP and the standard list of hazards, the local planning team decided that the 2025 plan should identify, profile, and analyze twenty-six hazards. These twenty-six hazards include all of the hazards profiled in the 2019 plan. The list below contains the hazards that have the potential to impact Mifflin County as identified through previous risk assessments, the Mifflin County Hazard Vulnerability Analysis and input from those who participated in the 2025 HMP update. Hazard profiles are included in Section 4.3 for each of these hazards.

# Identified Natural Hazards

# Drought

Drought is defined as a deficiency of precipitation experienced over an extended period of time, usually a season or more. Droughts increase the risk of other hazards, like wildfires, flash floods, and landslides or debris flows. This hazard is of particular concern in Pennsylvania due to the prevalence of farming and other water-dependent industries, water dependent recreation uses, and residents who depend on wells for drinking water.

# Earthquake

An earthquake is the motion or trembling of the ground produced by sudden displacement of rock usually within the upper 10-20 miles of the Earth's crust. Earthquakes result from crustal strain, volcanism, landslides, or the collapse of underground caverns. Earthquakes can affect hundreds of thousands of square miles, cause damage to property measured in the tens of billions of dollars, result in loss of life and injury to hundreds of thousands of persons and disrupt the social and economic functioning of the affected area.

# **Extreme Temperature**

Extreme heat often results in the highest number of annual deaths of all weather-related hazards. In most of the United States, extreme heat is defined as a long period (2 to 3 days) of high heat and humidity with temperatures above 90 degrees. Extremely cold air comes every winter in at least part of the country and affects millions of people across the United States. The arctic air, together with brisk winds, can lead to dangerously cold wind chill values. People exposed to extreme cold are susceptible to frostbite and hypothermia in a matter of minutes.

# Flooding, Flash Flooding, and Ice Jam Flooding

Flooding is the temporary condition of partial or complete inundation of normally dry land, and it is the most frequent and costly of all-natural hazards in Pennsylvania. Flash flooding is usually a result of heavy localized precipitation falling in a short time period over a given location, often along mountain streams and in urban areas where much of the ground is covered by impervious surfaces. Winter flooding can include ice jams which occur when warm temperatures and heavy rain cause snow to melt rapidly. Snow melt combined with heavy rains can cause frozen rivers to swell, which breaks the ice layer on top of a river. The ice layer often breaks into large chunks, which float downstream, piling up in narrow passages and near other obstructions such as bridges and dams.

# **Hurricane/Tropical Storm**

Hurricanes, tropical storms, and nor'easters are classified as cyclones and are any closed circulation developing around a low-pressure center in which the winds rotate counterclockwise

(in the Northern Hemisphere) and whose diameter averages 10-30 miles across. Potential threats from hurricanes include powerful winds, heavy rainfall, storm surges, coastal and inland flooding, rip currents, tornadoes, and landslides. The Atlantic hurricane season runs from June 1 to November 30.

### **Invasive Species**

An invasive species is a species that is not indigenous to the ecosystem under consideration and whose introduction causes or is likely to cause economic, environmental, or human harm. These species can be any type of organism: plant, fish, invertebrate, mammal, bird, disease, or pathogen.

#### Landslide

In a landslide, masses of rock, earth or debris move down a slope. Landslides can be caused by a variety of factors, including earthquakes, storms, fire, and human modification of land. Areas that are prone to landslide hazards include previous landslide areas, areas on or at the base of slopes, areas in or at the base of drainage hollows, developed hillsides with leach field septic systems, and areas recently burned by forest or brush fires.

#### **Lightning Strike**

Lightning is a giant spark of electricity resulting from the build-up of positive and negative charges within a thunderstorm. The flash or "bolt" of light can occur within the thunderstorm cloud or between the cloud and the ground. Lightning is a leading cause of injury and death from weather-related hazards. Although most lightning victims survive, people struck by lightning often report a variety of long-term, debilitating symptoms.

#### **Pandemic and Infectious Disease**

A pandemic is a global outbreak of disease that occurs when a new virus emerges in the human population, spreading easily in a sustained manner, and causing serious illness. An epidemic describes a smaller scale infectious outbreak, within a region or population, that emerges at a disproportionate rate. Infectious disease outbreaks may be widely dispersed geographically, impact large numbers of the population, and could arrive in waves lasting several months at a time.

#### **Radon Exposure**

Radon is a radioactive gas produced by the breakdown of uranium in soil and rock that can lead to lung cancer in people exposed over a long period of time. Most exposure comes from

breathing in radon gas that enters homes and buildings through foundation cracks and other openings. According to the DEP, approximately 40% of Pennsylvania homes have elevated radon levels.

#### Subsidence/Sinkhole

Land subsidence is a gradual settling or sudden sinking of the ground surface due to the movement of subsurface materials. A sinkhole is a subsidence feature resulting from the sinking of surficial material into a pre-existing subsurface void. Subsidence and sinkholes are geologic hazards that can impact roadways and buildings and disrupt utility services. Subsidence and sinkholes are most common in areas underlain by limestone and can be exacerbated by human activities such as water, natural gas, and oil extraction.

#### **Tornadoes/Windstorm**

A tornado is a narrow, violently rotating column of air that extends from the base of a thunderstorm to the ground. About 1,250 tornadoes hit the U.S. each year, with about sixteen hitting Pennsylvania. Damaging winds exceeding 50-60 miles per hour can occur during tornadoes, severe thunderstorms, winter storms, or coastal storms. These winds can have severe impacts on buildings, pulling off the roof covering, roof deck, or wall siding and pushing or pulling off the windows.

#### Wildfire

A wildfire is an unplanned fire that burns in a natural area. Wildfires can cause injuries or death and can ruin homes in their path. Wildfires can be caused by humans or lightning, and can happen anytime, though the risk increases in period of little rain. In Pennsylvania, 98% of wildfires are caused by people.

#### Winter Storm

A winter storm is a storm in which the main types of precipitation are snow, sleet, or freezing rain. A winter storm can range from a moderate snowfall or ice event over a period of a few hours to blizzard conditions with wind-driven snow that lasts for several days. Most deaths from winter storms are not directly related to the storm itself, but result from traffic accidents on icy roads, medical emergencies while shoveling snow, or hypothermia from prolonged exposure to cold.

#### Identified Human Caused Hazards

# **Building/Structural Collapse/Blighted Properties**

Buildings and other engineered structures, including bridges, may collapse if their structural integrity is compromised, especially due to effects from other natural or human-made hazards. Older buildings or structures, structures that are not built to standard codes, or structures that have been weakened are more susceptible to be affected by these hazards.

# **Civil Disturbance**

A civil disturbance is defined by FEMA as a civil unrest activity (such as a demonstration, riot, or strike) that disrupts a community and requires intervention to maintain public safety.

# **Dam Failure**

Dam failure is the uncontrolled release of water (and any associated wastes) from a dam. This hazard often results from a combination of natural and human causes, and can follow other hazards such as hurricanes, earthquakes, and landslides. The consequences of dam failures can include property and environmental damage and loss of life.

# Disorientation

Large numbers of people are attracted to Pennsylvania's rural areas for recreational purposes such as hiking, camping, hunting, and fishing. As a result, people can become lost or trapped in remote and rugged wilderness areas. Search and rescue may be required for people who suffer from medical problems or injuries and those who become accidentally or intentionally disoriented. Search and rescue efforts are focused in and around state forest and state park lands.

# Drowning

Drowning is death from suffocation, typically associated with swimming, fishing, boating or bridge accidents, or suicide. It can be a significant hazard in communities with numerous residential pools or water bodies (e.g., ponds, lakes, rivers, etc...) and extensive outdoor recreational activity. Drowning rates are particularly high for children ages 1-14. The Centers for Disease Control and Prevention estimates that drowning is the second leading cause of injury death (after motor vehicle crashes) among children ages 1-14.

# **Environmental Hazards/Hazardous Materials**

Environmental hazards are hazards that pose threats to the natural environment, the built environment and public safety through the diffusion of harmful substances, materials, or products. Environmental hazards include the following:

- Hazardous material releases: at fixed facilities or as such materials are in transit and including toxic chemicals, infectious substances, biohazardous waste and any materials that are explosive, corrosive, flammable, or radioactive (PL 1990-165, § 207(e)).
- Air or Water Pollution; the release of harmful chemical and waste materials into water bodies or the atmosphere, for example (National Institute of Health Sciences, July 2009; Environmental Protection Agency, Natural Disaster PSAs, 2009).
- Superfund Facilities: hazards originating from abandoned hazardous waste sites listed on the National Priorities List (Environmental Protection Agency, National Priorities List, 2009).
- Manure Spills: involving the release of stored or transported agricultural waste, for example (Environmental Protection Agency, Environmental Impacts of..., 1998).
- Product Defect or Contamination; highly flammable or otherwise unsafe consumer products and dangerous foods (Consumer Product Safety Commission, 2003).

Hazardous material releases can contaminate air, water, and soils and have the potential to cause injury or death. Dispersion can take place rapidly when transported by water and wind. While often accidental, releases can occur as a result of human carelessness, intentional acts, or natural hazards. When caused by natural hazards, these incidents are known as secondary events.

# **Nuclear Incidents**

Nuclear explosions can cause significant damage and casualties from blast, heat, and radiation. The primary concern following a nuclear accident or nuclear attack is the extent of radiation, inhalation, and ingestion of radioactive isotopes which can cause acute health effects (e.g. death, burns, severe impairment), chronic health effects (e.g. cancer), and psychological effects.

# Substance Use Disorder

Substance use disorder occurs when an individual becomes physically dependent on a drug, either legal or illegal. The most likely focal point of substance use disorder relates to opioid addiction, a class of drugs that reduces pain. "Opioid" is used as a broad term and includes opiates, which are drugs naturally extracted from certain types of poppy plants, and narcotics. Substance abuse can lead to overdose, which can be fatal. Additional substances that individuals may become physically dependent on include.

# **Terrorism/Cyberterrorism Incidents**

Terrorism is use of force or violence against persons or property with the intent to intimidate or coerce. Acts of terrorism include threats of terrorism; assassinations; kidnappings; hijackings;

bomb scares and bombings; cyber-attacks (computer-based); and the use of chemical, biological, nuclear, and radiological weapons. Cyber-attacks have become an increasingly pressing concern. Cyberterrorism refers to acts of terrorism committed using computers, networks, and the internet. The most widely cited definition comes from Denning's Testimony before the Special Oversight Panel on Terrorism: "Cyberterrorism...is generally understood to mean unlawful attacks and threats of attack against computers, networks, and the information stored therein when done to intimidate or coerce a government or its people in furtherance of political or social objectives. Further, to qualify as cyberterrorism, an attack should result in violence against persons or property, or at least cause enough harm to generate fear".

# **Transportation Accidents**

Transportation accidents are technological hazards involving the nation's system of land, sea, and air transportation infrastructure. A flaw or breakdown in any component of this system can and often does result in a major disaster involving loss of life, injuries, property and environmental damage, and economic consequences.

#### **Urban Fire and Explosions**

Urban fires and explosions include those fires and explosions that occur within urban, or developed, regions, and often pose an increased threat due to their tendency to easily spread to neighboring structures. The effects may be minor or severe and include injury, loss of life, property damage, and residential or economic disruption/displacement.

# **Utility Interruption**

Utility interruption hazards are hazards that impair the functioning of important utilities in the energy, telecommunications and public works and information network sectors. Utility interruption hazards include the following:

- Geomagnetic Storms; including temporary disturbances of the Earth's magnetic field resulting in disruptions of communication, navigation, and satellite systems (National Research Council et al., 1986).
- Fuel or Resource Shortage; resulting from supply chain breaks or secondary to other hazard events, for example.
- Electromagnetic Pulse; originating from an explosion or fluctuating magnetic field and causing damaging current surges in electrical and electronic systems (Institute for Telecommunications Sciences, 1996).

- Information Technology Failure; due to software bugs, viruses, or improper use (Rainer Jr., et al, 1991).
- Ancillary Support Equipment; electrical generating, transmission, system-control, and distribution-system equipment for the energy industry (Hirst & Kirby, 1996).
- Public Works Failure; damage to or failure of highways, flood control systems, deepwater ports and harbors, public buildings, bridges, dams, for example (United States Senate Committee on Environment and Public Works, 2009).
- Telecommunications System Failure; Damage to data transfer, communications, and processing equipment, for example (FEMA, 1997)
- Transmission Facility or Linear Utility Accident; liquefied natural gas leakages, explosions, facility problems, for example (United States Department of Energy, 2005)
- Major Energy, Power, Utility Failure; interruptions of generation and distribution, power outages, for example (United States Department of Energy, 2000).

# 4.2.3. Climate Change

# **Impacts of Climate Change on Identified Hazards**

Humans have become the dominant species on Earth and our society and influence is globalized. Human activity such as the large-scale consumption of fossil fuels and de-forestation has caused atmospheric carbon dioxide concentrations to significantly increase and a notable diversity of species to go extinct. The result is rapid climate change unparalleled in Earth's history and an extinction event approaching the level of a mass extinction (Barnosky et al., 2011; Wake & Vredenburg, 2008). The corresponding rise of average atmospheric temperatures is intensifying many natural hazards, and further threatening biodiversity. The effects of climate change on these hazards are expected to intensify over time as temperatures continue to rise, so it is prudent to be aware of how climate change is impacting natural hazards.

The most obvious change is in regard to extreme temperature. As average atmospheric temperatures rise, extreme high temperatures become more threatening, with record high temperatures outnumbering record low temperatures 2:1 in recent years. As climate change intensifies, it is expected that the risk of extreme heat will be amplified whereas the risk of extreme cold will be attenuated. Some studies show increased insect activities during a similar rapid warming event in Earth's history. Other studies make projections that with the warming temperatures and lower annual precipitation that are expected with climate change, there will be an expansion of the suitable climate for mosquitos, potentially increasing the risk of infectious disease.

Climate change is likely to increase the risk of droughts (Section 4.3.1). Higher average temperatures mean that more precipitation will fall as rain rather than snow, snow will melt earlier in the spring, and evaporation and transpiration will increase. Along with the prospect of decreased annual precipitation, the risk of hydrological and agricultural drought is expected to increase (Sheffield & Wood, 2008). Correspondingly this will impact wildfires. Drought is accompanied by drier soils and forests, resulting in an elongated wildfire season and more intense and long-burning wildfires (Pechony & Shindell, 2010). However, the Southwest United States is at a greater risk of this increased drought and wildfire activity than Mifflin County in the Eastern United States.

While it may seem counterintuitive considering the increased risk of drought, there is also an increased risk of flooding associated with climate change (Section 4.3.4). Warmer temperatures mean more precipitation will fall as rain rather than snow. Combined with the fact that warmer air holds more moisture, the result is heavier and more intense rainfalls and dam and levee failures. Similarly, winter storms are expected to become more intense, if possibly less frequent. Climate change is also expected to result in more intense hurricanes and tropical storms. With the rise of atmospheric temperatures, ocean surface temperatures are rising, resulting in warmer and more moist conditions where tropical storms develop (Stott et al., 2010). A warmer ocean stores more energy and is capable of fueling stronger storms. It is projected that the Atlantic hurricane season is elongating, and there will be more category 4 and 5 hurricanes than before (Trenberth, 2010).

Climate change is contributing to the introduction of new invasive species (Section 4.3.6). As maximum and minimum seasonal temperatures change, non-native species are able to establish themselves in previously inhospitable climates where they have a competitive advantage. This may shift the dominance of ecosystems in the favor of non-native species, contributing to species loss and the risk of extinction.

This type of sudden global change is novel to humanity. Despite the myriad of well thought out research, there is still much uncertainty surrounding the future of the Earth. All signs point to the intensification of the hazards mentioned above, especially if human society and individuals do not make swift and significant changes combat species losses.

Where applicable, climate change will be discussed for each hazard profile in this hazard mitigation plan. All natural hazards will have a discussion on climate change vulnerability, while certain human-caused hazards may not experience significant vulnerabilities from climate change adaptation and will not have direct narrative addressing those impacts.

Climate change was also taken into account when capabilities were being reviewed and mitigation actions were being developed and updated.

# 4.3. Hazard Profiles

# 4.3.1. Drought

# 4.3.1.1 Location and Extent

While Pennsylvania is generally more water-rich than many U.S. states, the commonwealth may experience drought conditions intermittently throughout the calendar year. A drought is broadly defined as a time period of prolonged dryness that contributes to the depletion of ground and surface water. Droughts are regional climatic events, so when such an event occurs in Mifflin County, impacts are not restricted to the county and are often more widespread. The spatial extent of the impacted area can range from localized areas in Pennsylvania to the entire Mid-Atlantic region.

There are three types of droughts:

**Meteorological Drought** – A deficiency of moisture in the atmosphere compared to average conditions. Meteorological drought is defined by the duration of the deficit and degree of dryness and is often associated with below average rainfall. Depending on the severity of the drought, it may or may not have a significant impact on agriculture and the water supply.

**Agricultural Drought** – A drought inhibiting the growth of crops, due to a moisture deficiency in the soil. Agricultural drought is linked to meteorological and hydrologic drought.

**Hydrologic Drought** – A prolonged period without rainfall that has an adverse effect on streams, lakes, and groundwater levels, potentially impacting agriculture.

Droughts are often the leading contributing factor to wildfires, as they leave areas with little to no moisture.

# 4.3.1.2 Range of Magnitude

The average annual precipitation of 42.14 inches (rain) occurs primarily during the spring and summer months. This value is derived from an average of ten years of mean annual precipitation data for Mifflin County. Rural farming areas of Mifflin County are most at risk when a drought occurs. A drought can create a significant financial burden for the community. Approximately 96% of Mifflin County farms are family-owned and operated. Additionally, 63.71% of the county farmland use is devoted to crop cultivation, 20.87% of farmland is woodland, 9.96% is pastureland, and 5.50% is for other purposes. Wildfires are often the most severe secondary effect associated with drought. Wildfires can devastate wooded and agricultural areas, structures near high wildfire loads, and farm production facilities, thus threatening natural resources.

Prolonged drought conditions can have a lasting impact on the economy and can cause major ecological changes, such as increases in scrub growth, flash flooding, and soil erosion.

Long-term water shortages during severe drought conditions can have a significant impact on agribusiness, public utilities, and other industries reliant on water for production services. Mifflin County also has a growing agritourism business that would be threatened by long-term drought.

Local municipalities may, with the approval of the Pennsylvania Emergency Management Council, implement local water rationing. These individual water rationing plans, authorized through provisions of 4 PA code Chapter 120, will require specific limits on individual water consumption to achieve significant reductions in use. Under mandatory water usage restrictions imposed by the commonwealth and/or local municipalities, procedures are provided for granting of variances to consider individual hardships and economic dislocations. *Table 11 – Drought Preparation Phases* shows the FEMA-defined levels of drought severity along with suggested actions, requests, and goals.

Drought Preparation Phases				
Phase	hase General Activity Actions		Request	Goal
Drought Watch	Early stages of planning and alert for drought possibility.	Increased water monitoring, awareness, and preparation for response among government agencies, public water suppliers, water users, and the public.	Voluntary water conservation.	Reduce water use by 5%.
Drought Warning	Coordinate a response to imminent drought conditions and potential water shortages.	Reduce shortages – relieve stressed sources, develop new sources if needed.	Continue voluntary water conservation, impose mandatory water use restrictions if needed.	Reduce water use by 10 – 15%.

Table 11 - Drought Preparation Phases

Drought Preparation Phases					
Phase	General Activity	Actions	Request	Goal	
Drought Emergency	Management of operations to regulate all available resources and respond to emergency.	Support essential and high priority water uses and avoid unnecessary uses.	Possible restrictions on all nonessential water uses.	Reduced water use by 15%.	
Source: Pennsylvania Department of Environmental Protection, 2017					

The commonwealth uses five parameters to assess drought conditions:

- Stream flows (compared to benchmark records)
- Precipitation (measured as the departure from normal, thirty-year average precipitation)
- Reservoir storage levels in a variety of locations such as three New York City reservoirs in the upper Delaware River Basin
- Groundwater elevations in several counties (comparing to past month, past year, and historic records)
- Soil moisture via the Palmer Drought Index as seen in *Table 12 Palmer Drought Severity Index*, which is a soil moisture algorithm calibrated for relatively homogenous regions which measures dryness based on recent precipitation and temperature.

Palmer Drought Severity Index (PDSI)			
Severity Category	PDSI Value		
Extremely Wet	4.0 or more		
Very Wet	3.0 to 3.99		
Moderately Wet	2.0 to 2.99		
Slightly Wet	1.0 to 1.99		
Incipient Wet Spell	0.5 to 0.99		
Near Normal	0.49 to -0.49		
Incipient Dry Spell	-0.5 to -0.99		
Mild Drought	-1.0 to -1.99		
Moderate Drought	-2.0 to -2.99		
Severe Drought	-3.0 to -3.99		

Palmer Drought Severity Index (PDSI)			
Severity Category	PDSI Value		
Extreme Drought	-4.0 or less		

The effects of a drought can be far-reaching both economically and environmentally. Economic impacts include reduced productivity of aquatic resources, mandatory water use restrictions, well failures, cutbacks in industrial production, agricultural losses, and limited recreational opportunities. Environmental impacts of drought include those found in *Table 13 – Economic and Environmental Impacts of Drought Events* and qualifies the potential economic and environmental impacts from a drought event.

Table 13 - Economic and Environmental Impacts of Drought Events

Economic and Environmental Impacts of Drought Events				
Economic	Environmental			
<ul> <li>Reduced productivity of aquatic resources</li> <li>Mandatory water use restrictions</li> <li>Well failures</li> <li>Cutbacks in industrial production</li> <li>Agricultural losses</li> <li>Limited recreational opportunities</li> </ul>	<ul> <li>Hydrologic effects</li> <li>Adverse effects on animal populations</li> <li>Damage to plant communities</li> <li>Increased number and severity of fires</li> <li>Reduced soil quality</li> <li>Air quality effects</li> <li>Loss of quality in landscape</li> </ul>			

#### 4.3.1.3 Past Occurrence

The Pennsylvania Department of Environmental Protection (PA DEP) maintains the most comprehensive data on drought occurrences across the commonwealth. Descriptions of drought status categories (i.e., watch, warning, and emergency) are included in the "Range of Magnitude" section above. The declared drought status from 1980 to 2021 is shown in *Table 14 – Past Drought Events in Mifflin County*.

The National Oceanic and Atmospheric Administration (NOAA) has archived records showing extreme droughts for the commonwealth in 1931 and a prolonged event in the 1960s as seen in *Figure 7 – Pennsylvania Palmer Drought Index 1900 – 1999*.

Based on the county's more recent disaster history and other drought occurrence data, the worst drought event in Mifflin County occurred in the summer of 1999. Extended dry weather spurred Governor Thomas Ridge to declare a drought emergency in fifty-five counties. During this event, precipitation deficits for that summer averaged five to seven inches below normal; the


Susquehanna River hit record low flows, streams were dry, and many wells were depleted. Crop damage losses totaled over \$500 million statewide, and those losses equated to 70% to 100% of crop production. There were additional losses from the decline of milk production. Also, the state asked municipal and private water suppliers to restrict local water use.

	Past Drought Events in Mifflin County				
Start Date	End Date	Drought Status	Event Duration (Days)		
11/18/1980	04/20/1982	Emergency	518		
04/26/1985	12/19/1985	Watch	237		
07/07/1988	08/24/1988	Watch	48		
08/24/1988	12/12/1988	Warning	110		
03/03/1989	05/15/1989	Watch	73		
06/28/1991	07/24/1991	Warning	26		
07/24/1991	04/20/1992	Emergency	271		
04/20/1992	09/11/1992	Warning	144		
09/11/1992	01/15/1993	Watch	126		
09/01/1995	11/08/1995	Warning	68		
11/08/1995	12/18/1995	Watch	40		
07/17/1997	11/13/1997	Watch	119		
12/03/1998	12/14/1998	Watch	11		
12/14/1998	03/15/1999	Warning	91		
03/15/1999	06/10/1999	Watch	87		
06/10/1999	07/20/1999	Warning	40		
07/20/1999	09/30/1999	Emergency	72		
09/30/1999	05/05/2000	Watch	218		
08/08/2001	12/05/2001	Watch	119		
12/05/2001	06/14/2002	Warning	191		
09/05/2002	11/07/2002	Watch	63		
04/11/2006	06/30/2006	Watch	80		
08/06/2007	09/05/2007	Watch	30		
09/16/2010	11/10/2010	Watch	55		
08/05/2011	09/02/2011	Watch	28		
06/17/2015	07/10/2015	Watch	23		
08/02/2016	12/16/2016	Watch	136		
12/16/2016	04/06/2017	Warning	111		
04/06/2017	05/16/2017	Watch	40		
08/21/2020	11/17/2020	Watch	88		

Table 14	Past Drought	Evonts in	Mifflin	County
1 abie 14 -	Fasi Drougni	Evenis in	wijjun	County

Past Drought Events in Mifflin County				
Start DateEnd DateDrought StatusEvent Duration (Days)				
08/31/2022	12/08/2022	Watch	99	
06/15/2023	08/24/2023	Watch	70	
Source: Pennsylvania Department of Environmental Protection, 2024				
**Gubernatorial Disaster Declaration				

Figure 7 - Pennsylvania Palmer Drought Index 1900 – 1999



The warmest July on record in Pennsylvania occurred in 2020, and sixteen counties entered Drought Watch status on August 21 of that year. In June 2021, dry conditions were again affecting the commonwealth. *Figure 8 – U.S. Drought Monitor, Pennsylvania* illustrates the conditions of drought in Pennsylvania at the time of the report.

# 4.3.1.4 Future Occurrence

It is difficult to forecast the exact severity and frequency of future drought events. Climate change may lead to increased uncertainty and extremity of climate events. Mifflin County experienced severe drought between 5% to 10% of the time between 1895 and 1995, as seen in *Figure 9 – Palmer Drought Severity Index*. This report can be used to make a rough estimate of the future probability of drought in Mifflin County, although it does not account for changes introduced by climate change. Drought conditions are expected to become more severe with climate change, as evaporation and transpiration will increase with higher temperatures.

The potential for a drought to occur in Mifflin County is moderate. Given the frequency of drought watches issued for Mifflin County and its municipalities, the county can reasonably

expect to be under a drought watch at least once per year. While some form of drought condition frequently exists in Mifflin County, the impact depends on the duration of the event, severity of conditions, and area affected. The map above shows that Mifflin County, and most of Pennsylvania, is currently (and most often) in normal (non-drought) conditions.

As stated above, trends indicate climate change will influence the frequency of droughts in the future. As global temperatures rise, weather patterns will change, increasing the number of dry days an area experiences. This could result in more drought periods for a local or regional area. Droughts could also become longer in duration, compared to previous patterns.

# 4.3.1.5 Vulnerability Assessment

The magnitude of drought vulnerability depends on the duration and area of impact. However, other factors contribute to the severity of a drought. Unseasonably high temperatures, prolonged winds, and low humidity can heighten the impact of a drought.

Extended periods of drought can lead to lowered stream levels, altering the delicate balance of riverine ecosystems. Certain tree species are susceptible to fungal infections during prolonged periods of soil moisture deficit. Fall droughts pose a particular threat because groundwater levels are typically at their lowest following the height of the summer growing season.

Land use and major development is a factor that has the potential to impact the vulnerability to drought in Mifflin County. Land use, especially agricultural land use, can exacerbate dry conditions, and these agricultural areas can be damaged by drought. There are 64,994 acres of farmland in Mifflin County. If the number of agricultural acres increases, that increases the potential vulnerability for drought impacts. Conversely, if the agricultural acres decrease, the potential vulnerability of agriculture to drought decreases. Drought can also have an adverse effect on forested areas. Over 65% of Mifflin County are woodlands and of that, 36% of the woodlands are protected according to the *Natural Resources of Juniata and Mifflin Counties*. There are also two state game lands, three state forests, one state park, and no national forests that make up a large portion of the county. Long periods of drought can increase the potential for wildfires and invasive species that could damage these forested areas. Economic benefits through the provision of wood products would also be affected.

There are many hazards that can be considered cascading hazards related to drought events. Wildfire is the most severe cascading hazard effect associated with drought. Wildfires can devastate wooded and agricultural areas, threatening natural resources and farm production facilities. With drought events, water infiltration into the ground becomes more difficult. This lack of infiltration can result in flash flooding events in areas of steep slopes, canyons, and

rolling hills. A loss of vegetation from a drought can also increase the occurrence of landslides in areas of steep slopes with loose packed soil profiles. A discussion on the county's vulnerability to wildfire, flash floods, and landslides can be found in Section 4.3.13.5, 4.3.4.5, and 4.3.7.5 respectively.

Droughts can have adverse effects on farms and other water-dependent industries resulting in local economic loss. Areas of extensive agriculture use are particularly vulnerable to drought; 64,994 acres of Mifflin County, or roughly 24.61% of the 264,128 total land acreage, make up farmland (United States Department of Agriculture [USDA], 2022 Census). The total number of farms in Mifflin County is 543, and the average acreage for farms in Mifflin County is 120 acres. Mifflin County ranks 21<sup>st</sup> of sixty-seven counties in the commonwealth for agricultural production, totaling over \$135 million annually. Agricultural production from crops, including nursery and greenhouse crops, accounts for more than \$19 million in commerce annually. Production from livestock, poultry, and their products accounts for more than \$115 million annually. The livestock that has the greatest potential to be impacted are the poultry layers, the broilers, and other meat-type chickens. Acreage for farming has decreased since the 2017 USDA Census when there was a reported total of 80,970 farming and drought vulnerable acres.

Mifflin County also has 1,098 domestic wells and five irrigation wells that would be adversely impacted by drought events. This impact would lead to lower water levels for at least 1,098 households and potentially five large farms. This well information was obtained by using the PA GEOCODE application to find well information from 01/01/2000 to 04/02/2024.

Additionally, emergency services can be adversely impacted by drought as a cascading hazard. Local fire departments often utilize ponds, creeks, and streams for water onboard fire apparatus. With low water levels in waterbodies, responders may be unable to draft enough water to efficiently respond to and extinguish a fire. Also, with an increased number of potential wildfires due to drought conditions, agencies may not have the personnel to efficiently respond to all fires in a timely manner.

A map of properties with tillable agricultural land use, forestry, and other land in the county vulnerable to drought is shown below in *Figure 10 – Drought-Vulnerable Land Use and Public Water Supply*.

Populations in Mifflin County, including the socially vulnerable, underserved, and unserved populations, are at different levels of vulnerability. The socially vulnerable have an increased risk due to the unsheltered or homeless not having access to reliable sources of water. Also, those

individuals who are considered socially vulnerable because of location in rural areas are also at an increased risk because of agricultural and well status.

As seen in *Table 3 – Population Change in Mifflin County*, nine of the sixteen municipalities Mifflin County have experienced a population loss since the 2010 decennial census. Seven municipalities have seen a net population increase from the 2010 decennial census to the 2020 decennial census. Based on this information, it can be speculated that these seven municipalities may have an increased risk to drought conditions, since 2010, due to the increase in population.

# Municipalities with high risk due to drought:

- Bratton Township
- Brown Township
- Juniata Terrace Borough
- McVeytown Borough
- Newton Hamilton Borough
- Oliver Township
- Union Township

Drought also has the potential to impact historic and cultural resources in Mifflin County. Mifflin County has six historic or cultural properties or buildings, and drought could impact utility delivery to those locations. These properties are the Embassy Theatre, the McCoy House, the Mifflin County Courthouse, the Montgomery Ward Building, the Old Hoopes School, and the Wollner Building. All properties in Mifflin County that are part of the National Register of Historic Places have the same vulnerability to drought. No one property has a greater risk than the others, but each of the historic and cultural properties is vulnerable at some level.

Drought events in Mifflin County can impact certain systems and community lifelines that are tied into the historic or cultural properties. Water utilities can be directly impacted by drought events when prolonged dry weather lowers the available water in reservoirs and water systems used by a county or a community. Drought could impact electric utilities if moving water is used in electric generation. When water is used for electric generation, drought events could cause lower utilization and efficiency. This is more common in the western United States, but it could occur if any counties in Pennsylvania utilize water for power generation. Currently, Mifflin County does not use waterpower for electric generation. Other systems that could potentially be impacted by a drought event are wastewater utilities and any nuclear power generation that uses water in its process.

Figure 8 - U.S. Drought Monitor, Pennsylvania






Figure 9 - Palmer Drought Severity Index



Produced by MCM Consulting Group, Inc.





Produced by MCM Consulting Group, Inc.




# 4.3.2. Earthquake

# 4.3.2.1 Location and Extent

An earthquake is sudden movement of the earth's surface caused by the release of stress accumulated within or along the edge off the earth's tectonic plates, a volcanic eruption, or by a human induced explosion (DCNR, 2007). Earthquake events in Pennsylvania, including Mifflin County, are usually mild events, impacting areas no greater than 62 miles in diameter from the epicenter. A majority of earthquakes occur along boundaries between tectonic plates, and some earthquakes occur at faults on the interior of plates. Today, Eastern North America, including Mifflin County, Pennsylvania, is far from the nearest plate boundary. That plate boundary is the Mid-Atlantic Ridge and is approximately 2,000 miles to the east, under the Atlantic Ocean. The Ramapo Fault System runs through New York, New Jersey, and eastern Pennsylvania (See *Figure 11 - Ramapo Fault System*). This fault system is associated with some small earthquakes, and it is thought unlikely to produce significant disruption.

Figure 11 - Ramapo Fault System



Produced by MCM Consulting Group, Inc.

When the supercontinent of Pangaea broke apart about 200 million years ago, the Atlantic Ocean began to form. Since then, many faults have developed. Locating all the faults would be an ideal approach to identifying the region's earthquake hazard; however, many of the fault lines in this region have no seismicity associated with them. The best way to determine earthquake history for Mifflin County is to conduct a probabilistic earthquake-hazard analysis with the earthquakes that have already happened in and around the county. (See *Figure 12 - Pennsylvania Earthquake Hazard Zones*). Nevertheless, the United States Geological Survey (USGS) indicates that Mifflin County has a moderate earthquake risk, and five historical earthquake events have occurred thirty-one miles or closer to Mifflin County.

Natural gas extraction of the Marcellus/Utica Shale formation (see *Figure 13 - Pennsylvania Oil and Gas Geology*) has occurred in many regions of the commonwealth, but eastern and southeastern Pennsylvania are not among them. Hydraulic fracturing, or fracking, is used to extract the gas, and the process is thought to lead to an increase in seismic activity (Meyer, 2016).

However, fracking does not appear to be linked to the increased rate of magnitude three and larger earthquakes (USGS 2014). In recent years, permits for extraction of the natural gas and oil in the commonwealth have been issued by the Pennsylvania Department of Environmental Protection, but no records of requested permits for gas extraction or injection wells were found for Mifflin County at the writing of this plan.

# 4.3.2.2 Range of Magnitude

Earthquakes result in the propagation of seismic waves, which are detected using seismographs. These seismograph results are measured using the Richter Scale, an open-ended logarithmic scale that describes the energy release of an earthquake. *Table 15 - Richter Scale* summarizes Richter Scale magnitudes as they relate to the spatial extent of impacted areas. The Modified Mercalli Intensity Scale (*Table 16 - Modified Mercalli Intensity Scale*) is an alternative measure of earthquake intensity that is scaled by the impacts of the earthquake event. Earthquakes have many secondary impacts, including disrupting critical facilities, transportation routes, public water supplies and other utilities.

#### Table 15 - Richter Scale

	Richter Scale							
Richter Magnitude	Earthquake Effects							
Less than 3.5	Not generally felt but recorded.							
3.5-5.4	Often felt, but rarely causes damage.							
Under 6.0	At most, slight damage to well-designed buildings; can cause major damage to poorly constructed buildings over small regions.							
6.1-6.9	Can be destructive in areas where people live up to about 100 kilometers across.							
7.0-7.9	Major earthquake; can cause serious damage over large areas.							
8.0 or greater	Great earthquake; can cause serious damage in areas several hundred kilometers across.							

#### Table 16 - Modified Mercalli Intensity Scale

	Modified Mercalli Intensity Scale										
Scale	Intensity	Earthquake Effects	Richter Scale Magnitude								
Ι	Instrumental	Detected only on seismographs.									
II	Feeble	Some people feel it.	.4.2								
III	Slight	Felt by people resting, like a truck rumbling by.	<4.2								
IV	Moderate	Felt by people walking.									
V	Slightly Strong	Sleepers awake; church bells ring.	<4.8								
VI	Strong	Trees sway; suspended objects swing; objects fall off shelves.	<5.4								
VII	Very Strong	Mild alarm, walls crack, plaster falls.	<6.1								
VIII	Destructive	Moving cars uncontrollable, masonry fractures, poorly constructed buildings damaged.									
IX	Ruinous	Some houses collapse, ground cracks, pipes break open.	<6.9								

	Modified Mercalli Intensity Scale										
Scale	Intensity	nsity Earthquake Effects									
X	Disastrous	Ground cracks profusely, many buildings destroyed, liquefaction and landslides widespread.	<7.3								
XI	Very Disastrous	Most buildings and bridges collapse, roads, railways, pipes, and cables destroyed, general triggering of other hazards.	<8.1								
XII	Catastrophic	Total destruction, trees fall, ground rises and falls in waves.	>8.1								

### 4.3.2.3 Past Occurrence

According to USGS, no known earthquakes have had an epicenter within Mifflin County since 1724, before which local seismology cannot be known. However, several seismic events that occurred outside the county boundary may have been felt in the region.

On August 23, 2011, a 5.9 earthquake occurred in Virginia, and a 2.2 earthquake shook Reading, Pennsylvania (Berks County), on July 19, 2019. Further, a 3.4 earthquake struck Mifflintown (Juniata County) on June 13, 2019, and Bolivar (Westmoreland County) experienced a 2.9 event on October 6, 2020. Parts of the county may have experienced some of the shock waves from these minor earthquakes and others that have occurred around the region, most notably New Jersey. The strongest recorded earthquake in Pennsylvania history (5.2) occurred on September 25, 1998 in northwestern Pennsylvania and is known as the Pymatuning Earthquake for its epicenter near Pymatuning Lake. The effects of the earthquake were felt across the commonwealth and were blamed for many wells in the region near the epicenter losing their water, while new springs appeared and old wells reemerged. A three-month date range revealed 120 dry household-supply wells on the ridge of Jamestown and Greenville, Pennsylvania. Declines of up to 100 feet were observed on a ridge where at least eighty of the wells resided. The degree of the damage varied. Some of the wells lost all power or could barely hold their yields and some of the water in wells turned black or began to smell of sulfur.

The most likely impetus of the wells drying was due to an increase in hydraulic conductivity of shale rock under this area caused by the earthquake. The quake affected the existing faults and created new faults in the shale. This created more permeability for the water to leak down from the hilltops on the ridge down to the valleys following the contours of the Meadville shale.

Because the effects of large earthquakes can be felt hundreds of miles away, the historical earthquake epicenters near Mifflin County are shown below at *Figure 14 – Mifflin County Earthquake Activity*. A wider depiction of earthquake occurrences in the northeastern United States may be found here: <u>https://earthquake.usgs.gov/earthquakes/map/?extent=14.26438,-141.32813&extent=56.51102,-48.60352</u>

## 4.3.2.4 Future Occurrence

Earthquake activity and intensities are difficult to predict, but a probabilistic analysis of prior earthquakes can assist in gauging the likelihood of future occurrences. *Figure 12 - Pennsylvania Earthquake Hazard Zones* in 4.3.2.1 shows that Mifflin County is in a low hazard zone for earthquake activity according to the USGS (2014), suggesting a low probability of earthquake occurrence. However, according to the USGS, there has been a recent trend increasing the frequency of magnitude three and larger earthquakes in the central and eastern U.S. (*Table 17 - Recent Earthquake Trends in Northeastern United States*). This uptick in seismicity may be due to hydraulic fracturing activities, and specifically occurs due to wastewater from the fracking process being injected into the earth (Meyer, 2016). Recent studies have moved towards being able to predict such induced seismicity by looking at uplift after injections, but more work needs to be done to confirm uplift as a reliable indicator of induced seismicity (Shirzei et al., 2016). It is important to note that seismicity can occur even after wells become inactive and injection rates decline (Shirzaei et al., 2016).

Isostatic Rebound is a hypothesis for earthquake occurrence that has been conceptualized for many years, according to Charles Scharnberger, a retired professor of geology at Millersville University, who monitors the seismic station there. Scharnberger said Pennsylvania earthquakes are somewhat of a mystery, but they could have something to do with the westward shift of the North American tectonic plate. Though the plates meet in California, where most of the seismic activity occurs, that movement still causes stress, squeezing and pressure along the entire length of the plate, reverberating as far back as the East Coast. A 3.4 earthquake like the one in Mifflintown, Juniata County in 2019 is in the medium range for Pennsylvania and may occur every couple of years. According to the USGS, this was the strongest earthquake felt or originating in Pennsylvania that year. It was followed by a 1.3 aftershock.

The chances of a devastating earthquake are low, but do exist, according to Scharnberger, His calculations on the probability of a severe earthquake based on the historic record indicate it is about a one in 200 chance in any given year.

	Earthquake Trends in Northeastern U.S.										
Year	Number of Magnitude 3+ Earthquakes										
2015	0										
2016	3										
2017	4										
2018	0										
2019	5										
2020	3										

Table 17 - Recent Earthquake Trends in Northeastern United States

Climate change has the potential to increase the earthquake activity felt in the United States, including in Mifflin County. Although not a direct cause of earthquakes, climate change can worsen droughts and their duration. Droughts can exacerbate the fault lines in an area, resulting in a greater potential for seismology events. During droughts, groundwater is also increasingly pumped, which could cause changes in fault areas. This effect is more common on the west coast of the United States, but with climate change, these impacts can become more common across the country and the world.

## 4.3.2.5 Vulnerability Assessment

According to the U.S. Geological Society Earthquake Hazards Program, an earthquake hazard is anything associated with an earthquake that may affect a resident's normal activities. For Mifflin County, this could include surface faulting, ground shaking, landslides, liquefaction, dried or rejuvenated water wells, tectonic deformation, and seiches (sloshing of a closed body of water from earthquake shaking).

Earthquakes usually occur without warning and can impact areas a great distance from their point of origin (epicenter). Ground shaking is the greatest risk to building damage within Mifflin County. Risk to public safety and loss of life from an earthquake is dependent upon the severity and proximity of the event. Injury or death to those inside buildings, or people walking below building ornamentation and chimneys is a higher risk to Mifflin County's general public during an earthquake. Infrastructure is more at risk on the east coast than the west coast because its buildings are older.

Mifflin County has a low number of historic and cultural properties that could be adversely impacted by earthquakes. There are nine historic properties/structures in Mifflin County that are registered with the National Register of Historic Places.

These locations are:

- Embassy Theatre (brick construction)
- Lewistown Armory (brick construction)
- McCoy House (brick construction)
- Mifflin County Courthouse (brick construction)
- Montgomery Ward Building (stone construction)
- Old Hoopes School (brick construction)
- Old Stone Arch Bridge (stone construction)
- Pennsylvania Main Line Canal, Juniata Division Canal Section
- Wollner Building (brick construction)

There are also no historic districts in Mifflin County that could be adversely impacted by earthquake events.

There are 237 bridges published by the Pennsylvania Department of Transportation that could be damaged and made unusable by a major earthquake event. These locations are evenly distributed throughout the county and damage to any of them would be detrimental to transportation and emergency response in Mifflin County. The breakdown of bridge conditions can be seen in *Table 18 – Bridge Conditions in Mifflin County*.

Bridg	Bridge Conditions in Mifflin County											
Condition	Ownership Category	Number of Bridges	Total									
Good	State	83	96									
0000	Local	13	90									
Fair	State	92	114									
Fall	Local	22	114									
Deer	State	9	27									
Poor	Local	18	27									
Source: PA DOT, 2024												

Table 18 - Bridge Conditions in Mifflin County

## Municipalities with high risk due to earthquake:


- Armagh Township
- Bratton Township

- Brown Township
- Burnham Borough
- Decatur Township
- Derry Township
- Granville Township
- Juniata Terrace Borough
- Kistler Borough
- Lewistown Borough
- McVeytown Borough
- Menno Township
- Newton Hamilton Borough
- Oliver Township
- Union Township
- Wayne Township

As seen in *Table 3 – Population Change in Mifflin County*, seven of the sixteen municipalities in Mifflin County have experienced a population loss since the 2010 decennial census. Seven municipalities have seen a net population increase from the 2010 decennial census to the 2020 decennial census. Based on this information, it can be speculated that these seven municipalities with an increase may have an increased risk to earthquakes, since 2010, due to the increase in population.

Land use may factor into the potential impact of earthquakes for municipalities that have had a population change with increased building construction. With seven municipalities seeing population increases between the 2010 decennial census and the 2020 decennial census, it can be speculated that there has not been a net increase in residential construction in Mifflin County.


Figure 12 - Pennsylvania Earthquake Hazard Zones



Produced by MCM Consulting Group, Inc.

Page - 82


Figure 13 - Pennsylvania Oil and Gas Geology



Produced by MCM Consulting Group, Inc.

Page - 83

Figure 14 - Mifflin County Earthquake Activity



Produced by MCM Consulting Group, Inc.

Page - 84

# **4.3.3.** Extreme Temperature

# 4.3.3.1 Location and Extent

Pennsylvania, and more specifically, Mifflin County can experience many different temperature extremes. High temperatures occur about ten days per year at any location in Pennsylvania. However, southern parts of the state experience more than twice this number. Freezing temperatures occur on an average of 100 or more days per year with longest freeze-free period at near sea level locations such as northwest Pennsylvania (adjacent to Lake Erie). Extreme temperatures can be devastating – extreme heat can cause sunburn, heat cramps, heat exhaustion, heat stroke, and dehydration, while extreme cold can cause hypothermia and frostbite. Both can potentially cause long-lasting disabilities. January is typically the coldest month for Mifflin County, with average temperatures of 29.4°F. *Figure 18 - Average Minimum Temperature Trends for Pennsylvania* shows the average minimum temperatures in Pennsylvania with Mifflin County identified. July has typically been the warmest month for Mifflin County, with an average temperature of 74.2°F. *Figure 19 - Average Maximum Temperature Trends for Pennsylvania* shows the average maximum temperatures in Pennsylvania with Mifflin County identified. Temperatures can vary across Mifflin County due to elevation changes in topography.

## 4.3.3.2 Range of Magnitude

When extreme temperature events occur, they typically impact the entirety of Mifflin County, including the surrounding region. Extreme heat is described as temperatures that hover at least 10°F above the average high temperature for a region during the summer months. Extreme heat is responsible for more deaths in Pennsylvania than all other natural disasters combined. Temperature advisories, watches, and warnings are issued by the National Weather Service relating impacts to the range of temperatures typically experienced in Pennsylvania. Heat advisories are issued when the heat index temperature is expected to be equal to 100°F, but less than 105°F. Excessive heat warnings are issued when heat indices are expected to reach or exceed 105°F and are issued within twelve hours of the onset. Excessive heat watches are issued when there is a possibility that excessive heat warning criteria may be experienced within twenty-four to seventy-two hours, but their occurrence and timing are still uncertain. A potential worst-case extreme temperature scenario would occur if widespread areas of the Commonwealth experienced 90°F or higher temperatures for an extended number of days. The heat could overwhelm the power grid and cause widespread blackouts, cutting off vital HVAC services for residents. It could create crisis management issues for senior citizens on fixed incomes, the homeless, and other vulnerable populations. The heat index is a measurement that takes into

account both the temperature and relative humidity, and it is calculated as shown in *Figure 15* - *National Weather Service's Heat Index Matrix*.

							Te	empe	rature	e (°F)							
		80	82	84	86	88	90	92	94	96	98	100	102	104	106	108	110
	40	80	81	83	85	88	91	94	97	101	105	109	114	119	124	130	136
	45	80	82	84	87	89	93	96	100	104	109	114	119	124	130	137	
(%)	50	81	83	85	88	91	95	99	103	108	113	118	124	131	137		
ţ	55	81	84	86	89	93	97	101	106	112	117	124	130	137			
Humidity	60	82	84	88	91	95	100	105	110	116	123	129	137				
Ē	65	82	85	89	93	98	103	108	114	121	128	136					
	70	83	86	90	95	100	105	112	119	126	134						
ive	75	84	88	92	97	103	109	116	124	132		`					
Relative	80	84	89	94	100	106	113	121	129								
Re	85	85	90	96	102	110	117	126	135								
	90	86	91	98	105	113	122	131									
	95	86	93	100	108	117	127										
	100	87	95	103	112	121	132										
			Like	elihoo	d of H	eat Dis	sorder	s with	Prolo	nged l	Expos	ure or	Stren	uous /	Activity	y	
			Cauti	on		E	ktreme	Cauti	on			Dange	r	E	xtreme	Dang	er

Figure 15 - National Weather Service's Heat Index Matrix

Extreme cold temperatures drop well below typical temperatures and are often associated with winter storm events. Wind can make the apparent temperature drop further, and exposure to such extreme cold temperatures can cause hypothermia, frost bite, and death. Wind chill warnings are issued when wind chills drop to  $-25^{\circ}$ F or lower. While this threshold applies to the entire state, the threshold for advisories varies based on regions. Wind chill advisories are issued in the south and western sections of Pennsylvania, when wind chill values drop to  $-10^{\circ}$ F to  $-24^{\circ}$ F. Wind chill advisories are issued in the southern-central to northern sections of the Commonwealth when wind chills drop to  $-15^{\circ}$ F to  $-24^{\circ}$ F. The National Weather Service created a wind chill chart which shows the time frostbite takes to set in depending on temperature and wind speed as shown in *Figure 16 - National Weather Service's Wind Chill Matrix*.

Figure 16 - National Weather Service's Wind Chill Matrix

									Tem	pera	ture	(°F)							
(	Calm	40	35	30	25	20	15	10	5	0	-5	-10	-15	-20	-25	-30	-35	-40	-4
	5	36	31	25	19	13	7	1	-5	-11	-16	-22	-28	-34	-40	-46	-52	-57	-6
	10	34	27	21	15	9	3	-4	-10	-16	-22	-28	-35	-41	-47	-53	-59	-66	-7
	15	32	25	19	13	6	0	-7	-13	-19	-26	-32	-39	-45	-51	-58	-64	-71	-7
	20	30	24	17	11	4	-2	-9	-15	-22	-29	-35	-42	-48	-55	-61	-68	-74	-8
h)	25	29	23	16	9	3	-4	-11	-17	-24	-31	-37	-44	-51	-58	-64	-71	-78	-84
Wind (mph)	30	28	22	15	8	1	-5	-12	-19	-26	-33	-39	-46	-53	-60	-67	-73	-80	-8
р	35	28	21	14	7	0	-7	-14	-21	-27	-34	-41	-48	-55	-62	-69	-76	-82	-89
Wi	40	27	20	13	6	-1	-8	-15	-22	-29	-36	-43	-50	-57	-64	-71	-78	-84	-9
	45	26	19	12	5	-2	-9	-16	-23	-30	-37	-44	-51	-58	-65	-72	-79	-86	-9
	50	26	19	12	4	-3	-10	-17	-24	-31	-38	-45	-52	-60	-67	-74	-81	-88	-9
	55	25	18	11	4	-3	-11	-18	-25	-32	-39	-46	-54	-61	-68	-75	-82	-89	-9
	60	25	17	10	3	-4	-11	-19	-26	-33	-40	-48	-55	-62	-69	-76	-84	-91	-9

Source: NOAA NWS, 2001

#### 4.3.3.3 Past Occurrence

Mifflin County has had more past occurrences of extreme cold incidents than extreme heat due to the geographic location of the county. *Table 19 - Past Extreme Temperature Occurrences for Mifflin County* shows the past occurrence events associated with extreme temperature (hot and cold) that have occurred in Mifflin County. The data in the table was reported from early 2000s to the year 2023. Due to the source used, no further events have been documented since 2015, however, events most likely have occurred without being documented. With a total of six different extreme temperature events that have occurred, five of the events were extreme cold related while the remaining one was extreme heat related. There were no reports of death or injury related to the occurrences. However, numerous sources have provided information regarding past occurrences and losses associated with extreme temperature in Mifflin County and the Commonwealth as a whole. Due to the number of sources available with information, number of events and losses could vary slightly in number.

Data from the National Climatic Data Center reports that there have been 787 extreme temperature episodes in Pennsylvania from 2000 to 12/31/2023, resulting in a total of ninety-seven deaths and 103 injuries. Out of the 787 events, 525 of them were extreme cold related with four deaths. The other 262 events were extreme heat related with ninety-three deaths and 103 injuries across the state. The biggest event began on July 21, 2011 and ended on July 24, 2011. This event also had a significant effect on Mifflin County itself. In the 2011 event, there were a total of twenty-two deaths and forty-eight injuries during the course of the event across the

commonwealth. Record-breaking heat temperatures were experienced in over thirty different counties.


Past Extreme Temperature Occurrences for Mifflin County										
Location	Date	Туре								
Mifflin County	02/05/2007	Extreme Cold/Wind Chill								
Mifflin County	02/05/2007	Extreme Cold/Wind Chill								
Mifflin County	02/10/2008	Extreme Cold/Wind Chill								
Mifflin County	07/21/2011	Excessive Heat								
Mifflin County	01/06/2014	Extreme Cold/Wind Chill								
Mifflin County	02/15/2015	Extreme Cold/Wind Chill								
Source: NOAA, 2024										

Table 19 - Past Extreme Temperature Occurrences for Mifflin County

## 4.3.3.4 Future Occurrence

Extreme temperatures will continue to impact Mifflin County in the future. Anthropogenic climate change is causing extreme climatic events to occur more frequently, suggesting that extreme temperatures are becoming a more threatening hazard as the impacts of climate change intensify. The annual average temperature has increased by 1.2°F across the continental United States during the years 1986 to present compared to the time period 1901 to 1960, and temperatures are expected to continue rising. Figure 17 – Observed and Projected Temperature Change for Pennsylvania shows these projected changes in temperature for Pennsylvania based on climate models considering the possibilities of increased and decreased levels of greenhouse gas emissions. In recent years, record high temperatures have outnumbered record low temperatures 2:1, so it is expected that the risk of extreme heat will be amplified whereas the risk of extreme cold will be attenuated. The Northeastern United States is expected to experience twenty to thirty more days with temperatures above 90°F, and twenty to thirty fewer days below freezing by approximately 2050. While there may be fewer extreme cold events, those that do occur are expected to reach record-setting low temperatures more often. Historically, Mifflin County has had more extreme cold events than extreme heat events due to the geographic location of the county; however, this balance is expected to shift somewhat in the coming years to include a greater proportion of extreme heat events.

Figure 17 - Observed and Projected Temperature Change for Pennsylvania



Source: Frankson et al., 2017

#### 4.3.3.5 Vulnerability Assessment

Extreme temperatures are usually a regional hazard when they occur. The very old (sixty-five years or older, accounting for 21.6% of Mifflin County population) and the very young (five years or younger, accounting for 6.4% of Mifflin County population) are most vulnerable to extreme temperatures due to risk factors, mobility challenges, and disabilities. Extreme temperatures can increase the demand for utility services, often resulting in an increased cost which some consumers may be unable to afford. The increased demand for services may cause a decrease in availability of these services or failure of the system. A decrease or failure of the utility system during extreme temperature events would put a large population at great risk. Extreme temperature events can also drastically increase the volume of emergency calls, potentially overwhelming the public safety communications center. Extreme heat events can also contribute to drought conditions, which in turn increase the risk of wildfire, as discussed in Section 4.3.13.

All properties in Mifflin County that are part of the National Register of Historic Places have the same risk to extreme temperature. No one property has a greater risk than the others, but each of the historic and cultural properties is vulnerable at some level.

#### Municipalities with high risk due to extreme temperatures:

• Armagh Township

- Bratton Township
- Brown Township
- Burnham Borough
- Decatur Township
- Derry Township
- Granville Township
- Juniata Terrace Borough
- Kistler Borough
- Lewistown Borough
- McVeytown Borough
- Menno Township
- Newton Hamilton
- Oliver Township
- Union Township
- Wayne Township

Extreme temperatures can have a significant impact on land use within Mifflin County. Higher temperatures can affect the mountain snowpacks and vegetation land. It is important to note that higher land use and irrigation can cause more intense extreme temperatures. Based on this information it can be speculated that higher land use within the municipalities in Mifflin County will be impacted.


As seen in *Table 3 – Population Change in Mifflin County*, nine of the sixteen municipalities in Mifflin County have experienced a population loss since the 2010 decennial census. Seven municipalities have seen a net population increase from the 2010 decennial census to the 2020 decennial census. Based on this information, it can be speculated that Bratton Township, Brown Township, Juniata Terrace Borough, McVeytown Borough, Newton Hamilton Borough, Oliver Township, and Union Township may have an increased vulnerability to extreme temperatures, since 2010, due to the increase in population. Populations in Mifflin County, including the socially vulnerable and unserved populations, are at different levels of vulnerability. The socially vulnerable have an increased risk due to the unsheltered or homeless not having proper, and adequate, access to shelter and heating, ventilation, and air conditioning (HVAC) to protect them from extreme temperature events.

Extreme temperatures can have a significant impact on natural areas. Consecutive days of excessive heat or extreme cold can lead to the diminishment of natural habitats such as forests,

rivers, and mountains as seen in Mifflin County. Excessive heat and extreme cold can cause these areas to lose the nourishment that is needed for these areas to survive and destroy the equilibrium within them. If trends continue there will be more days of excessive heat in the coming years that could impact the equilibrium in these natural areas and change their geographic features. Extreme temperatures and lack of rainfall can lead to drought and the diminishment of rivers and vegetation within the area.

Extreme temperatures can have significant impacts on systems and community lifelines that are essential for the operations of an area. The changing nature of extreme temperature events could account for different levels of impact for every system in an area. For example, excessive cold may disrupt water systems, potentially resulting in frozen or broken pipes due to water freezing in the system because of the lower temperatures. Extreme heat events may increase the demand for potable water for consumption and water for irrigation. This could result in lower reservoir levels and increased concern for water rationing. If extreme temperatures continue for an extended period, or if the extreme temperatures occur while a drought event is ongoing, the vulnerability of an area could be critical. Extreme temperatures could impact the power system by causing an increase for air conditioning in extreme heat events. When power demand is high for an already over-taxed power system, rolling power interruptions or brownouts can occur. This is more typical in the western United States but could occur in Pennsylvania if the conditions are met.


Figure 18 - Average Minimum Temperature Trends for Pennsylvania



Produced by MCM Consulting Group, Inc.

Page - 92

Figure 19 - Average Maximum Temperature Trends for Pennsylvania



Produced by MCM Consulting Group, Inc.

Page - 93

## 4.3.4. Flooding, Flash Flooding, Ice Jam Flooding

## 4.3.4.1 Location and Extent

Flooding is the temporary condition of partial or complete inundation on normally dry land and it is the most frequent and costly of all hazards in Pennsylvania. Flooding events are generally the result of excessive precipitation. General flooding is typically experienced when precipitation occurs over a given river basin for an extended period. Flash flooding is usually the result of heavy, localized precipitation falling in a short period of time over a given location, often in mountain streams and mountainous regions, and in urban areas where much of the ground is covered in impervious surfaces. Flash floods are relatively common in Mifflin County and the severity of those flood events is dependent upon a combination of creek, stream, and river basin topography and physiography, hydrology, precipitation, and weather patterns. Present soil conditions, the degree of vegetative clearing, and the presence of impervious cover must also be considered when determining the severity of a flood or flash flood event.


Winter flooding can include ice jams, which occur when warm temperatures and heavy rain cause snow to melt rapidly. Snow melt combined with heavy rains can cause frozen rivers to swell, which breaks the ice layer on top of a river. The ice layer often breaks into large chunks, which float downstream, piling up in narrow passages and near other obstructions such as bridges and dams. All forms of flooding can damage infrastructure.

Floodplains are lowlands adjacent to rivers, streams, and creeks that are subject to recurring floods. The size of the floodplain is described by the recurrence interval of a given flood event. Flood recurrence intervals are explained in more detail in section 4.3.4.4. However, in assessing the potential spatial extent of flooding, it is important to know that a floodplain associated with a flood that has a 10% chance of occurring in a given year is smaller than a floodplain associated with a flood that has a 0.2% chance of occurring.

The National Flood Insurance Program (NFIP) publishes digital flood insurance rate maps (DFIRMs). These maps identify the 1% annual chance flood area. The special flood hazard area (SFHA) and base flood elevations (BFE) are developed from the 1% annual chance flood event as seen in *Figure 20 – Flooding and Floodplain Diagram*. Structure located within the SFHA have a 26% chance of flooding in a thirty-year period. The SFHA serves as the primary regulatory boundary used by FEMA, the Commonwealth of Pennsylvania, and the Mifflin County local government. Federal floodplain management regulations and mandatory flood insurance purchase requirements apply to the following high-risk special flood hazard areas in *Table 20 – Flood Hazard High Risk Zones*. Appendix D of this hazard mitigation plan includes a

flooding vulnerability map for each municipality in Mifflin County with vulnerable structures and community lifeline facilities identified using the most current DFIRM data for Mifflin County.

Past flooding events have been primarily caused by heavy rains, which cause small creeks and streams to overflow their banks, often leading to road closures. Flooding poses a threat to community lifeline facilities, agricultural areas, and those who reside or conduct business in the floodplain. The most significant hazard exists for facilities in the floodplain that process, use, or store hazardous materials. A flood could potentially release and transport hazardous materials throughout the area. Most flood damage to a property and structure located in the floodplain is caused by water exposure to the interior, high velocity water, and debris flow.






Table 20 - Flood Hazard High Risk Zones

	Flood Hazard High Risk Zones												
Zone	Description												
A	Areas subject to inundation by the 1% annual chance flood event. Because detailed hydraulic analysis has not been performed, no base flood elevations or flood depths are shown.												

	Flood Hazard High Risk Zones											
Zone	Description											
AE	Areas subject to inundation by the 1% annual chance flood event determined by detailed methods. BFEs are shown within these zones.											
АН	Areas subject to inundation by the 1% annual chance shallow flooding (usually areas of ponding) where average depths are $1 - 3$ feet. BFEs derived from detailed hydraulic analysis are shown in this zone.											
AO	Areas subject to inundation by the 1% annual chance shallow flooding (usually sheet flow on sloping terrain) where average depths are $1 - 3$ feet. Average flood depths derived from detailed hydraulic analysis are shown within this zone.											
AR	Areas that result from the decertification of a previously accredited flood protection system that is determined to be in the process of being restored to provide base flood protection.											
Source: FE	EMA, 2017											

# 4.3.4.2 Range of Magnitude

The Juniata River basin has caused significant flooding in Mifflin County, specifically on the following streams, creeks, and their tributaries:

- Juniata River
  - Kishacoquillas Creek
  - Honey Creek
  - Town Run

Several factors determine the severity of floods, including rainfall intensity and duration, topography, ground cover, and the rate of snowmelt. Water runoff is greater in areas with steep slopes and little to no vegetative ground cover. The mountainous terrain of Mifflin County can cause more severe floods as runoff reaches receiving water bodies more rapidly over steep terrain. The is of particular concern for areas along steep slopes and on the edges of valleys throughout Mifflin County.

Urbanization typically results in the replacement of vegetative ground cover with impermeable surfaces like asphalt and concrete, increasing the volume of surface runoff and stormwater, particularly in areas with poorly planned stormwater drainage systems. A large amount of rainfall over a short time span can cause flash flood events. Flash floods can occur very quickly and with little warning. A flash flood can also be deadly because of the rapid rise in water levels and devastating flow velocities. The more developed areas in the county can easily be susceptible to flash floods because of the significant presence of impervious surfaces, such as

streets, sidewalks, parking lots, and driveways. Additionally, small amounts of rain can cause floods in locations where the soil is still frozen, saturated from a previous wet period or if the areas is largely covered in impermeable surfaces such as parking lots, paved roadways, and other developed areas. The county occasionally experiences intense rainfall from tropical storms in late summer and early fall, which can potentially cause flooding as well.

Severe flooding can cause injuries and deaths and can have long-term impacts on the health and safety of citizens. Severe flooding can also result in significant property damage, potentially disrupting the regular function of community lifeline facilities and can have widespread negative effects on local economies. Industrial, commercial, and public infrastructure facilities can become inundated with flood waters, threatening the continuity of government and business. The vulnerable populations must be identified and located in flooding situations, as they are often home bound. Mobile homes and manufactured structures are especially vulnerable to high water levels. Flooding can have significant environmental impacts when the flood water release and/or transport hazardous materials.

The most severe flooding in Central Pennsylvania and South-Central Pennsylvania has been associated with the Susquehanna River Basin. The greatest magnitude of county wide flooding impacts was reported as a result of Hurricane Agnes in 1972. Hurricane Agnes deposited a large amount of rain on Ohio, western Pennsylvania, northern West Virginia, and southwestern New York, with an average of 8 ½ inches of rain reported over most areas. This large amount of rain contributed to widespread and record setting flooding across the Commonwealth of Pennsylvania. Pennsylvania experienced an estimated \$2.1 billion in damage and forty-eight deaths.

Severe flooding also comes with secondary effects that could have long lasting impacts on the population, economy, and infrastructure within Mifflin County. Power failures are the most common secondary effect associated with flooding. Coupled with a shortage of critical services and supplies, power failures could cause a public health emergency. Community lifelines, such as sewage and water treatment facilities, could fail, causing sewage overflows and the contamination of groundwater and drinking water. Flooding also has the potential to trigger cascading hazards, such as landslides, hazardous material spills, and dam failures.

The maximum threat of flooding for Mifflin County is estimated by looking at the potential loss data and repetitive loss data, both analyzed in the risk assessment section of the hazard mitigation plan. In these cases, the severity and frequency of damage can result in permanent population displacement, and businesses may close if they are unable to recover from the disaster.

Estimation of potential loss is completed through FEMA's HAZUS software. A level two HAZUS scenario was performed for the entirety of Mifflin County. The FEMA Global Flood Risk Report and other reports generated by the software at the end of the scenario were utilized to estimate the amount of damage and loss from a flood. The total building loss for a 100-year flood based on a HAZUS level two scenario is displayed in *Table 21 – HAZUS Building Economic Loss Figures*. The total business interruption values occurring from a proposed 100-year flood based on FEMA HAZUS data is illustrated in *Table 22 – HAZUS Business Interruption Economic Loss Figures*. *Figure 21 – Loss by Occupancy Type* illustrates the breakdown of economic losses by either residential, commercial, industrial, or other use type.


	HAZUS Building Economic Loss Figures													
	Residential	Commercial	Other	Total										
<b>Building:</b>	\$31,620,000.00	\$10,560,000.00	\$3,860,000.00	\$1,520,000.00	\$47,560,000.00									
Content:	\$15,070,000.00	\$34,590,000.00	\$10,230,000.00	\$7,460,000.00	\$67,350,000.00									
Inventory:	\$0.00	\$1,300,000.00	\$2,020,000.00	\$130,000.00	\$3,450,000.00									
Subtotal:	\$46,690,000.00	\$46,450,000.00	\$16,110,000.00	\$9,110,000.00	\$118,360,000.00									
Source: HAZU	S, 2024													

Table 21 - HAZUS Building Loss Figures

Table 22 - HAZUS Business Interruption Economic Loss Figures

	HAZUS Business Interruption Economic Loss Figures													
	Residential	Commercial	Industrial	Other	Total									
Income:	\$250,000.00	\$18,040,000.00	\$270,000.00	\$20,320,000.00	\$38,880,000.00									
<b>Relocation:</b>	\$10,090,000.00	\$6,300,000.00	\$220,000.00	\$17,990,000.00	\$34,600,000.00									
Rental	\$3,720,000.00	\$4,650,000.00	\$60,000.00	\$8,610,000.00	\$17,040,000.00									
Income:	\$3,720,000.00	\$4,030,000.00	\$00,000.00	\$8,010,000.00	\$17,040,000.00									
Wage:	\$600,000.00	\$22,110,000.00	\$320,000.00	\$98,870,000.00	\$121,900,000.00									
Subtotal:	\$14,660,000.00	\$51,100,000.00	\$870,000.00	\$145,790,000.00	\$212,420,000.00									
Source: HAZUS	, 2024													

Figure 21 - Loss by Occupancy Type



Although floods can cause deaths, injuries, and damage to property, they are naturally occurring events that benefit riparian systems which have not been disrupted by human actions. Such benefits include groundwater recharge and the introduction of nutrient rich sediments which improves soil fertility. However, human development often disrupts natural riparian buffers by changing land use and land cover, and the introduction of chemical or biological contaminants that often accompany human presence and can contaminate habitats after flood events.

# 4.3.4.3 Past Occurrence

Mifflin County has experienced numerous flooding, flash flooding, and ice jam events in the past. The flooding and flash flooding were caused by a variety of heavy storms, inclement weather, tropical storms, and other issues. A summary of recent flood event history for Mifflin County from January 2000 to December 2023 is found in *Table 23 – Past Flood and Flash Flood Events*. Details of each event can be found in NOAA's National Center for Environmental Information (NCEI) database. Additional data was also acquired by examining Mifflin County's WebEOC information from 2020 to 2024.

Past Flood and Flash Flood Events						
Event LocationEvent DateEvent TypeProperty Damage Estimate						
Mifflin County (Entire County)	09/17/2004	Flood	\$0.00			
Mifflin County (Entire County)	09/18/2004	Flood	\$0.00			
Derry Township	05/03/2011	Flash Flood	\$0.00			

Table 23 - Past Flood and Flash Flood Events

Past Flood and Flash Flood Events						
Event Location	Event Date	Event Type	Property Damage Estimate			
Menno Township	09/07/2011	Flood	\$100,000.00			
Newton Hamilton Borough	10/29/2012	Flood	\$0.00			
Newton Hamilton Borough	05/16/2014	Flood	\$0.00			
Decatur Township	09/23/2021	Flood	\$0.00			
		Total:	\$100,000.00			
Source: NCEI NOAA, 2024						

\*Property Damage Values are estimated and are not exact figures. Data from NCEI and WebEOC

The National Flood Insurance Program (NFIP) identifies properties that frequently experience flooding. Repetitive loss properties are structures insured under the NFIP which have had at least two paid flood losses of more than \$1,000 over any ten-year period since 1978. The hazard mitigation assistance (HMA) definition of a repetitive loss property is a structure covered by a contract for flood insurance made available under the NFIP that has incurred flood-related damage on two occasions, in which the cost of repair, on average, equaled or exceeded 25% of the market value of the structure at the time of each such flood event; at the time of the second incidence of flood-related damage, the contract for flood insurance contains increased cost of compliance coverage. *Table 24 – Repetitive Loss Properties* illustrates the communities that have repetitive loss properties, the total building payments, the contents payments, and the number of losses and properties. There are forty-four repetitive loss properties in Mifflin County. *Table 25 – Summary of Type of Repetitive Loss Properties by Municipality* illustrates the breakdown of type of repetitive loss properties in Mifflin County.

A property is considered a severe repetitive loss property either when there are at least four losses each exceeding \$5,000 or when there are two or more losses where the building payments exceed the property value. *Table 26 – Severe Repetitive Loss Properties* illustrates the communities within Mifflin County that have severe repetitive loss properties, the total building payments, the contents payments, and the number of losses and properties. The data used in the table is based on data provided by PEMA.

Most municipalities in Mifflin County participate in the NFIP. Information on each participating municipality can be found in *Table 27 – Municipal NFIP Participation*.

#### Table 24 - Repetitive Loss Properties

	Repetitive Loss Properties							
Community Name	Community Number	Cumulative Building Payment	Cumulative Contents Payment	Sum of Total Paid	Losses	Properties		
Armagh Township	421879	\$16,567.85	\$834.51	\$17,402.36	2	1		
Armagh Township	421879	\$11,027.77	\$4,279.55	\$15,307.32	2	1		
Armagh Township	421879	\$3,993.70	\$5,925.64	\$9,919.34	2	1		
Armagh Township	421879	\$13,502.92	\$3,103.40	\$16,606.32	3	1		
Armagh Township	421879	\$3,624.68	\$0.00	\$3,624.68	2	1		
Bratton Township	421153	\$31,097.17	\$13,700.00	\$44,797.17	3	1		
Brown Township	420683	\$16,066.31	\$2,764.95	\$18,831.26	3	1		
Brown Township	420683	\$9,150.17	\$974.00	\$10,124.17	2	1		
Brown Township	420683	\$12,516.25	\$0.00	\$12,516.25	2	1		
Brown Township	420683	\$35,731.32	\$11,000.00	\$46,731.32	2	1		
Brown Township	420683	\$27,989.31	\$16,052.01	\$44,041.32	3	1		
Brown Township	420683	\$12,361.70	\$0.00	\$12,361.70	2	1		
Brown Township	420683	\$21,878.14	\$8,951.22	\$30,829.36	2	1		
Derry Township	421168	\$40,431.41	\$0.00	\$40,431.41	5	1		
Derry Township	421168	\$4,718.87	\$1,254.07	\$5,972.94	2	1		
Derry Township	421168	\$212,549.00	\$0.00	\$212,549.00	3	1		

Produced by MCM Consulting Group, Inc.

Page - 101

	Repetitive Loss Properties							
Community Name	Community Number	Cumulative Building Payment	Cumulative Contents Payment	Sum of Total Paid	Losses	Properties		
Derry Township	421168	\$13,387.23	\$0.00	\$13,387.23	2	1		
Derry Township	421168	\$18,873.99	\$0.00	\$18,873.99	4	1		
Derry Township	421168	\$18,938.04	\$5,000.00	\$23,938.04	2	1		
Derry Township	421168	\$14,218.72	\$251,485.83	\$265,704.55	2	1		
Derry Township	421168	\$26,641.28	\$269,713.39	\$296,354.67	2	1		
Derry Township	421168	\$12,195.76	\$154,111.42	\$166,307.18	2	1		
Derry Township	421168	\$0.00	\$27,097.00	\$27,097.00	2	1		
Derry Township	421168	\$32,704.02	\$0.00	\$32,704.02	2	1		
Derry Township	421168	\$14,701.23	\$0.00	\$14,701.23	2	1		
Lewistown Borough	420687	\$10,821.22	\$3,406.55	\$14,227.77	2	1		
Lewistown Borough	420687	\$14,749.42	\$0.00	\$14,749.42	2	1		
Lewistown Borough	420687	\$8,902.84	\$3,069.15	\$11,971.99	2	1		
Lewistown Borough	420687	\$30,070.06	\$8,529.00	\$38,599.06	2	1		
Lewistown Borough	420687	\$4,413.83	\$1,968.29	\$6,382.12	2	1		
Lewistown Borough	420687	\$19,017.22	\$7,593.59	\$26,610.81	2	1		
Lewistown Borough	420687	\$13,441.46	\$0.00	\$13,441.46	2	1		
Lewistown Borough	420687	\$8,902.22	\$2,114.95	\$11,017.17	2	1		

Produced by MCM Consulting Group, Inc.

Page - 102

Repetitive Loss Properties							
Community Name	Community Number	Cumulative Building Payment	Cumulative Contents Payment	Sum of Total Paid	Losses	Properties	
Lewistown Borough	420687	\$5,507.05	\$2,179.02	\$7,686.07	2	1	
Newton Hamilton Borough	420689	\$12,651.04	\$0.00	\$12,651.04	2	1	
Oliver Township	421882	\$66,294.56	\$30,554.86	\$96,849.42	3	1	
Oliver Township	421882	\$2,078.25	\$1,207.30	\$3,285.55	2	1	
Oliver Township	421882	\$40,380.93	\$7,715.50	\$48,096.43	2	1	
Wayne Township	421240	\$18,593.62	\$6,460.36	\$25,053.98	2	1	
Wayne Township	421240	\$8,662.42	\$889.75	\$9,552.17	2	1	
Wayne Township	421240	\$28,827.61	\$3,900.00	\$32,727.61	2	1	
Wayne Township	421240	\$22,300.00	\$8,176.35	\$30,476.35	2	1	
Wayne Township	421240	\$58,030.31	\$20,719.82	\$78,750.13	2	1	
Wayne Township	421240	\$26,927.82	\$766.11	\$27,693.93	2	1	
	Total:	\$1,025,438.72	\$885,497.59	\$1,910,936.31	99	44	
Source: FEMA	, 2024						

Table 25 - Summary of Type of Repetitive Loss Properties by Municipality

Summary of Type of Repetitive Loss Properties by Municipality					
Туре					
Municipality	MunicipalityNon- Residential2-4 FamilySingle Family				
Armagh Township	1	0	4	0	0

Summary of Type of Repetitive Loss Properties by Municipality							
			Туре				
Municipality	Non- Residential	2-4 Family	Single Family	Condo	Other Residential		
Bratton Township	0	0	1	0	0		
Brown Township	2	0	5	0	0		
Derry Township	7	0	5	0	1		
Lewistown Borough	1	0	8	0	0		
Newton Hamilton Borough	0	0	1	0	0		
Oliver Township	0	0	3	0	0		
Wayne Township	0	0	6	0	0		
Source: FEMA, 2024			•				

Table 26 - Severe Repetitive Loss Properties

Severe Repetitive Loss Properties						
Community Name	CommunityCumulativeCumulativeSum ofLossesPropositionNumberBuildingContentsTotal Paid					
		Payments	Payments			
Derry Township	421168	\$1,358.82	\$30.00	\$1,388.82	1	1
	Total:	\$1,358.82	\$30.00	\$1,388.82	1	1
Source: FEMA, 202	24					

Table 27 - Municipal NFIP Participation

Municipal Participation in the National Flood Insurance Program							
Municipal Name	Community Number	Initial FHBM	Latest Mapping Dates				
Armagh Township	421879	01/10/1975	08/19/1991				
Bratton Township	421153	11/29/1974	08/16/2006				
Brown Township	420683	08/16/1974	08/16/2006				
Burnham Borough	420684	08/31/1973	08/16/2006				
Decatur Township	421880	11/15/1974	08/16/2006				
Derry Township	421168	01/24/1975	08/16/2006				
Granville Township	421134	08/30/1974	08/16/2006				
Kistler Borough	420686	12/13/1974	08/16/2006				
Lewistown Borough	420687	07/20/1973	08/16/2006				

Municipal Participation in the National Flood Insurance Program							
Municipal Name	Community Number	Initial FHBM	Latest Mapping Dates				
McVeytown Borough	420688	12/06/1974	08/16/2006				
Menno Township	422352	11/22/1974	08/16/2006				
Newton Hamilton Borough	420689	06/28/1974	08/16/2006				
Oliver Township	421882	02/14/1975	08/16/2006				
Union Township	421883	11/29/1974	08/16/2006				
Wayne Township	421240	12/13/1974	08/16/2006				
Source: FEMA, 2024							
Note: FHBM: Flood Hazard Boundary Map							

## 4.3.4.4 Future Occurrence

Flooding is a frequent problem throughout the Commonwealth of Pennsylvania. Mifflin County will certainly be impacted by flooding events in the future, as Mifflin County experiences some degree of flooding annually. The threat of flooding is compounded in the late winter and early spring months, as melting snow can overflow streams, creeks, and tributaries, increasing the amount of groundwater, clogging stormwater culverts and bridge openings. The NFIP recognizes the 1% annual chance flood, also known as the base flood of a one-hundred-year flood, as the standard for identifying properties subject to federal flood insurance purchase requirements. A 1% annual chance flood is a flood which has a 1% chance of occurring in a given year or is likely once every one-hundred years. The digital flood insurance maps (DFIRMs) are used to identify areas subject to the 1% annual chance of flooding.

A property's vulnerability to a flood is dependent upon its location in the floodplain. Properties along the banks of a waterway are the most vulnerable. The property within the floodplain is broken into sections depending on its distance from the waterway. The ten-year flood zone has a 10% chance of being flooded every year. However, this label does not mean that this area cannot flood more than once every ten years. This label simply designates the probability of a flood of this magnitude every year. Further away from this area is the fifty-year floodplain. This area includes all of the ten-year floodplain plus additional property. The probability of a flood of this magnitude occurring during a one-year period is 2%. A summary of flood probability is shown in *Table 28 – Flood Probability Summary*.

#### Table 28 - Flood Probability Summary

Flood Probability Summary					
Flood Recurrence Intervals         Annual Chance of Occurrence					
10-year	10.00%				
50-year	2.00%				
100-year	1.00%				
500-year	0.20%				
Source: FEMA, 2009	•				

The future occurrences of flooding, flash flooding, and ice jam flooding in Mifflin County are expected to increase due to the rate of climate change in the Commonwealth of Pennsylvania, and the world. Climate change will include ocean temperature rise, which result in more intense hurricane and tropical storm seasons in the Atlantic Ocean. This intensity could result in an increase in the number of hurricanes and tropical storms that could impact Pennsylvania and Mifflin County. These hurricanes and tropical storms could result in a large volume of precipitation occurring over a short period of time, resulting in a flood or flash flood event. It is important to note that these impacts are the secondary result of other hazards, increased by climate change, that could result in flooding events.

## 4.3.4.5 Vulnerability Assessment

#### **Riverine and Stream Flooding**

Mifflin County is vulnerable to stream and river flooding on an annual basis. Flooding puts the entire population at some level of risk, whether through flooding of homes, businesses, places of employment, roadways, sewers, or water infrastructure. Flooding can cause significant power outages and poor road conditions that can lead to heightened transportation accident risk.

County community lifelines are the most vulnerable buildings and services when riverine and stream flooding is considered. Community lifeline facilities are facilities that, if damaged, would present an immediate threat to life, public health, and safety. Facilities that use and store hazardous materials pose a potential threat to the environment during flooding events if flooding causes a leak, inundation, or equipment failure. Appendix D of this hazard mitigation plan includes a flooding vulnerability map for each municipality in Mifflin County, with vulnerable structures and community lifeline facilities that are located within the special flood hazard area.

*Table 29 – Expected Damage to Essential Facilities (HAZUS)* illustrates the estimated damage levels to certain essential facilities based on classifications in the HAZUS General Building

Stock. There are two facilities that are estimated to be at least moderately damaged by a 100-year flooding event in the HAZUS Level Two scenario that was completed for Mifflin County. Of those two facilities that are estimated to be moderately damaged by the scenario, both of those facilities will undergo a loss of use. One fire station will experience a loss of use, and one school will experience enough damage to result in a loss of use. The education of the students would need to be moved to another location until such a time that repairs can be completed. Plans for such an event, and the damage that would result to essential facilities, must be in place to successfully mitigate the potential disruption to community lifeline facilities.

Expected Damage to Essential Facilities						
		Numb	er of Facilities			
Classification	Total:At Least Moderate:At Least Substantial:Loss of					
Emergency Operations Center	1	0	0	0		
Fire Stations	19	1	0	1		
Hospitals	1	0	0	0		
Police Stations	3	0	0	0		
Schools	51	1	0	1		

Table 29 - Expected Damage to Essential Facilities (HAZUS)

*Table 30 - County Structures Within Special Flood Hazard Area* shows the number of site structure address points within the Special Flood Hazard Area as well as the community lifeline facilities. This information was compiled using the Special Flood Hazard Area and GIS data provided by the Mifflin County GIS Department.

Table 30 - County Structures Within Special Flood Hazard Area

County Structures Within Special Flood Hazard Area				
Municipality	Site Structure Address Points Within Flood Area	Community Lifelines within Flood Area		
Armagh Township	435	0		
Bratton Township	53	0		
Brown Township	229	0		
Burnham Borough	117	1		
Decatur Township	16	0		

County Structures Within Special Flood Hazard Area				
Municipality	Site Structure Address Points Within Flood Area	Community Lifelines within Flood Area		
Derry Township	248	1		
Granville Township	501	2		
Juniata Terrace Borough	0	0		
Kistler Borough	46	0		
Lewistown Borough	817	3		
McVeytown Borough	11	0		
Menno Township	2	0		
Newton Hamilton Borough	41	0		
Oliver Township	97	0		
Union Township	28	0		
Wayne Township	235	0		
Totals:	2,876	7		

*Table 31 – Community Lifeline Facilities Additional Information* illustrates the additional information including name, the municipality, and the type of facility for each community lifeline facility that falls within the Special Flood Hazard Area for Mifflin County. This information was compiled using Mifflin County's GIS information with the assistance of the Mifflin County GIS Department.

Community Lifeline Facilities Additional Information				
Type of Facility:	Facility Name:	Municipality:		
Community Lifelines				
Pharmacy	CVS Pharmacy #1867	Burnham Borough		
Grocery Store	Weis Markets	Derry Township		
Fire Department	Junction Fire Station	Granville Township		
Police Department	Granville Township Police Department	Granville Township		
Fire Department	Brooklyn Fire Station	Lewistown Borough		
Electric Substation	Electric Substation ID 156510	Lewistown Borough		

Community Lifeline Facilities Additional Information		
Type of Facility:Facility Name:Municipality:		Municipality:
Grocery Store	Giant	Lewistown Borough

There are no properties that are considered historic and cultural for Mifflin County that are registered with the National Register of Historic Places and that are located in the Special Flood Hazard Area.

#### Flash Flooding

Flash flooding is a common occurrence in Mifflin County and can occur anywhere in the county. A large portion of flash flooding occurs in populated areas that have increased impervious ground cover. During the risk assessment process, numerous resources were utilized to determine flash flooding locations in Mifflin County. Municipalities were asked to identify locations within the municipality that were prone to frequent flash flooding. The National Climatic Data Center was also queried to determine flash flood vulnerable areas. This data is reflected in *Table 23 – Past Flood and Flash Flood Events* above.

Locations that are identified as vulnerable to flash flooding in Mifflin County are as follows:

• Decatur Township

Although the above locations were identified as vulnerable areas in Mifflin County, they are not the only locations that are vulnerable to flash flooding. The Mifflin County Hazard Mitigation Team will continue to work with municipalities to identify vulnerable flash flooding locations and identify vulnerable populations and community lifelines.

# Municipalities with an increased risk to flooding, flash flooding and, ice jam flooding (due to the intersection with the Special Flood Hazard Area):

- Armagh Township
- Bratton Township
- Brown Township
- Burnham Borough
- Decatur Township
- Derry Township
- Granville Township

# Mifflin County, Pennsylvania 2025 Hazard Mitigation Plan

- Kistler Borough
- Lewistown Borough
- McVeytown Borough
- Menno Township
- Newton Hamilton Borough
- Oliver Township
- Union Township
- Wayne Township

All of the population of Mifflin County, including the unserved and the underserved populations, are at an increased vulnerability to flooding hazards. Most municipalities in Mifflin County directly interface with the regulatory flood boundaries in county with the exception of Juniata Terrace Borough. Unserved and underserved populations have the potential to be more vulnerable to flooding hazards in Mifflin County. Homeless, unsheltered, and displaced persons would not have housing or homes to use as a shelter in the event of a flooding hazard. Those populations also may not have easy access to warning systems or alerts for flash flooding hazards. All of the county could be at increased vulnerability, specifically any populations located on the Juniata River.

Systems in Mifflin County are at increased vulnerability to flooding hazards. All of the utilities in Mifflin County could be adversely impacted by very specific flooding and flash flooding events. Utilities may be damaged or destroyed from a flooding event, or from a cascading hazard from flooding events. Major flooding could cause an issue in the delivery of services, including electricity, to the citizens and residents of Mifflin County.

While flooding does not typically adversely affect natural areas, a comprehensive vulnerability assessment was completed for natural areas in Mifflin County, including public recreation areas, state parks, state game lands, and any other outdoor or natural area resources.

The following natural areas directly intersected with areas of the Special Flood Hazard Area (SFHA) for Mifflin County:

- State game land 107
- State game land 113
- Bald Eagle State Forest
- Poe Paddy State Park
- Reeds Gap State Park

- Rothrock State Forest
- Tea Creek Public Recreation
- Tuscarora State Forest

Not all of these locations will be impacted by every flooding event in Mifflin County, but at least some of the areas listed above will be impacted due to their close proximity to the Special Flood Hazard Area (SFHA).

Impacts of flooding, flash flooding, and ice jam flooding can also be influenced by population change. As seen in *Table 3 – Population Change in Mifflin County*, seven municipalities have experienced population growth between the 2010 decennial census and the 2020 decennial census. Based on this information, it can be speculated that these seven municipalities have an increased vulnerability to flooding, flash flooding, and ice jam flooding hazards, since 2010. This increased vulnerability is due to more potential development and that development encroaching on high vulnerability areas for Mifflin County, including near the Special Flood Hazard Area.

Land use is a factor that has the potential to impact the vulnerability to flooding, flash flooding, and ice jam flooding in Mifflin County. Land use, in the form of a built environment, such as residential and commercial expansion, especially in the Special Flood Hazard Area or areas directly adjacent, could increase the severity impact of these hazards. The change of land use from areas of easy infiltration of groundwater to impervious surfaces can increase the severity and the frequency of flash floods, increasingly in areas where flash floods have occurred in the past. An influx of people, commercial enterprises, and infrastructure development also increases the vulnerability of areas to flooding, flash flooding, and ice jam flooding.

# 4.3.5. Hurricane and Tropical Storm

# 4.3.5.1 Location and Extent

Mifflin County does not have any open-ocean coastline areas. However, the impacts from coastal storms such as tropical storms and hurricanes can expand inland. Tropical depressions are cyclones with maximum sustained winds of less than 39 miles per hour (mph). The system becomes a tropical storm when the maximum sustained winds reach between 39 and 74 miles per hour. When wind speeds exceed 74 mph, the system is considered a hurricane. Tropical storms impacting Mifflin County develop in tropical or sub-tropical waters found in the Atlantic Ocean, Caribbean Sea, or Gulf of Mexico. Another type of tropical storms is the nor'easter, which is a large cyclone that rotates clockwise and is typically associated with the Atlantic Ocean and the East Coast of the United States between North Carolina and Massachusetts. The name nor'easter comes from the direction that the strongest winds typically blow from the cyclone.

While Mifflin County is located about 190 miles inland of the East Coast of the United States, tropical storms can track inland and cause heavy rainfall and strong winds. Mifflin County is located inland of the East Coast region, designated by FEMA, as being Hurricane-Susceptible (see *Figure 23 – Pennsylvania Wind Zones*). Mifflin County falls within wind zone three as shown in *Figure 23 – Pennsylvania Wind Zones*. Wind zone three suggests that shelters and critical facilities should be able to withstand winds that range up to 160 MPH. Tropical storms and hurricanes are regional and seasonal events that can impact very large areas that are hundreds to thousands of miles across over the life of the storm. Hurricane and tropical storm seasons are typically from June to November. All communities within Mifflin County are equally subject to the impacts of hurricanes and tropical storms that track near the county. Areas in Mifflin County which are subject to flooding, wind, and winter storm damage are particularly vulnerable.

# 4.3.5.2 Range of Magnitude

The impact tropical storms or hurricane events have on an area is typically measured in terms of wind speed. Flood damage results from intense precipitation and wind, typically from coastal storms, which impact L. Expected damage from hurricane force winds is measured using the Saffir-Simpson Scale (*Table 32 – Saffir-Simpson Scale*). The Saffir-Simpson Scale categorizes hurricane intensity linearly based upon maximum sustained winds, barometric pressure, and storm surge potential. Categories three, four, and five are classified as "major" hurricanes, but category one and two storms can contain potential significant storm surge. Category one storms result in very dangerous winds with some damage, while category two storms result in extremely

dangerous winds with extensive damage. Category three storms result in devastating damage and category four/five storms result in catastrophic damage. Although major hurricanes comprise only 20% of all tropical cyclones making landfall, they account for over 70% of the damage in the United States. While hurricanes can cause high winds and associated impacts, it is also important to recognize the potential for flooding events during hurricanes, tropical storms, and nor'easters. In Mifflin County wind impacts from tropical events include downed trees and utility poles to cause utility interruptions. Mobile homes, because they may not be well-anchored, have a greater potential to be impacted by high winds. Additionally, these storms can produce high volumes of rainfall that cause flash flooding which can be followed by stream and riverine flooding. The risk assessment and associated impact for flooding events is included in Section 4.3.4.5.

Saffir-Sin	Saffir-Simpson Hurricane Scale		
	Wind Speed		
Category	mph	knots	
5	≥156	≥135	
4	131-155	114-134	
3	111-130	96-113	
2	96-110	84-95	
1	74-95	65-83	
Non-Hurricane Classifications			
Tropical Storm	39-73	34-64	
Tropical Depression	0-38	0-33	

Table 32 - Saffir-Simpson Scale

#### 4.3.5.3 Past Occurrence

*Table 33 - History of Coastal Storms Impacting Mifflin County* lists all coastal storms that have impacted Mifflin County from 1952 to 2024. *Figure 22 – Historic Tropical Storms/Hurricanes in Pennsylvania* identifies some past hurricanes that had an inland path through Pennsylvania.

Hurricane Agnes was a severe coastal storm event in June 1972 that impacted Mifflin County after making first landfall as a hurricane near Florida, Agnes weakened and exited back into the Atlantic off the North Carolina coast. The storm moved along the coast and made a second landfall near New York City as a tropical storm and merged with an extra-tropical low-pressure system over Pennsylvania. This brought extremely heavy rains to Pennsylvania that caused major flooding. Pennsylvania incurred \$2.8 billion in damages. There were fifty storm related deaths statewide. However, in Mifflin County, the most significant effects of Hurricane Agnes were due to riverine and creek/stream flooding. Agnes was only a category one hurricane but dropped more than fifteen inches of rain in the northeastern United States. Pennsylvania received the greatest amount of flood damage.


Hurricane Irene and Tropical Storm Lee impacted and caused damage to Mifflin County Although they were separate events, Hurricane Irene and Tropical Storm Lee together caused significant rainfall in Mifflin County due to how close the events took place. First, Tropical Storm Lee caused significant flooding in the central and eastern counties in Pennsylvania with wind damage that caused utility outages for 1-2 days. Then, Hurricane Irene caused additional flooding with utility interruptions for 5-8 days. Many flooding events took place in the county during this time.

History of Coastal Storms Impacting Mifflin County			
Year	Name	Speed (Knots)	Storm Category at Time of Impact
2021	Fred	20	Extratropical Storm
2018	Florence	25	Extratropical Storm
2012	Sandy	50	Extratropical Storm
2006	Ernesto	35	Extratropical Storm
1999	Dennis	20	Tropical Depression
1994	Beryl	20	Tropical Depression
1992	Danielle	15	Tropical Depression
1979	Frederic	25	Tropical Depression
1979	David	40	Tropical Storm
1968	Candy	25	Extratropical Storm
1963	Unnamed	25	Tropical Depression
1959	Gracie	25	Extratropical Storm

Table 33 - History of Coastal Storms Impacting Mifflin County

History of Coastal Storms Impacting Mifflin County			
Year	Name	Speed (Knots)	Storm Category at Time of Impact
1955	Connie	45	Tropical Storm
1954	Hazel	70	Extratropical Storm
1952	Able	50	Tropical Storm
Source: NOAA, 2024			

Figure 22 - Historic Tropical Storms/Hurricanes in Pennsylvania



#### 4.3.5.4 Future Occurrence

Although hurricanes and tropical storms can cause flood events consistent with 100- and 500year flood levels, the probability of occurrence of hurricanes and tropical storms is measured relative to wind speed. *Table 34 – Annual Probability of Wind Speeds* shows the annual probability of winds that reach the strength of tropical storms and hurricanes in Mifflin County and the surrounding areas based on a sample period of forty-six years. According to FEMA, there is a 91.59% probability each year that Mifflin County will experience winds from coastal

storms that could cause minimal to moderate damages (*Table 34 – Annual Probability of Wind Speeds*). The probability of winds exceeding 118 mph is less than .0766% annually.

Annual Probability of Wind Speeds (FEMA, 2000)		
Wind Speed (mph)     Saffir-Simpson Scale		Annual Probability of Occurrence (%)
45-77	Tropical Storms/Category 1 Hurricane	91.59
78-118	Category 1 to 2 Hurricanes	8.32
119-138	Category 3 to 4 Hurricanes	.0766
139-163	Category 4 to 5 Hurricanes	.0086
164-194	Category 5 Hurricanes	.00054
195+	Category 5 Hurricanes	.00001
Source: FEMA, 2000		

Table 34 - Annual Probability of Wind Speeds

There has been an increase in North Atlantic hurricane activity since the 1970s with locations of peak intensity tropical cyclones migrating poleward coinciding with tropics expansion. An index potential hurricane destructiveness suggests an increase over the past thirty years. Variability in tropical cyclone activity in the Atlantic is due to natural variability in ocean circulation, volcanic eruptions, and Saharan dust, as well as climate change resulting from greenhouse gases and sulfate aerosols.

Climate change is causing atmospheric temperatures to rise, which corresponds to a rise in ocean surface temperatures, resulting in warmer and moister conditions where tropical storms develop. However, the relationship between climate change and hurricanes can be complex due to the many other factors that are associated with hurricane development which include wind shear and air pollution. Warmer oceans store more energy and are capable of fueling stronger storms and it is projected that Atlantic hurricanes will become more intense and produce more precipitation as ocean surface temperatures rise. The storms associated with tropical storms/hurricanes can also linger around for a longer period of time in a given place due to the climate change which enhances destructive impacts in the future. Other possible connections of hurricanes in the near future related to climate change are the length of hurricane season and seeing more hurricanes earlier or later than usual hurricane season. There are expected to be more category four and five hurricanes in the Atlantic and the hurricane season may be elongated, all which impact the future of Mifflin County.

#### 4.3.5.5 Vulnerability Assessment

The impacts of climate change are tangible and hazardous realities. Tropical storms tracking nearby Mifflin County can not only cause high winds, but also heavy rains to occur. A vulnerability assessment for hurricanes and tropical storms focusses on the impacts of flooding and severe winds. Flooding associated from hurricanes/tropical storms can occur in areas throughout Mifflin County which can cause damage to buildings and infrastructure. The assessment for flood-related vulnerability is addressed in Section 4.3.4.5 and a discussion of wind related vulnerability for Mifflin County is low to moderate. Potential economic losses could include direct building loss and business interruption. Direct building loss is direct damage to any building or structure. Business interruption includes relocation, employee wage loss, expenses, income loss, etc. Mifflin County vulnerability level is moderate for direct building loss amount for Mifflin County equates to \$118,350,000.00. The total business interruption value for Mifflin County equates to \$145,800,000.00. Therefore, the vulnerability of direct building loss and business interruption is moderate to high.

As seen in *Table 3 – Population Change in Mifflin County*, seven municipalities in Mifflin County have experienced a population gain since the previous decennial census in 2010. Based on this information, it can be speculated that these seven municipalities may have an increased vulnerability of hurricane and tropical storm conditions, since 2010, due to the increase in population.

Hurricanes and tropical storms may disproportionately affect underserved, unserved, and socially vulnerable populations, amplifying existing hardships. Fragile infrastructure in these areas is more prone to damage, which can hinder evacuation and rescue efforts. Limited access to resources exacerbates challenges during and after the storms, from securing safe shelter to obtaining essential supplies. Vulnerable communities often lack financial resilience, facing prolonged economic setbacks as local businesses may suffer.

#### Municipalities with an increased risk to hurricane and tropical storm:

- Armagh Township
- Bratton Township
- Brown Township
- Burnham Borough


# Mifflin County, Pennsylvania 2025 Hazard Mitigation Plan

- Decatur Township
- Derry Township
- Granville Township
- Juniata Terrace Borough
- Kistler Borough
- Lewistown Borough
- McVeytown Borough
- Menno Township
- Newton Hamilton Borough
- Oliver Township
- Union Township
- Wayne Township

Land use is a factor that has the potential to impact hurricane and tropical storm severity. Land use, in the form of a built environment, such as residential expansion, can cause hurricane impact severity to increase. This impact severity increases because as the built environment expands and becomes more complex, the impact the event will have on that area also increases. This is due to an influx of people, infrastructure, and critical infrastructure and community lifelines in harm's way.

Hurricanes and tropical storms exert profound impacts on both natural and cultural areas. Ecologically, these intense weather events can result in habitat destruction, altering landscapes, and threatening biodiversity. Erosion and flooding may harm delicate ecosystems. Culturally, these storms endanger heritage sites, historic structures, and artifacts, eroding tangible, and intangible cultural elements. Sustainable recovery efforts must embrace an integrated approach, recognizing the interconnected vulnerability of natural, historical, and cultural landscapes to the formidable forces of hurricanes and tropical storm.

Figure 23 - Pennsylvania Wind Zones



Produced by MCM Consulting Group, Inc.

Page - 119

#### 4.3.6. Invasive Species

#### 4.3.6.1 Location and Extent

An invasive species is a species that is not indigenous to a given ecosystem and that, when introduced to a non-native environment, tends to thrive. The spread of an invasive species often alters ecosystems, which can cause environmental and economic harm and pose a threat to human health. Often, an invasive species spreads and reproduces quickly. Invasive species are not limited to organisms that come from a foreign country. Invasive species can come from a different region in the United States. The main instigator of invasive species is human activity. Either intentionally or unintentionally, other species may accompany people when they travel, introducing the stowaway species to a novel ecosystem. In a foreign ecosystem, a transported species may thrive, potentially restructuring the ecosystem and threatening its health. Common pathways for invasive species introduction to Pennsylvania include but are not limited to:

- Contamination of internationally traded products
- Hull fouling
- Ship ballast water release
- Discarded live fish bait
- Intentional release
- Escape from cultivation
- Movement of soil, compost, wood, vehicles or other materials and equipment
- Unregulated sale of organisms
- Smuggling activities
- Hobby trading or specimen trading

The Governor's Invasive Species Council of Pennsylvania (PISC), the lead organization for invasive species threats, recognizes two types of invasive species: Aquatic and Terrestrial.


Aquatic Invasive Species (AIS) are nonnative invertebrates, fishes, aquatic plants, and microbes that threaten the diversity or abundance of native species, the ecological stability of the infested waters, human health and safety, or commercial, agriculture, or recreational activities dependent on such waters.

**Terrestrial Invasive Species** (TIS) are nonnative plants, vertebrates, arthropods, or pathogens that complete their lifecycle on land instead of in an aquatic environment and whose introduction does or is likely to cause economic/environmental damage or harm to human health.

The location and extent of invasive threats is dependent on the preferred habitat of the species, as well as the species' ease of movement and establishment. For example, kudzu vine is an aggressive vascular plant. With wide ecological parameters and ease of spread, the vine is a more widespread invasive species threat. Other species' spread, such as the spotted lantern fly, has been limited by state agency activity. First discovered in Berks County in 2014, the spotted lantern fly was placed under a quarantine by the Pennsylvania Department of Agriculture in thirteen counties. *Table 35 - Prevalent Invasive Species* lists invasive species that have been found in Mifflin County.

# 4.3.6.2 Range of Magnitude

The magnitude of invasive species threats ranges from nuisance to widespread killer. Some invasive species are not considered agricultural pests, and do not harm humans or cause significant ecological problems. For example, Brown Marmorated Stink Bugs are not considered to be an agricultural pest and do not harm humans. Other invasive species can have many negative impacts and cause significant changes in the composition of ecosystems. For example, the Emerald Ash Borer creates a 99% mortality rate in any ash tree it infects. The aggressive nature of many invasive species can cause significant reductions in biodiversity by crowding out native species. This can affect the health of individual host organisms as well as the overall wellbeing of the affected ecosystem. An example of a worst-case scenario for invasive species in Pennsylvania is the Emerald Ash Borer in Mifflin County and the surrounding region (see *Figure 24 - Emerald Ash Borer Infestation in Pennsylvania*).





Produced by MCM Consulting Group, Inc.

Another example of an invasive pest is the hemlock woolly adelgid. Hemlock woolly adelgid is a fluid-feeding insect that feeds on hemlock trees throughout eastern North America, including Pennsylvania. The egg sacs of these insects look like the tips of cotton swabs clinging to the undersides of hemlock branches. Hemlock woolly adelgid was introduced from Asia into the Pacific Northwest in 1924. It is likely to have been introduced into the northeastern United States in the 1950s, and it was first discovered in Pennsylvania in 1967. To date, all sixty-seven counties in Pennsylvania, including Mifflin County, have been infested with this insect. See Figure 25 - Hemlock Woolly Adelgid Infestation in Pennsylvania. Currently, Crawford, Mercer, and Greene counties are the three counties in the commonwealth not reporting an infestation. Eastern hemlock (Pennsylvania's state tree) and Carolina hemlocks (found further south in the Smoky Mountain sections of the Appalachians) are more susceptible to hemlock woolly adelgid damage than Asian and western hemlock trees due to feeding tolerance and predators that protect the latter species. Hemlock woolly adelgid sucks fluid from the base of hemlock needles. It may also inject toxins into the tree as it feeds, accelerating needle drop and branch dieback. Although some trees die within four years, trees often persist in a weakened state for many years. Hemlocks that have been affected by hemlock woolly adelgid often have a grayish-green appearance (hemlocks naturally have a shiny, dark green color).




Figure 25 - Hemlock Woolly Adelgid Infestation in Pennsylvania

A final example of an invasive species is the Spotted Lanternfly. The Spotted Lanternfly is a harmful invasive species which feeds on plants, damaging or destroying them. This can negatively impact the areas of Pennsylvania known for outdoor scenery and activities. According to the Penn State Extension, the Spotted Lanternfly is a significant threat to Pennsylvania agriculture, landscapes, and natural ecosystems, including grape, tree-fruit, hardwood, and nursery industries, which collectively are worth nearly \$18 billion to the state's economy, outdoor recreation, and biodiversity. The Spotted Lanternfly was found in Mifflin County prior to 2023. The State Department of Agriculture gives the total number of infected counties as fifty-one, as of 2024. *Figure 26 – Pennsylvania Spotted Lanternfly Infestation* illustrates the counties in Pennsylvania that are considered to be in the quarantine zone for this pest.

The magnitude of an invasive species threat is generally amplified when the ecosystem or host species is already stressed, such as in times of drought. The already weakened state of the native ecosystem causes it to succumb to an infestation more easily. A worst-case example could be the Hemlock Woolly Adelgid causing reduced biodiversity, increased wildfire potential, and thermal harm to small stream cold water fisheries and habitats.

#### 4.3.6.3 Past Occurrence

Invasive species have been entering Pennsylvania since the arrival of European settlers, but not all occurrences required government action. Mifflin County is known for its great number of geographic features. There are various state game lands within the area which include state game lands 107 and 112, as well as other well-known areas in the county that have significant amounts of forest land and water features which species may invade. Due to the vast area of forests, there are many invasive terrestrial species that have been widespread in Mifflin County that are common problems throughout the Commonwealth. Some of the most popular problematic species in Mifflin County include:

• Spongy Moth

Many of the extreme problematic species have been around for many years. However, the most recent problematic species are the Emerald Ash Borer, Hemlock Wooly Adelgid, and the Spotted Lanternfly. In 2007, both the Emerald Ash Borer and Hemlock Wooly Adelgid were both newly spotted species that caused extreme damage.

*Table 35 - Prevalent Invasive Species* lists problematic non-native species that are established in Mifflin County.

Table 35 - Prevalent Invasive Species

Prevalent Invasive Species			
Common Name Scientific Name		Туре	
Asiatic Clam	Corbicula fluminea	Animal	
Autumn Olive	Elaeagnus umbellata	Plant	
Common Carp	Cyprinus carpio	Animal	
Common Crown-vetch	Coronilla varia	Plant	
Common Reed	Phragmites australis ssp. Australis	Plant	
Goldfish	Carassius auratus	Animal	
Greenside Darter	Etheostoma blennioides	Animal	
Honeysuckle	Lonicera spp.	Plant	
Japanese Barberry	Berberis thunbergii	Plant	
Japanese Hop	Humulus japonicus	Plant	
Japanese Stiltgrass	Microstegium vimineum	Plant	
Kudzu	Pueraria montana var. lobata	Plant	
Mile-a-minute vine	Persicaria perfoliata	Plant	
Multiflora Rose	Rosa multiflora	Plant	
Oriental Bittersweet	Celastrus orbiculatus	Plant	
Rusty Crayfish	Faxonius rusticus	Animal	
Tree-of-Heaven	Ailanthus altissima	Plant	
Wineberry	WineberryRubus phoenicolasiusPlant		
Source: EDDMaps, 2021; iMapInvasives, 2021; PA DCNR, 2019			

#### 4.3.6.4 Future Occurrence

According to the Pennsylvania Invasive Species Council (PISC), the probability of future occurrence for invasive species threats is growing due to the increasing volume of transported goods, increasing efficiency and speed of transportation, and expanding international trade agreements. Expanded global trade has created opportunities for many organisms to be transported to and establish themselves in new counties and regions. In 2017, Pennsylvania alone imported over \$83 billion in goods from abroad, including agricultural, forestry, and fishery goods that commonly carry unknow pests. Climate change is contributing to the introduction of new invasive species. As maximum and minimum seasonal temperatures change, pests can establish themselves in previously inhospitable climates. This also gives introduced species an earlier start and increases the magnitude of their growth, possibly shifting the dominance of ecosystems in the favor of non-native species. In order to combat the increase in future occurrences, the PISC released the Invasive Species Management Plan in April 2010 and

updated the plan in 2017. The plan outlines the Commonwealth's goals for managing the spread of nonnative invasive species and creates a framework for responding to threats through research, action, and public outreach and communication. More information can be found here: <a href="https://www.agriculture.pa.gov/Plants\_Land\_Water/PlantIndustry/GISC/Pages/default.aspx">https://www.agriculture.pa.gov/Plants\_Land\_Water/PlantIndustry/GISC/Pages/default.aspx</a>.

There are several invasive species that are found near Mifflin County but have not yet been reported inside the county (see *Table 36 – Future Vulnerable Species*). Especially in cases like this, control efforts, heightened awareness, and public outreach and education can help prevent an invasive species from becoming established in the future. Once a species is established, it is more difficult to eradicate it from an ecosystem, so prevention is very important. The development of appropriate plans will assist the county in reducing the possibility of a future encounter with any of these species. Working toward keeping these species from entering the area would be beneficial to the forests of Mifflin County.

Climate change and its relationship with invasive species has a major correlation. According to the U.S Geological Survey, climate change has been creating a new pathway for invasive species to be introduced into the environment. As an example, the rise in temperature allows existing invasive species to expand their geographic area. Also, climate change hinders the tools for eliminating invasive species.

Future Vulnerable Species			
Scientific Name	Common Name	Туре	
Allegheny Crayfish	Faxonius obscurus	Animal	
Amur Honeysuckle	Lonicera maackii	Plant	
Bishop's Goutweed	Aegopodium podagraria	Plant	
Bitter Dock	Rumex obtusifolius	Plant	
Black Jetbead	Rhodotypos scandens	Plant	
Bouncing-bet	Saponaria officinalis	Plant	
Broadhead Planarians	Bipalium spp.	Plant	
Bull Thistle	Cirsium vulgare	Plant	
Burning Bush	Euonymus alatus	Plant	
Butter-and-Eggs	Linaria vulgaris	Plant	
Canada Bluegrass	Poa compressa	Plant	
Carolina Fanwort	Cabomba caroliniana	Plant	
Carpet-bugle	Ajuga reptans	Plant	

 Table 36 - Future Vulnerable Species

Future Vulnerable Species			
Scientific Name	Common Name	Туре	
Callery Pear	Pyrus calleryana	Plant	
Chinese Mysterysnail	Cipangopaludina chinensis	Animal	
Climbing Nightshada	Solanum dulcamara var.	Plant	
Climbing Nightshade	dulcamara	Plant	
Colonial Bentgrass	Agrostis capillaris	Plant	
Colt's-foot	Tussilago farfara	Plant	
Common Chickweed	Stellaria media	Plant	
Common Mullein	Verbascum thapsus	Plant	
Common St. John's-wort	Hypericum perforatum	Plant	
Common Star-of-Bethlehem	Ornithogalum umbellatum	Plant	
Creeping Bentgrass	Agrostis stolonifera	Plant	
Creeping Himalayan Knotweed	Persicaria posumbu	Plant	
Crasping Smortwood	Polygonum caespitosum var.	Plant	
Creeping Smartweed	longisetum	Fiam	
Curly-leaf Pondweed	Potamogeton crispus	Plant	
Dame's Rocket	Hesperis matronalis	Plant	
Deutzia	Deutzia spp.	Plant	
Eastern Helleborine	Epipactis helleborine	Plant	
Emerald Ash Borer	Agrilus planipennis	Animal	
English Ivy	Hedera helix	Plant	
Eurasian Water-milfoil	Myriophyllum spicatum	Plant	
European Privet	Ligustrum vulgare	Plant	
Flathead Catfish	Pylodictis olivaris	Animal	
Freshwater Jellyfish	Craspedacusta sowerbyi	Animal	
Garden Bird's-foot-trefoil	Lotus corniculatus	Plant	
Garlic Mustard	Alliaria petiolata	Plant	
Giant Bentgrass	Agrostis gigantea	Plant	
Giant Hedge Bedstraw	Galium mollugo	Plant	
Giant Knotweed	Reynoutria sachalinensis	Plant	
Giant-chickweed	Myosoton aquaticum	Plant	
Golden Bamboo	Phyllostachys aurea	Plant	
Golden Rain-tree	Koelreuteria paniculata	Plant	
Great Hedge Bedstraw	Galium mollugo	Plant	

Future Vulnerable Species			
Scientific Name	Common Name	Туре	
Ground-ivy	Glechoma hederacea	Plant	
Hamilton's Spindletree	Euonymus hamiltonianus	Plant	
Hedge Maple	Acer campestre	Plant	
Hemlock Woolly Adelgid	Adelges tsugae	Animal	
Hydrilla	Hydrilla verticillata	Plant	
Indiana Mock Strawberry	Duchesnea indica	Plant	
Japanese Angelica Tree	Aralia elata	Plant	
Japanese Honeysuckle	Lonicera japonica	Plant	
Japanese Knotweed	Reynoutria japonica var. japonica	Plant	
Japanese Spiraea	Spiraea japonica	Plant	
Joint-head Arthraxon	Arthraxon hispidus	Plant	
Jumping Worms	Amynthas-Metaphine spp.	Animal	
Kentucky Bluegrass	Poa pratensis	Plant	
Lady's Thumb	Persicaria maculosa	Plant	
Lesser Celandine	Ranunculus ficaria	Plant	
Lesser Periwinkle	Vinca minor	Plant	
Marshpepper Knotweed; Smartweed	Persicaria hydropiper	Plant	
Meadow Goat's-beard	Tragopogon dubius	Plant	
Morrow's Honeysuckle	Lonicera morrowii	Plant	
Mugwort	Artemisia vulgaris	Plant	
Musk Thistle	Carduus nutans	Plant	
New Zealand Mudsnail	Potamopyrgus antipodarum	Animal	
Norway Maple	Acer platanoides	Plant	
Orchard Grass	Dactylis glomerata	Plant	
Poison-hemlock	Conium maculatum	Plant	
Porcelainberry	Ampelopsis brevipedunculata	Plant	
Princess Tree	Paulownia tomentosa	Plant	
Privet	Ligustrum spp.	Plant	
Purple Loosestrife	Lythrum salicaria	Plant	
Queen Anne's Lace	Daucus carota	Plant	
Rainbow Smelt	Osmerus mordax	Animal	

Future Vulnerable Species			
Scientific Name	Common Name	Туре	
Ravenna Grass	Tripidium ravennae	Plant	
Red Fescue	Festuca rubra	Plant	
Red-earned Slider	Trachemys scripta elegans	Animal	
Reed Canary Grass	Phalaris arundinacea	Plant	
Russian Olive	Elaeagnus angustifolia	Plant	
Sheep Sorrel	Rumex acetosella	Plant	
Shrubby Bushclover	Lespedeza bicolor	Plant	
Slider	Trachemys scripta	Animal	
Spongy Moth	Lymantria dispar	Animal	
Spotted Starthistle	Centaurea stoebe ssp. micranthos	Plant	
Sweet Vernal Grass	Anthoxanthum odoratum	Plant	
Sweetclover	Melilotus officinalis	Plant	
Teasel	Dipsacus spp.	Plant	
Touch-me-no Bittercress	Cardamine impatiens	Plant	
Watercress	Rorippa nasturtium- aquaticum	Plant	
White Mulberry	Morus alba	Plant	
White Willow	Salix alba	Plant	
Wild Basil	Clinopodium vulgare	Plant	
Wild Parsnip	Pastinaca sativa	Plant	
Wild Teasel	Dipsacus fullonum	Plant	
Winter Creeper	Euonymus fortunei	Plant	
Yellow Iris	Iris pseudacorus	Plant	
Yellow-bellied Slider	Trachemys scripta scripta	Animal	
Zebra Mussel	Dreissena polymorpha	Animal	
Source: EDDMaps, 2021; PA DCNR,	, 2019; iMapInvasives, 2021		

# 4.3.6.5 Vulnerability Assessment

Mifflin County's vulnerability to invasion depends on the species in question. Human activity and mobility are ever increasing, and combined with the prospects of climate change, invasive species are becoming increasingly threatening. Invasive species can have adverse economic effects by impacting agriculture and logging activities. Natural forest ecosystems provide clean

water, recreational opportunities, habitat for native wildlife, and places to enjoy the tranquility and transcendence of nature. The balance of forest ecosystems and forest health are vulnerable to invasive species threats. While there is significant acreage of wetlands, waterways, state parks, and game lands in Mifflin County where forest managers can impact invasive species, private lands can provide refuge for invasive species if landowners are unaware of or apathetic towards the threat.

Since there are large swatches of public land in Mifflin County, there is a risk of future damage from invasive species that are present in the area. With about 415 miles of total land in Mifflin County, there is vulnerability to various land sites and waterways. If an invasive species were to invade the popular terrestrial areas or waterways in Mifflin County, a negative impact could occur. The invasion from an invasive species could cause damage to the scenic and natural resources needed in the county. Additionally, tourism for the county is vulnerable to the invasive species as well and would be affected if the parks were destroyed. Therefore, a great amount of land and native wildlife within Mifflin County are at risk with the presence of invasive species.

An interesting facet of the invasive species problem in Pennsylvania is that deer do not eat many invasive plants, giving invasive species a competitive advantage over the native species that deer prefer. As such, the management of deer populations in Mifflin County has a significant impact on the vulnerability of an ecosystem to invasive species, where overpopulation of deer favors invasive species.

The Governor's Invasive Species Council of Pennsylvania (PISC) has identified over 100 species threats that are or could potentially become significant in Pennsylvania. Of these threats, county and municipal leaders believe that the most significant are invasive forest pests like the Emerald Ash Borer, Hemlock Woolly Adelgid, the Spotted Lanternfly, and plants like the Tree-of-Heaven which have all been identified in red in *Table 35 - Prevalent Invasive Species*.

Due to the past experiences with invasive plants in the county, there are five primary components which help with managing invasive plants to lower vulnerability:

**Prioritize:** Public use areas such as state parks and other healthy forest ecosystems should be prioritized over developed and private areas. Locations with lower densities of invasive plants are often easier to control and should be given quick attention. Locations where humans are disturbing the landscape opens up niche space, and often times the aggressive invasive species move in faster than native species. Such locations include areas around road work, ditch/culvert work, logging activities, stream improvement/stabilization and bridge work. Some species pose a higher risk than others - invasive species are easiest to control before they become widespread

and established in an area, and for that reason, species that are less widespread should be prioritized for management.

**Locate:** Detailed locations should be recorded for invasive plants so sites can be easily relocated, treated, and monitored.

**Delineate:** The scale and extent of the infestation should be recorded and mapped so that the progress of the infestation can be monitored.

<u>Control</u>: Methods of control depend on the specific infestation, but the most common approaches are mechanical (cutting and hand-pulling) and chemical (herbicide treatments).

<u>Monitor</u>: Identified sites should be monitored and revisited as often as several times in a growing season (depending on the location/species). Monitoring can allow for early detection of spreading infestations. Most importantly, it prevents a relapse towards full-blown infestation.

It is best to act before a species can become established in the county, so forest management such as park rangers should be aware of invasive species found nearby Mifflin County, but not yet present in the county (priority species in *Table 36 – Future Vulnerable Species*). Public outreach and education are important to increase knowledge of these species to improve identification and prevention of invasion. Without action, due to the instances and extent of the current infestations, it is reasonable to project that the county's vulnerability will increase.

All of the socially vulnerable populations in Mifflin County are at an increased vulnerability to invasive species. The homeless and the unsheltered populations are at risk due to not having a structure to reside in. Also, the economically vulnerable of Mifflin County may not have the capability to fix or hire pest control if their homes are damaged or overrun by invasive species.

As seen in *Table 3 – Population Change in Mifflin County*, seven municipalities have seen a net population increase from the 2010 decennial census to the 2020 decennial census. Based on this information, it can be speculated that these municipalities may have an increased risk to invasive species, since 2010, due to the increase in population and construction.

The historic properties in Mifflin County are at different levels of vulnerability to invasive species. The historic properties in Mifflin County that are made of brick and masonry construction and are at a lower risk of vulnerability from invasive species. There are approximately six buildings and structures that are historic in Mifflin County that are of brick and/or masonry construction. There are two historic properties or structures that are made of stone and could be damaged by invasive species.


Land use changes in Mifflin County could be a factor in the potential impact invasive species have on native species. Land use is a major factor with the severity of invasive species. Land use, in the form of a built environment, such as residential expansion, can cause invasive species impact severity to increase. Impact severity increases because as the built environment expands and becomes more complex, the impact the event will have on that area also increases because there is an influx of people, infrastructure, and critical infrastructure in the hazard area. According to Smithsonian Environmental Research Center, invasive species thrive on major land use disturbances, as an example the logging of a forest or flooding to a wetland can create conditions that invasive species thrive on to move into a specific area.

Invasive species in Mifflin County pose a significant threat to infrastructure systems through various mechanisms. Invasive plants like kudzu or Japanese knotweed can damage infrastructure such as roads, bridges, and buildings by infiltrating cracks and causing structural damage. Their aggressive growth can also obstruct drainage systems, leading to flooding and erosion, thus compromising the integrity of roads and bridges.

Invasive animals, such as feral hogs or zebra mussels, can disrupt infrastructure by burrowing into embankments, weakening them and increasing the risk of collapse. Additionally, animals like rodents or insects may gnaw on electrical wiring and utility cables, leading to malfunctions or even fires, posing risks to both infrastructure and public safety.

Furthermore, invasive species can interfere with transportation systems by clogging waterways. For example, invasive aquatic plants can impede navigation channels, necessitating costly scouring operations. Invasive insects like the emerald ash borer can devastate tree populations, including those lining roads or railways, posing hazards from falling trees and impacting transportation routes.

Figure 26 - Pennsylvania Spotted Lanternfly Infestation



Produced by MCM Consulting Group, Inc.

Page - 132

# 4.3.7. Landslide

# 4.3.7.1 Location and Extent

Rock falls and other slope failures can occur in areas of Mifflin County with moderate to steep slopes. Many slope failures are associated with precipitation events – periods of sustained above-average precipitation, specific rainstorms, or snowmelt events. Rockfalls, rockslides, rock topples, block slides, debris flows, mud flows, and mud slides are all forms of landslides. Areas experiencing erosion, decline in vegetation cover and earthquakes are also susceptible to landslides. Human activities that contribute to slope failure include altering the natural slope gradient, increasing soil and water content, and removing vegetation cover. Areas where this type of human activity is common are areas that were excavated along highways and other roadways.

The Pennsylvania Department of Conservation and Natural Resources (PA DCNR) describes landslide susceptibility in Mifflin County as generally moderate. *Figure 27 – Landslide Hazard Areas* shows areas of landslide susceptibility in Mifflin County. A majority of Mifflin County is located in the Ridge and Valley physiographic province which is known for high vulnerability along lake bluffs and stream banks based on physiographic region to all forms of landslide. Steep slopes are evenly spread throughout the county and there are locations that can be prone to landslides in almost every municipality.

# 4.3.7.2 Range of Magnitude

Landslides cause damage to transportation routes, utilities, and buildings. They can also create travel delays and other side effects for transportation of people and material. Fortunately, death and injuries due to landslides are relatively rare in Pennsylvania. Almost all of the known deaths due to landslides have occurred when rocks fall or other slide along highways involve vehicles. Storm-induced debris flows are the only other type of landslide likely to cause injuries. As residential and recreational development increase on and near steep mountain slopes, the hazard from these rapid events will also increase. Most Pennsylvania landslides are moderate to slow moving and damage objects and buildings, rather than people.

The Pennsylvania Department of Transportation (PennDOT) and large municipalities incur substantial costs due to landslide damage and to additional construction costs for new roads in known landslide-prone areas. A 1991 estimate showed an average of \$10 million per year is spent on landslide repair contracts across the Commonwealth of Pennsylvania and a similar amount is spent on mitigation costs for grading projects (DCNR, 2009). A number of highway sites in Pennsylvania need temporary or permanent repair at an estimated cost of between

\$300,000.00 and \$2 million each. Similar landslide events that effect traffic and roadways throughout the commonwealth occur intermittently throughout the year. A 7,500-pound rockslide closed down parts of Pennsylvania State Route 11 in Montour County, Pennsylvania in November of 2020 for a number of weeks. Events of similar magnitude can and have occurred in and around Mifflin County.

The 2023 Pennsylvania Hazard Mitigation Plan lists Mifflin County as having a moderate incidence of landslides but high susceptibility. Mifflin County landowners and real estate developers must know the magnitude of susceptibility within the county prior to the start of development.

# 4.3.7.3 Past Occurrence

No comprehensive list of landslide incidents in Mifflin County is available, and there is no formal reporting system in place. PennDOT and municipal departments are responsible for slides that inhibit the flow of traffic or damage roads and bridges, but they generally only repair the road and the adjacent right-of-way areas.

#### 4.3.7.4 Future Occurrence

Historically, significant landslide events are likely to occur on average once every one to four years in Mifflin County. Mismanaged development in steeply sloped areas could increase the frequency of occurrence. Road cuts are the most common development that puts an area at an increased probability of a slide. The Pennsylvania Department of Environmental Protection (PA DEP) has an Erosion and Sediment (E & S) program that sets requirements intended to mitigate erosion associated with development projects of a certain scale. The guidelines offered in this program are similar to landslides prevention practices.

Climate change has the potential to increase the frequency of landslides in Mifflin County. Climate change could result in more intense rainfall from more frequent hurricanes and tropical storms. This increase in rainfall could cause an increase in soil runoff, therefore weakening slopes that are steep and considered to be a hazard. More frequent landslides could occur from this weakening of the slopes because soil movement will likely increase with a higher volume of precipitation.

# 4.3.7.5 Vulnerability Assessment

Landslides are often precipitated by other natural hazards such as earthquakes or floods. A significant landslide can cause millions of dollars in damage. Continued enforcement of

floodplain management and proper road and building construction can mitigate the vulnerability to landslides. Floodplain management is important where mining has occurred within proximity to watercourses and associated flat-lying areas. Surface water may permeate into areas that still have open fractures and the build-up of surface water in those fractures could lead to unexpected flood events and landslide events.

Land use and development has the potential to increase the vulnerability of Mifflin County to landslides. Development of major infrastructure and commercial or residential areas near areas of steep slope, or areas where slopes are over 23° could create conditions in the future where landslides are more likely to occur. Also, the development of roadways, and the grading of roadway berms could also increase the potential for landslides. This is common in steeply sloped areas or areas where roads are built below a slope or embankment. The removal of forested areas or trees could cause landslides along slopes and embankments. Trees and tree root systems create hill stability, and the removal of those root systems could result in weakened slopes. This practice can be remediated and fixed with protection netting and gabion baskets or gabion walls.

A comprehensive database of land highly prone to erosion and landslides is difficult to produce. The potential for erosion and landslides should be considered when planning construction projects in Mifflin County. There are several general factors that can be indicators of landslide prone areas including:

- Locations on or close to steep hills.
- Areas of steep road cuts or excavations.
- Steep areas where surface run-off is channeled.
- Fan shaped areas of sediment and rock accumulations.
- Evidence of past sliding such as tilted utility line, tilted trees, cracks in the ground and irregularly, surfaced ground.

All the municipalities in Mifflin County are vulnerable to landslides. *Table 37 – Structure Vulnerability Data* illustrates the number of site structure address points per municipality and the number of structures in high slope areas. Landslide events are most likely to occur in steeply sloped areas and in places where landforms have been altered for purposes of highway construction or other development. This is especially true if development is located at the base or crest of cliffs or near large highway cut-outs. These areas should be considered vulnerable to landslides, particularly if mitigation measures have not been implemented.

Table 37 - Structure Vulnerability Data

Structure Vulnerability Data			
Municipality	Number of Addressable Structures Per Municipality	Number of Structures in Slope Area	
Armagh Township	2,352	2	
Bratton Township	689	0	
Brown Township	1,908	0	
Burnham Borough	963	0	
Decatur Township	1,457	1	
Derry Township	3,720	0	
Granville Township	2,800	3	
Juniata Terrace Borough	258	0	
Kistler Borough	152	0	
Lewistown Borough	4,587	0	
McVeytown Borough	181	0	
Menno Township	714	0	
Newton Hamilton Borough	116	0	
Oliver Township	1,070	0	
Union Township	1,541	0	
Wayne Township	1,432	0	
Totals:	23,940	6	

There are no historic or cultural properties in Mifflin County that are registered with the National Register of Historic Places that are within a slope area of greater than 23°.

#### Municipalities with an increased risk to landslide (slope areas over 23°):

- Armagh Township
- Bratton Township
- Brown Township
- Burnham Borough
- Decatur Township
- Derry Township
- Granville Township
- Juniata Terrace Borough
- Lewistown Borough


- Menno Township
- Newton Hamilton Borough
- Oliver Township
- Union Township
- Wayne Township

The socially vulnerable populations and communities in Mifflin County, including the homeless and unsheltered populations, are at an increased vulnerability to landslides. Those socially vulnerable populations can be found in the higher population density areas of the county. As seen in *Table 3 – Population Change in Mifflin County*, seven municipalities have seen a net population increase from the 2010 decennial census to the 2020 decennial census. Based on this information, it can be speculated that these municipalities may have an increased/equivalent risk to landslides, since 2010, due to the increase in population and construction.

When a landslide occurs, the resulting ground instability can lead to telephone pole collapse, disruption of fiber or copper cables systems, and in severe cases, cellular tower failure. The disruption to these networks, if the landslide event is significant, can also result in a loss of communication capabilities, hindering response coordination, and leaving communities impacted by the landslide vulnerable to other natural or human-caused hazards. Landslide events can also cause above ground localized transportation issues if an event were to occur along a transportation route through Mifflin County. This can cause a delay in daily transportation and may require alternate transportation routes to be established for an extended period of time.

Natural areas and resources in Mifflin County could be adversely impacted from landslides. Landslides typically occur in areas of steep slope, or areas of slope instability. Specific natural areas or parks that have the potential for landslides due to steep slopes include state game land 107, state game land 113, Bald Eagle State Forest, Penn's Creek Recreation Area, Reeds Gap State Park, Rothrock State Forest, and Tuscarora State Forest. Landslides occur in natural areas on a regular basis and are often only reported substantially after occurrence. Natural resources that are utilized by the residents and businesses of Mifflin County could be damaged by landslides. This could include any farming, land cultivation, lumbering, or development of natural products.

Figure 27 - Landslide Hazard Areas



Produced by MCM Consulting Group, Inc.

Page - 138

# 4.3.8. Lightning Strike

#### 4.3.8.1 Location and Extent

Lightning is a massive electrostatic discharge between electrically charged regions within clouds, or between a cloud and the Earth's surface. The charged regions within the atmosphere temporarily equalize themselves through a lightning flash, commonly referred to as a strike if it hits an object on the ground.

There are three primary types:

- A lightning strike from a clod to itself (intra-cloud or IC)
- A lightning strike from one cloud to another cloud (cloud to cloud or CC)
- A lightning strike between the cloud and the ground (cloud to ground or CG)

Lightning is always accompanied by the sound of thunder, although distant lightning may be seen but be too far away for the thunder to be heard. Thunder is *caused* by lightning. The bright light of the lightning flash caused by the expansion of electrons (called the "return stroke") represents a great deal of energy. This energy heats the air in the channel to above 50,000°F in only a few millionths of a second. The air that is now heated to such a high temperature had no time to expand, so the air has a high pressure. The high-pressure air then expands outward into the surrounding air, compressing it and causing a disturbance that propagates in all directions away from the stroke. The disturbance is a shock wave for the first ten yards, after which it becomes an ordinary sound wave, commonly referred to as thunder.

Mifflin County is subject to lightning strikes and thunderstorm activity throughout the year. Overall, the most active time for lightning strikes is from early spring to early fall seasons. While the impact of flash events is highly localized, strong storms can result in numerous widespread events over a broad area. In addition, the impacts of an event can be serious or widespread if lightning strikes a particularly significant location such as a power station, a campground or large public venue.

#### 4.3.8.2 Range of Magnitude

Severe thunderstorms have lightning risks and can cause significant damage and be life threatening, though only a small percentage of thunderstorms become severe. Northeastern Pennsylvania sits in a moderate risk area susceptible to lightning strikes, western Pennsylvania sits clearly in a region of the country susceptible to lightning strikes but high-risk areas for lightning strikes are the southeast or the central portions of the United States. This information can be seen in *Figure* 28 – *United States Lightning Risk Rating*. The 2023 Commonwealth of

Pennsylvania All Hazards Mitigation Plan states that Pennsylvania ranks ninth among the fifty states in the country's number of lightning deaths between 1959 and 2022. Lightning flashes occur in Mifflin County during the summer months. Lightning can cause severe injury and, in some cases, can be fatal. Most fatal strikes are not direct strikes to people but the result of ground current. Most individuals survive ground current strikes. Other impacts of ground current include death and injuries to livestock, forest and brush fires, and damages to buildings, communication systems, power lines, and utility systems across the country. *Figure* 29 – U.S. Lightning Strike Fatalities 2018 to 2022 shows the number of lightning fatalities from direct strikes for the United States. Pennsylvania registered five fatalities for that five-year time period.

#### 4.3.8.3 Past Occurrence

Thunderstorms and lightning occur many times each year in Pennsylvania. Lightning has been responsible for twenty-four deaths and 179 injuries in Pennsylvania between the years 2000-2023. Pennsylvania ranked 38<sup>th</sup> in the United States in lightning strike deaths in terms of population density in the 2023 Pennsylvania State Hazard Mitigation Plan. As of the writing of this plan update, one fatality from lighting has occurred in Pennsylvania in 2023. That occurrence was in Chester County. There were no lightning strike fatalities in Mifflin County between 2006 and 2023, as reported by the National Weather Service.

# 4.3.8.4 Future Occurrence

Lightning strikes and thunderstorms are expected during and around the spring and summer months. These events have occurred in Mifflin County in the past and will continue to occur in the future, although multiple casualties or deaths are highly unlikely. Climate change will result in a greater frequency of storms and an increase in the strength of thunderstorms. The rising temperature will result in warmer air with more moisture which will increase the likelihood of thunderstorms. This increase in thunderstorms is likely to result in more occurrences of lightning strikes.

#### 4.3.8.5 Vulnerability Assessment

The odds of being struck by lightning in a person's lifetime are one in 15,300 people, according to the National Oceanic and Atmospheric Administration's (NOAA) National Severe Storms Laboratory. Nine out of ten people in the United States who are struck by lightning survive, according to a 2016 study presented at the International Lightning Detection Conference and International Lightning Meteorology Conference. However, lightning strikes can leave an

individual with many long-term health problems, including muscle soreness, headaches, cognitive issues, and nausea.

The potential for lightning strikes and thunderstorms exists in all municipalities in Mifflin County. Events being held outdoors during the summer months are particularly vulnerable to lightning strikes. Due to the recreational and rural characteristics, including waterways, there is the potential in Mifflin County for death and injuries to occur from lightning strikes. Natural areas are at an increased vulnerability to damage from lightning, including damage from strikes and cascading impacts like wildfires and brush fires. All of the natural areas and resources in Mifflin County are at an increased vulnerability, but not all natural areas would be impacted by any one single event.


Utility interruptions will continue to be a vulnerability when lightning strikes are examined. Mifflin County has had numerous recorded power utility interruptions from 2020 to 2023, and some of these interruptions have been caused by lightning strikes to power poles and utility transformers. Additional discussion on utility interruptions, and utility interruptions as a cascading hazard of lightning strikes can be found in Section 4.3.26 of this hazard mitigation plan.

Land use changes and population may also affect the likelihood of lightning strikes. While this is of high debate, some research suggests that land use changes in the form of urbanization may increase the frequency of lightning strikes. Research suggests that urbanization increases local climate and therefore increases the amount of lightning strikes in that area. These urban areas typically have a higher population density compared to more rural areas, therefore increasing the built environment and heightening the areas vulnerability to lightning strikes.

As seen in *Table 3 – Population Change in Mifflin County*, nine of the sixteen municipalities in Mifflin County have experienced a population loss since the 2010 decennial census. Seven municipalities have seen a net population increase from the 2010 decennial census to the 2020 decennial census. Based on this information, it can be speculated that enter Bratton Township, Brown Township, Juniata Terrace Borough, McVeytown Borough, Newton Hamilton Borough, Oliver Township, and Union Township may have an increased vulnerability to lightning strikes, since 2010, due to the increase in population and the corresponding built environment. Populations in Mifflin County, including the socially vulnerable underserved, and unserved populations, may be disproportionately impacted. Inadequate infrastructure and unsafe housing leave these communities more susceptible to lightning strikes.

The historic and cultural resources in Mifflin County could be at an increased risk of damage from lightning strikes if proper mitigation techniques and procedures are not implemented or in place. The Embassy Theatre, the McCoy House, the Mifflin County Courthouse, the Montgomery Ward Building, the Old Hoopes School, and the Wollner Building are the historic buildings that could be damaged if mitigation measures for lightning are not implemented. This vulnerability of these buildings is low.


Figure 28 - United States Lightning Risk Rating



Produced by MCM Consulting Group, Inc.

Page - 143

Figure 29 - U.S. Lightning Strike Fatalities 2018 to 2022



Produced by MCM Consulting Group, Inc.

Page - 144

# 4.3.9. Pandemic, Epidemic, Endemic, and Infectious Disease

# 4.3.9.1 Location and Extent

# Epidemic

An epidemic occurs when an infectious disease spreads more quickly than expected by medical and healthcare authorities. It is characterized by widespread growth or extent that spreads quickly and incurs a greater rate of novel or endemic cases than baseline estimates would initially project. When an epidemic occurs, it typically impacts a larger area than a localized outbreak. Epidemics often include multiple countries, although they do not always spread to different continents. In short, epidemics are regional.

## Pandemic

A pandemic is a disease outbreak that spreads across countries or continents, which affects the population of a vast area. When a pandemic occurs, the event usually affects more people and takes more lives than an epidemic. Pandemics are described as an extensive epidemic. Generally, pandemic diseases cause sudden illness in all age groups on a global scale. Pandemics are continuous events in third-world countries but do not frequently affect the United States. A pandemic is measured and defined by the spreading of a disease rather than the fatalities with which it is associated. The characteristics of a pandemic outbreak include large and rapid scale spread, overload of healthcare systems, inadequate medical supplies, disruption of economy/society, and medical supply shortages. While a pandemic may be characterized as a type of epidemic, an epidemic is not a type of pandemic. Additionally, pandemics travel more efficiently than epidemics. In the event that a pandemic occurs in the eastern United States, the entirety of Mifflin County would likely be impacted.

# Endemic

An endemic is described as a disease that is present in a community at all times but occurs in a relatively low frequency and is not spreading at a rapid rate. An endemic can be a previous pandemic such as influenza, or coronavirus (COVID-19), or a more regionalized virus such as Ebola virus in Africa. An endemic can become a pandemic if the disease mutates into a more virulent strain.

#### **Infectious Disease**

Infectious diseases are illnesses caused by pathogenic organisms such bacteria, viruses, fungi, or parasites. Organisms become harmful and cause disease under certain conditions. The sources of infectious disease may originate from contaminated food or waterways, infected

animals/livestock, or infection from biological vectors such as mosquitoes, etc. Infectious diseases include influenza, rabies, Middle East Respiratory Syndrome (MERS), West Nile virus, Lyme Disease, Zika virus, and Ebola virus.

Pandemic and infectious disease events cover a wide geographical area and can affect large populations, potentially including the entire population of the Commonwealth of Pennsylvania. The exact size and extent of an infected population is dependent upon how easily the illness is spread, the mode of transmission, and the amount of contact between infected and uninfected individuals. The transmission rates of pandemic illnesses are often higher in more populated and urban areas where there are large concentrations of people. The transmission rate of infectious disease will depend on the mode of transmission of a given illness. Pandemic events can also occur after other natural disasters, particularly floods, when there is the potential for bacteria to grow in, and contaminate, standing water.

## 4.3.9.2 Range of Magnitude

Public health emergencies typically occur on a regional basis. The magnitude of pandemic or infectious disease threat in the Commonwealth will range significantly depending on the aggressiveness of the virus in question, factors within the community that are impacted (medical care access, population density, etc.), and the ease of transmission. For example, the West Nile virus produces clinically asymptomatic cases less than 80% of the time. Therefore, approximately 20% of the cases result in mild infection, also known as West Nile fever. However, there is a small percentage of cases that could result in severe neurological disease and even death.

Pandemic influenza has a higher transmission rate from person-to-person compared to the West Nile virus. Advances in medical technologies have greatly reduced the number of deaths caused by influenza over time. In the early 1900s, flu pandemics historically caused tens of millions of deaths, while the 2009 Novel H1N1, known as swine flu, caused fewer than 20,000 deaths world-wide. Many people infected with swine flu in 2009 recovered without needing medical treatment. Without recent medical inventions and technologies, modern influenza would be associated with higher morbidity rates. About 70% of those who were hospitalized during the 2009 H1N1 flu virus in the United States belonged to a high-risk group. However, with the COVID-19 pandemic, the transmission rates were much higher than any previous outbreaks related to other members of the coronavirus family such as SARS-CoV and MERS-CoV.

In the past 100 years, humanity did not face a microbial pandemic similar in scale to the COVID-19 pandemic. The worldwide transmission rate of COVID-19 from human to human rapidly advanced in 2020 and 2021. Of the six global outbreaks of viral infections, three were caused by coronaviruses (SARS, MERS, and COVID-19).

While there are limited secondary hazards related to public health emergencies, an outbreak can cause a variety of cascading hazards. Civil disorder due to supply shortages is the most common cascading hazard to result from pandemic, epidemic, or infectious disease. Additional potential effects could include: a shortage of medical supplies and personnel, hoarding of household paper and cleaning supplies, school and business disruption, government closings, government restrictions on travel, low attendance at places of employment, slowed productivity, and widespread economic instability.

The World Health Organization (WHO) developed an alert system to help inform the world about the seriousness of a pandemic. The alert system has six phases, with Phase 1 being the lowest risk and Phase 6 being the greatest risk of pandemic. The phases were developed in 1999, but then revised in 2005 and 2009 to provide a global framework and aid countries in pandemic preparedness and response planning. These phases of alert systems were used during the COVID-19 pandemic. These phases are listed below in *Table 38 - Pandemic Influenza Phases*.

Pandemic Influenza Phases		
Phase	Characteristics	
Phase 1	No animal influenza virus circulating among animals has been reported to cause infection in humans.	
Phase 2	An animal influenza virus circulating in domesticated or wild animals is known to have caused infection in humans and is therefore considered a specific potential pandemic threat.	
Phase 3	An animal or human-animal influenza reassortant virus has caused sporadic cases or small clusters of disease in people but has not resulted in human-to-human transmission sufficient to sustain community-level outbreaks.	
Phase 4	Human-to-human transmission (H2H) of an animal or human-animal influenza virus able to sustain community-level outbreaks has been verified.	
Phase 5	The same identified virus has caused sustained community level outbreaks in two or more countries in one WHO region.	
Phase 6	The pandemic phase is characterized by community level outbreaks in at least one other country in a different WHO region in addition to the criteria defined in	

Table 38 - Pandemic Influenza Phases

Pandemic Influenza Phases					
Phase	Characteristics				
	Phase 5. Designation of this phase will indicate that a global pandemic is under				
	way.				
Post-Peak	Levels of pandemic influenza in most countries with adequate surveillance have				
Period	dropped below peak levels.				
Possible	Level of pandemic influenza activity in most countries with adequate				
New	surveillance rising again.				
Wave	survemance fising again.				
Post-	Levels of influenza activity have returned to the levels seen for seasonal				
Pandamic	influenza in most countries with adequate surveillance.				
Period	influenza in most countries with adequate survemance.				
Source: WHO, 2009					

#### 4.3.9.3 Past Occurrence

#### Pandemic & Epidemic

Several pandemic influenza outbreaks have occurred over the past 100 years that not only affected Mifflin County but the United States as a whole. *Table 39 - Past Pandemic Events in the United States* illustrates the various past pandemic events that have occurred since the late 1800's. Prior to COVID-19, the worst recorded pandemic was the Spanish Flu, due to the amount of infection spread that was present in the world. The two most recent pandemics that have occurred in Mifflin County and the United States are the swine flu/Novel H1N1 and COVID-19 pandemics, with COVID-19 being the most current and having the highest transmission rates.

#### Spanish Flu

An estimated 1/3 of the world's population was infected and had clinically apparent illnesses during the 1918 - 1919 influenza pandemic. Pennsylvania experienced severe effects from the Spanish Flu. It claimed 500,000 lives in the United States, which included individuals in Mifflin County. There is a lack of data which provides exact numbers of deaths that occurred in Mifflin County from the Spanish Flu, however there were a total of 60,000 deaths in Pennsylvania. Deaths occurring in Mifflin County are included in this number. There were approximately 47,000 reported cases and 12,000 deaths in Philadelphia in just over four weeks. In the first six months, there were about half a million cases and 16,000 deaths of the Spanish Flu in

Philadelphia. The factors of high population density including crowded and unhygienic conditions contributed to higher numbers of cases and death rates across Pennsylvania.

# Swine Flu/Avian Flu/H1N1

Each year, different strains of influenza are labeled as potential pandemic threats. Strains of influenza, or the flu, are highly contagious as they commonly attack the respiratory tract in humans. Influenza pandemic planning began in response to the H5N1 (avian) flu outbreak in Asia, Africa, Europe, the Pacific, and the Near East in the late 1990s and early 2000s. Avian flu did not reach pandemic proportions in the United States, but the country began planning for flu outbreaks.

Mifflin County was impacted by the H1N1 virus during 2009. The Pennsylvania Department of Health (PA DOH) set up clinics throughout the county to administer vaccines to at-risk populations. A total 10,940 cases and seventy-eight deaths occurred in Pennsylvania from this pandemic but there is insufficient data to determine the exact number of cases and deaths from swine flu in Mifflin County.

## COVID-19

Mifflin County was directly impacted by the COVID-19 pandemic. As of June 2023, Pennsylvania had an estimated 3,527,854 million total cases and 50,398 deaths related to the COVID-19 pandemic. The first cases in Pennsylvania were reported on March 6, 2020, in Delaware and Wayne counties. The first confirmed case of COVID-19 in Mifflin County was in March 2020. Beginning in December of 2020, there was a large-scale vaccination effort to combat COVID-19. Municipalities in Mifflin County indicated a decrease in the pandemic and infectious disease section of the risk factor assessment municipal comparison.

Past Pandemic Events in the United States			
Year(s)	Common Name		
1889	Russian Flu		
1918 Spanish Flu/H1N1			
1957	Asian Flu/H2N2		
1968	Hong Kong Flu/H3N2		
2009	Swine flu/Novel H1NI		
2020 COVID-19			
Sources: WHO & CDC, 2020			

Table 39 - Past Pandemic Events in the United States

#### **Infectious Disease**

Not only has Mifflin County experienced pandemic events, but the county has also experienced infectious disease events. The two major infectious disease events experienced across Mifflin County and Pennsylvania as a whole are the West Nile Virus and Lyme Disease. Due to the climatic traits of Pennsylvania these infectious diseases thrive in Mifflin County. Both diseases are transmitted by the biological vector of an insect which is found throughout the county.

## West Nile Virus

West Nile virus reached the United States in 1999 and a year later was detected in Pennsylvania when mosquito pools, dead birds, and/or horses in nineteen counties tested positive for the virus. By 2003, all counties in the Commonwealth had confirmed cases. A comprehensive network has been developed in Pennsylvania that includes trapping mosquitoes, collecting dead birds, and monitoring horses, people and, in past years, sentinel chickens. Although West Nile Virus positive cases are few in Mifflin County, 2018 had the most positive cases in Mifflin County since 2010. Over the past five years, one human has tested positive for West Nile Virus in Mifflin County. *Table 40 - West Nile Virus Control Program in Mifflin County since 2018* outlines the West Nile Virus within Mifflin County from 2010 to 2023.

W	West Nile Virus Control Program in Mifflin County Since 2010					
Year	Total	Human	Mosquito	Bird		
	Positives	Positives	Positives	Positives		
2023	3	1	2	0		
2022	0	0	0	0		
2021	0	0	0	0		
2020	0	0	0	0		
2019	0	0	0	0		
2018	25	0	5	25		
2017	11	0	7	0		
2016	2	0	1	0		
2015	2	0	1	1		
2014	3	0	2	1		
2013	0	0	0	0		
2012	20	1	13	2		
2011	9	0	6	2		

Table 40 - West Nile Virus Control Program in Mifflin County since 2018

West Nile Virus Control Program in Mifflin County Since 2010					
Year	Total	Mosquito	Bird		
	Positives	Positives	Positives	Positives	
2023	3	1	2	0	
2010	0	0	0	0	
Source: PA Department of Environmental Protection, 2024					

#### Lyme Disease

Lyme Disease has been present in the United States and Mifflin County for many years. More wooded areas have higher cases due to ticks being the main biological vector. Lyme disease is found in all sixty-seven counties within Pennsylvania. Mifflin County has an overall approximately 621 confirmed cases of Lyme disease from 2000 until 2020, although actual totals may be significantly higher due to under reporting. Mifflin County as a whole has a moderately high positive total for Lyme Disease in the county, especially over the past several years. It is possible that numbers have risen dramatically due to lack of testing in previous years. Mifflin County experienced the highest number of positive cases in 2016 and 2017. Lyme disease case counts have been consistently rising over the past several years. It should be noted that information represented for each county may vary due to reporting practices. Hence these figures represent a rough estimate of the Lyme disease burden in Mifflin County. *Table 41 - Lyme Disease Data for Mifflin County* outlines the total positive cases of Lyme Disease within Mifflin County since 2010 to 2020. Data after 2020 was not available for this report.

Lyme Disease Data for Mifflin County			
Year	Total Positives		
2000	3		
2001	1		
2002	6		
2003	8		
2004	0		
2005	1		
2006	2		
2007	12		
2008	8		
2009	20		
2010	33		

Table 41 - Lyme Disease Data for Mifflin County

Lyı	Lyme Disease Data for Mifflin County			
Year	Total Positives			
2011	43			
2012	35			
2013	45			
2014	74			
2015	59			
2016	103			
2017	104			
2018	59			
2019	4			
2020	1			
Source: PA Tick Check, 2024				

#### Zika Virus

The Zika virus is another infectious disease that is spread by mosquito bites, and it is related to West Nile virus. Zika virus can also be spread through sexual intercourse, blood transfusion, or passed from mother to child in the womb. The virus was first identified in 1947, but largely came to the attention of the United States in 2015 when there was an outbreak of Zika in Brazil. The direct illness caused by Zika can include fever, red eyes, joint pain, headache, and a rash, or sometimes no symptoms at all. Zika is problematic for pregnant mothers as the virus can result in microcephaly or cause other problems for brain development. For adults, the virus can be linked to increased incidence of Guillain-Barré syndrome.

# 4.3.9.4 Future Occurrence

#### Pandemic & Epidemic

The probability of a widespread public health emergency effecting Mifflin County is approximately once every ten years. Minor outbreaks of less serious communicable disease, such as influenza, will occur much more frequently. The occurrence of pandemic influenza outbreaks is unpredictable, and complete avoidance of the events is unlikely. Therefore, future occurrences of pandemics and infectious disease events are very likely. Pandemics may also emerge from other diseases, especially invasive pathogens for which Mifflin County and Pennsylvania as a whole lack natural immunity.

#### Influenza

It is estimated that 5% to 25% of Pennsylvanians get the flu each year, and 120 to 2,000 individuals die from complications of influenza. The CDC recommends that everyone six months and older get a flu vaccine every season to prevent future cases from rising. People who are at a high risk of serious flu illness should take flu antiviral drugs as soon as they get sick.

#### **Infectious Disease**

Infectious diseases such as West Nile Virus and Lyme Disease have been present in Mifflin County for many years and are expected to perpetuate. The best way to prevent infectious disease outbreaks, including West Nile Virus and Lyme Disease, is to actively address the causes of the diseases. West Nile Virus occurrence can be reduced by removing mosquito breeding locations in stagnant water sources and Lyme Disease occurrence can be reduced by utilizing insect repellant, removing ticks promptly, applying pesticides, and reducing tick habitats. Occurrence of Zika Virus can also be reduced by removing mosquito breeding areas and areas of stagnant water. Both West Nile Virus and Lyme Disease are expected to continue occurring in Mifflin County in the future.

Climate change can result in a wider range of pandemic, epidemics, and infectious diseases that can impact larger areas of the globe. As climate change continues, more populations have the potential to come into contact with vectors for diseases. The migration of animals could also increase vulnerability to this hazard for populations in Mifflin County. Climate change is discussed below, in Section 4.3.9.5.

#### 4.3.9.5 Vulnerability Assessment

Mifflin County is considered to be a moderate vulnerability county in regard to the pandemic events. It is extremely difficult to predict the occurrence and the magnitude of a pandemic or epidemic event. The COVID-19 pandemic disproportionately affected populations over the age of sixty-five, especially those in nursing homes. It has had disparate effect on socially vulnerable populations, including unsheltered and homeless individuals.

Elderly individuals, children and immune deficient individuals are the most vulnerable to disease. Nursing facilities, personal care facilities, daycares, schools, and hospitals are considered more vulnerable since there are often groups of these socially vulnerable individuals present at these community lifelines. Congregate living facilities, including correctional institutions and dormitories would also be at an increased risk due to the difficulties in adhering to the social distancing required to help stop the spread of a pandemic. During the COVID-19 pandemic, nursing homes and personal care homes in Pennsylvania reported high numbers of

cases and deaths, and several county jails and state correctional institutions reported wide community spread.

Health-care workers and those working in direct-care (such as correctional institutions or those who cannot social distance due to their jobs) are more likely to be exposed to a pandemic disease. Those who work outdoors for extended periods of time in warm months may be more vulnerable to West Nile Virus, Lyme Disease, or the Zika virus.

The number of hospitals within the county, and availability of beds within the hospitals, determine the amount of care vulnerable and sick patients will receive. It is important for hospitals to review and exercise emergency response plans and continuity of operations plans (COOP) to ensure that there is an effective public health response.

All critical infrastructure facilities and community lifeline facilities are vulnerable to pandemic, epidemic, and infectious disease. The people working and operating these facilities are at an increased vulnerability based on location and dispersion of disease vectors. This includes all of the critical infrastructure in the county and the community lifelines, a total of sixty-seven locations. This includes but is not limited to, one hospital, three nursing homes, four police stations, and eighteen fire stations. These locations are spaced evenly throughout the county, but are clustered primarily in the boroughs of the county.

A pandemic can vastly impact historic resources by disrupting routine maintenance, leading to physical deterioration of structures and artifacts. The closure of cultural institutions, including museums and archives, hinders public access and educational activities. Economic downturns may reduce funding for preservation efforts, while a decline in tourism threatens the financial sustainability of historic sites. Community engagement may suffer if events and traditional practices are disrupted, affecting the transmission of cultural knowledge.

#### Municipalities with high risk due to pandemic, epidemic, and infectious diseases:

- Armagh Township
- Bratton Township
- Brown Township
- Burnham Borough
- Decatur Township
- Derry Township
- Granville Township
- Juniata Terrace Borough

- Kistler Borough
- Menno Township
- Newton Hamilton Borough
- Oliver Township
- Union Township
- Wayne Township

During a public health emergency, the PA DOH may open emergency medicine centers called points of dispensing (PODs) to ensure that medicine, supplies, vaccines, and information reach Pennsylvania residents during a public health emergency. An open POD is where the general public goes to receive free emergency medicine and supplies from public health officials, while a closed POD provides free emergency medicine and supplies to a specific community, like a university, including faculty, staff, and students. Dispensing of medications/vaccines is a core function of the Strategic National Stockpile's Mass Dispensing of Medical Countermeasures Plan.

PODs are coordinated with county emergency managers by the PA DOH with the six regional healthcare districts (see *Figure 30 - Pennsylvania Department of Health Districts*). Mifflin County is in the Southcentral health district. At the time of the writing of this plan, PODs were involved with mass vaccinations against COVID-19, and most PODs have been shut down due to lack of high-demand for vaccinations.


Land use and land development could directly impact the vulnerability of Mifflin County to pandemic, epidemic, and infectious disease. Development of forested and rural areas could result in populations coming into direct contact with vectors for infectious disease including, most prominently, Lyme Disease and West Nile Virus. When areas that are rural and natural habitats for wildlife are developed, those vectors that live along and with wildlife have the potential to come into contact with the individuals developing the properties and the populations that will occupy or live in those areas. An increase in development could also lead to an increase in the number of individuals living in Mifflin County, increasing the county's vulnerability to pandemic events, like COVID-19.

Climate change can significantly impact the dynamics of pandemics, epidemics, and infectious diseases. Rising temperatures and altered precipitation patterns can expand the geographic range of disease vectors, such as mosquitoes carrying diseases like malaria and dengue fever. Changes in climate can also affect the behavior and distribution of animal hosts, potentially facilitating the transmission of zoonotic diseases to humans. Extreme weather events, intensified by climate

change, can also disrupt healthcare systems and infrastructure, hindering the response to outbreaks. Additionally, shifts in temperature and humidity can influence the survival and spread of pathogens, potentially leading to the emergence of new infectious diseases. Overall, climate change exacerbates the complexity and challenges of managing and preventing pandemics and epidemics, making it crucial to address both environmental and public health concerns in a coordinated manner to mitigate the impact on global health.

Population changes can directly impact the vulnerability of Mifflin County to pandemic events, like COVID-19. With increased populations there is a greater risk of the spread of communicable diseases, especially in areas where the population density is high. There are seven municipalities in Mifflin County that have seen an increase in population between 2010 and 2020. This information is shown in *Table 3 – Population Change in Mifflin County*, Mifflin County should monitor population growth in the boroughs and cities of the county. The socially vulnerable populations in Mifflin County are at a higher vulnerability of pandemic, epidemic, and infectious diseases than lesser vulnerable populations. This is due to lack of health care services for homeless, unsheltered, and transient populations in Mifflin County and the difficulty in receiving treatment for health issues stemming from pandemics, epidemics, and infectious diseases. The national social vulnerability index for Mifflin County from CDC/ATSDR (Center for Disease Control and Prevention/Agency for Toxic Substances and Disease Registry) is 0.4752 which represents a low to medium level of vulnerability.

Figure 30 - Pennsylvania Department of Health Districts



Produced by MCM Consulting Group, Inc.

# 4.3.10. Radon Exposure

#### 4.3.10.1 Location and Extent

Airborne radon gas is radioactive and is a step in the radioactive decay of uranium to radium. Radon is a noble gas, cannot be seen, and has no odor. Like other noble gasses, radon gas is very stable, so it does not easily combine with other chemicals. Two isotopes of radon are commonly found: 222Rn and 220Rn. The 220Rn isotope has a very short half-life, so it often only exists for fifty-five seconds, not long enough to pose a hazard to humans. The 222Rn isotope has a half-life of 3.8 days which is long enough to pose a threat to humans. Still, due to the relatively short half-life of 222Rn, it only exists in relative proximity to its radioactive parent, usually within tens of feet away. Radon is a carcinogen and when inhaled, it can lead to the development of lung cancer.

Radioactivity, caused by airborne radon, has been recognized for many years as an important component in the natural background radioactivity exposure of humans, but it was not until the 1980s that the wide geographic distribution of elevated values in houses and the possibility of extremely high radon values in houses were recognized. Radon was discovered as a significant source of natural radiation for humans in 1984 in the Reading Prong geologic province in Eastern Pennsylvania, when routine monitoring of employees leaving the not yet active Limerick nuclear power plant showed readings that a construction worker working on the plant frequently exceeded expected radiation levels despite the fact that the plant was not active. The Environmental Protection Agency (EPA) guidelines state that mitigation actions should be taken if levels exceed 4pCi/L in a home, and most uranium miners have a maximum exposure of 67 pCi/L. Subsequent testing of the Limerick power plant worker's home showed high radon levels of 2,500 pCi/L (pico Curies per Liter), triggering the Reading Prong to become the focus of the first large-scale radon scare.

Radon gas is considered ubiquitous and can be found in indoor and outdoor environments. There is no known safe level of exposure to radon. For most people in Pennsylvania, the greatest risk of radon exposure is from within their home in rooms that are below, directly in contact with, or immediately above the ground. Sources of radon include radon in the air from soil and rock beneath homes, radon dissolved in water from private wells and exsolved during water use (rare in Pennsylvania), and radon emanating from uranium-rich building materials such as concrete blocks or gypsum wallboard (also rare in Pennsylvania). Key factors in radon concentration in homes are the rates of air flow into and out of the house, the location of air inflow, and the radon content of air in the surrounding soil. Because of the flow dynamics of air inside of most houses, even a small rate of soil radon gas inflow can lead to elevated radon concentrations.

There are several factors that contribute to higher radon levels in soil gas:


- Proximity to elevated uranium rich deposits (>50ppm). Areas within a few hundred feet of such deposits are most at risk. Such deposits are rare in Pennsylvania.
- Some more common rocks have higher than average uranium content (5 to 50 ppm), and proximity to such rocks also increases the risk of radon exposure. These rock types include black shales as well as granitic and felsic alkali igneous rocks. This is the most common source of high radon levels in Pennsylvania. The Reading Prong elevated radon levels come from Precambrian granitic gneisses.
- Other soil and bedrock properties that facilitate radon mobility. The amount of pore space in the soil and its permeability more porous soils will allow radon to travel more easily. Limestone-dolomite soils can also be predisposed to collect radon from radium resultant from weathering of iron oxide or clay surfaces. In some cases (like State College in Centre County, PA) even with underlying bedrock having normal uranium concentrations (.5 to 5 ppm), the vast majority of locations built on limestone-dolomite soils exceed radon concentrations of 4pCi/L, and many exceeded 20 pCi/L.

The following three sources of radon in houses are now recognized (see *Figure 31 - Sketch of Radon Entry Points into a House* below):

- Radon in soil air that flows into the house.
- Radon dissolved in water from private wells and exsolved during water usage; this is rarely a problem in Pennsylvania.
- Radon emanating from uranium-rich building materials (e.g., concrete blocks or gypsum wallboard); this is not known to be a problem in Pennsylvania.

High radon levels were initially thought to be exacerbated in houses that are tightly sealed, but it is now recognized that rates of airflow into and out of houses, plus the location of air inflow and the radon content of air in the surrounding soil, are key factors in radon concentrations. Outflows of air from a house, caused by a furnace, fan, thermal "chimney" effect, or wind effects, require that air be drawn into the house to compensate. If the upper part of the house is tight enough to impede influx of outdoor air (where radon concentration is generally <0.1 pCi/L), then an appreciable fraction of the air may be drawn in from the soil or fractured bedrock through the foundation and slab beneath the house, or through cracks and openings for pipes, sumps, and similar features. Soil gas typically contains from a few hundred to a few thousand pCi/L of radon; therefore, even a small rate of soil gas inflow can lead to elevated radon concentrations in a house.

Figure 31 - Sketch of Radon Entry Points into a House



The radon concentration of soil gas depends upon a number of soil properties, the importance of which is still being evaluated. In general, 10% to 50% of newly formed radon atoms escape the host mineral of their parent radium and gain access to the air-filled pore space. The radon content of soil gas clearly tends to be higher in soils containing higher levels of radium and uranium, especially if the radium occupies a site on or near the surface of a grain from which the radon can easily escape. The amount of pore space in the soil and its permeability for airflow, including cracks and channels, are important factors determining radon concentration in soil gas and its rate of flow into a house. Soil depth and moisture content, mineral host and form for radium, and other soil properties may also be important. For houses built on bedrock, fractured zones may supply air having radon concentrations similar to those in deep soil.

The second factor listed above is most likely the cause of high radon levels in Mifflin County. The data show that most reported zip codes in the county have high basement radon level test results. The areas and test results are shown in more detail in the past occurrence section.

# 4.3.10.2 Range and Magnitude

According to the EPA, about 21,000 lung cancer deaths each year in the U.S. are related to radon. It is the second leading cause of lung cancer after smoking and the number one cause of lung cancer among nonsmokers. Radon causes lung cancer by continuing to radioactive decay after being inhaled, and turning into a daughter product (218Po, 214Pb, 214Bi) which may become attached to lung tissue and induce lung cancer due to the continued radioactive decay.

The EPA reports that the national average radon concentration of indoor air of homes is about 1.3 pCi/L, and they recommend that homes be fixed if the radon level is 4 pCi/L or more. There is, however, no safe level of radon exposure, so the EPA also recommends considering fixing a home if the radon level is between 2 pCi/L and 4 pCi/L.

*Table 42 - Radon Risk for Smokers and Nonsmokers* shows the relationship between various radon levels, probability of lung cancer, comparable risks from other hazards, and action thresholds. As seen in *Table 42 - Radon Risk for Smokers and Nonsmokers* below, a smoker exposed to radon has a much higher risk of lung cancer.

Table 42 - Radon Risk for Smokers and Nonsmokers

Radon Risk for Smokers and Nonsmokers					
Radon Level (pCi/L)	If 1,000 People Were Exposed to this level over a lifetime*	Risk of cancer from radon exposure compares to***	Action Threshold		
	SI	MOKERS			
20	About 260 people could get lung cancer	250 times the risk of drowning			
10	About 150 people could get lung cancer	200 times the risk of dying in a home fire	Fix Structure		
8	About 120 people could get lung cancer	30 times the risk of dying in a fall			
4	About 62 people could get lung cancer	5 times the risk of dying in a car crash			
2	About 32 people could get lung cancer	6 times the risk of dying from poison	Consider fixing structure between 2 and 4 pCi/L		
1.3	About 20 people could get lung cancer	(Average indoor radon level)	Reducing radon levels below 2pCi/L is		
0.4	About 3 people could get lung cancer	(Average outdoor radon level)	difficult		
NON-SMOKERS					
20	About 36 people could get lung cancer	35 times the risk of drowning	Fix Structure		
10	About 18 people could get lung cancer	20 times the risk of dying in a home fire			

Radon Risk for Smokers and Nonsmokers				
Radon Level (pCi/L)	If 1,000 People Were Exposed to this level over a lifetime*	Risk of cancer from radon exposure compares to***	Action Threshold	
8	About 15 people could get lung cancer	4 times the risk of dying in a fall		
4	About 7 people could get lung cancer	The risk of dying in a car crash		
2	About 4 people could get lung cancer	The risk of dying from poison	Consider fixing structure between 2 and 4 pCi/L	
1.3	About 2 people could get lung cancer	(Average indoor radon level)	Reducing radon levels	
0.4	-	(Average outdoor radon level)	below 2pCi/L is difficult	
Note: Risk may be lower for former smokers				

\* Lifetime risk of lung cancer deaths from EPA Assessment of Risks from Radon in Homes (EPA 402-R-03-003). \*\* Comparison data calculated using the Centers for Disease Control and Prevention's 1999-2001 National Center for Injury Prevention and Control Reports.

#### 4.3.10.3 Past Occurrence

In 1984, the Pennsylvania Radon Bureau responded to the newly detected high radon levels with a massive radon monitoring, educational, and remediation effort. In the start of November 1986, over 18,000 homes had been screened for radon and approximately 59% were found to have radon daughter levels in excess of the 0.020 Working Level (WL) guideline. Radon daughter levels ranged up to 13 WL or 2600 pCi/L or radon gas.

The Pennsylvania Department of Environmental Protection (PA DEP) provides information for homeowners about how to test for radon in their homes, and when they receive a test result over 4 pCi/L, the PA DEP Bureau of Radiation Protection works to help homeowners repair the home and mitigate the hazard. The DEP has estimated that the national average indoor radon concentration is 1.3 pCi/L and the level for action is 4.0 pCi/L; however, they have estimated that the average indoor concentration in Pennsylvania basements is about 7.1 pCi/L and 3.6 pCi/L on the first floor. The PA DEP records all the tests they receive and categorize them in a searchable database by zip code. There are currently 2,174 zip codes in Pennsylvania, but the zip code radon test data only covers for 986 zip codes. The missing zip codes that report in the database as "N/A" for insufficient data either had fewer than thirty test results or no test results at all.

*Figure 43 – Radon Test Results in Mifflin County* shows a total of seven zip codes in Mifflin County where tests were reported to the PA DEP to report their findings; those with no available data were not included in the table. The highest average radon level was reported from the 17004-zip code, which is in the west of the county, with an average reading of 21.1 pCi/L within location of the basement. Most reporting zip codes in Mifflin County have average basement Radon levels significantly above the suggested EPA action level of 4 pCi/L. The average basement reading for reporting zip codes in the county is 13.26 pCi/L, and the average first floor reading is 8.3 pCi/L.

Radon Level Test Results					
Zip Code	Postal Community	Location	Number of Tests	Max Result pCi/L	Average Result pCi/L
17004	Belleville	Basement	250	291.6	21.1
17004	Denevine	First Floor	350	43.3	7.5
17009	Burnham	Basement	78	333.2	10.6
17044	Lewistown	Basement	1,439	709.3	10.7
17044		First Floor	151	71.9	5.2
17051	McVeytown	Basement	164	101.7	11.3
17063	Milroy	Basement	113	116.0	12.6
17005	wintoy	First Floor	34	57.7	6.9
17084	Reedsville -	Basement	636	289.6	18.8
17084		First Floor	67	92.7	13.5
17099	Yeagertown	Basement	48	54.5	7.7
Source: PA DEP, 2024					

Table 43 - Radon Test Results in Mifflin County

#### 4.3.10.4 Future Occurrence

Radon exposure is likely given the geologic and geomorphic conditions in Mifflin County. The EPA and USGS have mapped radon potential in the US to help target resources and assist local governments in determining if radon-resistant features are applicable for new construction. The designations are broken down in three zones and are assigned by county, as shown in *Figure 32* – *Pennsylvania Radon Levels*. Each zone reflects the average short-term measurement of radon

that can be expected in a building without radon controls. Mifflin County is located within Zone One meaning it has the highest potential for radon which indicate an intermediate likelihood of occurrence in the future.

- 1. Zone 1 has the highest potential and readings can be expected to exceed the 4 pCi/L recommended limit.
- 2. Zone 2 has a moderate potential for radon with levels expected to be between 2 and 4 pCi/L and
- 3. Zone 3 has a low potential with levels expected to be less than 2 pCi/L.

Due to the moderate likelihood of future occurrence, the level of radon daughters should be monitored. Radon daughters are the concentration of decay products of radon in the uranium chain. Fortunately, the presence of radon daughters can be monitored through the means as radon gas. *Table 44 - Suggested Actions and Time Frame for Exposure to Radon Daughters* provides suggested actions and time frames for varying levels of exposure to radon daughters.

Suggested Actions and Timeframe for Exposure to Radon Daughters			
Exposure Level*	Suggested Action**	Timeframe For Plan	
more than 5.0 WL***	Residents should either promptly relocate or undertake temporary remedial action to lower levels as far below 5.0 WL as possible. Smoking in high areas discouraged.	Within 2-3 days	
1.0 to 5.0 WL	Residents should undertake temporary remedial action to lower levels as far below 1.0 WL as possible. Smoking in high areas discouraged.	Within 1 week	
0.5 to 1.0 WL	Residents should undertake temporary remedial action to lower levels as far below 0.5 WL as possible.	Within 2 weeks	
0.1 to 0.5 WL	Residents should undertake temporary remedial action to lower levels as far below 0.1 WL as possible. Higher exposure levels require action to be taken in a shorter	3 weeks to 3 months	
0.02 to 0.1 WL	Residents should undertake temporary and/or permanent remedial action to lower levels below 0.02 WL. Higher exposure levels require action to be taken in a shorter	4 to 15 months	

 Table 44 - Suggested Actions and Time Frame for Exposure to Radon Daughters

Climate change will have minor impacts on radon exposure in Mifflin County, if any. Climate change will have an increased impact on the vulnerability of individuals to radon if those

individuals live in an area where permafrost is a feature of the climate. With rising global temperatures, permafrost can melt, resulting in increased soil and bedrock erosion. This can result in higher rates of radon exposure. This is of primary concern to those areas located in the northern latitudes and will not have a significant impact on the bedrock or soils of Mifflin County. It is possible that climate change could impact soil and bedrock erosion rates in Mifflin County, but these impacts would be minor or unknown, at this time.

## 4.3.10.5 Vulnerability Assessment

Proper testing for radon levels should be conducted across Mifflin County, especially in the areas of higher incidence levels, and for those individuals and households that are susceptible to the contributing risks. This testing will determine the level of vulnerability that residents face in their homes, as well as in their businesses and schools.

Mifflin County is in the EPA Radon Hazard Zone One, meaning there is a high risk of radon exposure. Smokers can be up to ten times more vulnerable to lung cancer from high levels of radon depending on the level of radon to which they are exposed. Additionally, older homes that have crawl spaces or unfinished basements are more vulnerable to high radon levels. Average basement radon levels for homes that reported their results to the PA DEP are often found to be above the EPA action level of 4 piC/L. *Figure 33 – Radon Levels by Zip Code* shows the best available data from the EPA about the percentage of homes with radon levels at, or above, the EPA action level. The EPA estimates that an average radon mitigation system costs approximately \$1,200.00. The PA DEP Bureau of Radiation Protection provides short- and long-term tests to determine radon levels, as well as information on how to mitigate high levels of radon in buildings.

The historic properties in Mifflin County are at moderate vulnerability to radon levels. There are six historic properties, that are at an increased risk of radon exposure if those locations have not already been mitigated for radon levels. The properties are in an area that has had previous test results for the basement averaging 10.7 pCi/L. Those properties are listed below:

- Embassy Theatre
- McCoy House
- Mifflin County Courthouse
- Montgomery Ward Building
- Old Hoopes School
- Wollner Building

The cultural resources in Mifflin County could be adversely impacted by radon exposure. The areas that underlay in Mifflin County have previous average radon levels between 7.7 pCi/L and 21.1 pCi/L averages in basements. If these locations have not been properly mitigated, the visitors to these locations could be at risk of radon exposure, even for a short time.

The direct hazard to radon exposure at these locations is not related to the buildings, but to the individuals who live, work, visit, and maintain these structures.

The vulnerability of natural areas to radon exposure is negligible. Since radon exposure typically is a natural hazard to humans when in enclosed spaces, and over a large portion of time, natural areas are at a lower risk. Most individuals are doing activities when outdoors and are usually not stationary for hours and days. The local parks, state game lands, state forests, and state parks are at low risk and low vulnerability.

# Municipalities with an increased risk of radon exposure (with areas with a basement pCi/L over 12.6):

- Armagh Township
- Brown Township
- Decatur Township
- Menno Township
- Union Township

# Municipalities without an increased risk of radon exposure (with areas with a basement pCi/L under 12.6):

- Bratton Township
- Burnham Borough
- Derry Township
- Granville Township
- Juniata Terrace Borough
- Kistler Borough
- Lewistown Borough
- McVeytown Borough
- Newton Hamilton Borough
- Oliver Township
- Wayne Township

Socially vulnerable populations in Mifflin County are at an increased vulnerability to radon exposure than other groups in Mifflin County. Approximately 15.3% of the population of Mifflin County is in poverty, and those individuals may be located in areas of high radon risk. Those individuals may also be unable to purchase or install radon remediation kits and systems due to economic factors. Information from the Pennsylvania Department of Environmental Protection states that installing a radon reduction system can cost between \$500.00 to \$2,000.00 with the average costing \$1,000.00 (PA DEP, 2023). Radon exposure may also impact the health of those considered to be socially vulnerable. With unequal access or opportunity to health care, potential health effects related to radon exposure can go unreported and unaddressed in socially vulnerable populations.

Population changes, especially any increase in population, in Mifflin County pose an increased risk to vulnerability of radon exposure to individuals in each municipality. Between the 2010 and the 2020 US Census, seven municipalities in Mifflin County experienced population growth. Bratton Township, Brown Township, Juniata Terrace Borough, McVeytown Borough, Newton Hamiliton Borough, Oliver Township and Union Township. These increases can be seen in *Table X – Population Change in Mifflin County*. Another risk to radon exposure due to population changes could occur from people moving into structures with basements that have been empty for extended periods of time or converting camps into homesteads. Education about the dangers of radon exposure should occur at the municipal level when existing homes are purchased. New construction can be built with radon prevention systems in place costing between \$500.00 to \$2,000.00 per building.

Land use could result in more rapid radon exposure if the areas being used for different land uses are over areas of high radon levels. If new land use results in exposure of the bedrock to weathering, increased radon exposure and leakage will occur. This could include the development of new or commercial properties in an area. New development may be built and constructed with radon reduction systems already in place, reducing the vulnerability for each new location with these systems. New development may have clean aggregate in construction, piping below the foundation slab, sealing of openings in foundations, or electric boxes in the attic for radon reduction system fans (PA DEP, 2023).


Radon can impact Mifflin County infrastructure systems by accelerating corrosion in metal components of buildings such as steel reinforcements in concrete, leading to weakening of structural elements over time. This corrosion can compromise the stability of bridges, tunnels, and other critical infrastructure. Additionally, radon-induced degradation of building materials like concrete can cause cracks, spalling, and overall degradation of structural integrity. Radon can infiltrate underground utility tunnels that can corrode pipes, conduits and electrical wiring

Produced by MCM Consulting Group, Inc.

Page - 167

which can lead to the potential of leaks and electric failures. Radon has the ability to compromise both structural and operational functions of infrastructure system.


Figure 32 - Pennsylvania Radon Levels



Produced by MCM Consulting Group, Inc.

Page - 169

Figure 33 - Radon Levels by Zip Code



Produced by MCM Consulting Group, Inc.

Page - 170

#### 4.3.11. Subsidence and Sinkhole

## 4.3.11.1 Location and Extent

Subsidence is the sinking movement of the earth's surface; the result of this movement is commonly referred to as a sinkhole. There are two common causes of subsidence in Pennsylvania: 1) dissolution of carbonate rock such as limestone or dolomite and 2) mining activity. In the first case, water passing through naturally occurring fractures and bedding planes dissolves bedrock leaving voids below the surface. Eventually, overburden on top of those voids collapses, leaving surface depressions resulting in what is known as karst topography. Characteristic structures associated with karst topography include sinkholes, linear depressions, and cases. Often, sub-surface solution of limestone will not result in the immediate formation of karst features. Collapse sometimes occur only after a large amount of activity, or when a heavy burden is placed on overlying material. The bedrock geology is found mostly in the south-central and eastern portions of the Commonwealth of Pennsylvania, and Mifflin County is located in a karst vulnerable area. Subsidence in Mifflin County is primarily due to karst topography and also as a result of mining activity. This plan will focus on both carbonate rock / karst topography and mining activity. Mifflin County has a history of subsidence due to carbonate rock and mining activity.

Mining activity is concentrated in the southwestern region of the state. The majority of subsurface (i.e., underground) extraction of materials such as oil, gas, coal, metal ores (i.e., copper, iron, and zinc), clay, shale, limestone, or water can result in slow-moving or abrupt shifts in the ground surface and these areas have a higher potential to be impacted by sinkholes and subsidence. Sinkholes often develop where the cover above a mine is thin. Sinkhole development normally occurs where the interval to the ground surface is less than three to five times the thickness of the extracted seam and the maximum interval is up to ten times the thickness of the extracted seam. In western Pennsylvania, most sinkholes develop where the soil and rock above a mine are less than fifty feet thick.

Human activity can also result in subsidence or sinkhole events. Leaking water pipes or structures that convey storm-water runoff may result in areas of subsidence as the water dissolves substantial amounts of rock over time. Poorly managed stormwater can be an exacerbating factor is subsidence events. In some cases, construction, land grading, or earthmoving activities that cause changes in stormwater flow can trigger sinkhole events.

# 4.3.11.2 Range of Magnitude

No two subsidence areas or sinkholes are exactly alike. Variations in size and shape, time period under which they occur (i.e., gradually, or abruptly), and the proximity to development ultimately determine the magnitude of damage incurred. Events could result in minor elevation changes or deep, gaping holes in the surface. Subsidence and sinkhole events can be addressed before significant damage occurs.

Primarily, problems related to subsidence include the disruption of utility services and damages to private and public property including buildings, roads, and underground infrastructure. Isolated incidents of subsidence throughout the coal regions over the past years have affected houses, garages, and trees that have been swallowed up by subsidence holes. Lengths of local streets and highways, and countless building foundations have been damaged.

If long-term subsident or sinkhole formation is not recognized and mitigation measures are not implemented, fractures or complete collapse of building foundations and roadways may result. The worst-case scenario of a mine subsidence event for Mifflin County would be similar to an event in Allegheny County in 2013, when sixty-nine homes in Hyde Park sustained mine subsidence damage. The Pennsylvania Department of Environmental Protection responded to the subsidence by filling the mine voids at a cost of \$3.7 million. If mitigation measures are not taken, the cost to fill in and stabilize sinkholes can be significant although sinkholes are limited in range of magnitude.

Voids in the earth's subsurface are created where coal was previously mined and removed. The condition removes a significant portion of the support of the overlying rock strata that usually causes the rock strata to fall or subside into the voids that may damage dwellings or other surface structures above the affected areas. Mining locations across the county should be carefully noted and avoided as sites for new construction unless the proper measures are taken to ensure the mine's soundness.

The Mifflin County local planning team assigned a risk factor assessment score of 3 to subsidence and sinkhole formation. This places the hazard at a high risk factor. *Figure 34 – Sinkhole Susceptibility in Pennsylvania* illustrates the portions of the Commonwealth of Pennsylvania where sinkholes and subsidence are common. The hazard for subsidence and sinkholes in these regions is very high. Mifflin County has a large portion of mining areas and is therefore one of these regions.

## 4.3.11.3 Past Occurrence

There is no comprehensive list of mine subsidence in Mifflin County. The Pennsylvania Department of Conservation and Natural Resources (PA DCNR) provides an online sinkhole inventory database, which lists a total of 3,619 identified sinkholes in Pennsylvania as of 2024. Of these sinkholes approximately 2,000 fall within Mifflin County. Additionally, the Pennsylvania Department of Environmental Protection indicates that some small incidences of sinkholes occur several times per week and cause limited damage and that many of these are related to failing infrastructure like water main breaks or collapsed pipes.

## 4.3.11.4 Future Occurrence

There is currently no reliable information regarding the probability of future occurrence of subsidence or sinkholes in Pennsylvania. One way of estimating the probability of future occurrences would be to project the historical trends into the future, but there is no comprehensive documentation of previous events in Mifflin County. The PA DEP has noted that mine subsidence events are constant though they vary in intensity and damage. Based on geological conditions and mining activities in Mifflin County, the annual occurrence of subsidence and sinkholes near karst topography and where mining occurs is considered likely. Although precise locations of future occurrences is difficult to predict due to site-specific conditions that contribute to sinkhole development, there are several signs that can signal potential development.

The signs include:

- Slumping or falling fence posts, trees, or foundations.
- Sudden formation of small ponds.
- Wilting vegetation.
- Discolored well water.
- Structural cracks in walls and/or floors.

Based on geological conditions and mining activity, subsidence events are likely to occur in Mifflin County. If land development and mining were to occur in an area that is unstable or unsafe, a subsidence event or sinkhole is likely to form. *Figure* X - Unsuitable Areas for Mining in Pennsylvania illustrates the areas of Pennsylvania where mining could potentially cause a subsidence event or a sinkhole. None of these areas that are unsuitable for mining are located in and around Mifflin County.

Climate change may increase the frequency of subsidence in Mifflin County. Climate change could result in more intense rainfall from more frequent hurricanes and tropical storms, or it could result in hot, dry areas becoming increasingly dry. The increase in precipitation could result in ground swelling, due to soils that contain clay minerals absorbing the rainfall. This swelling is seen as an increase in vertical land motion, while shrinking is the decrease in vertical land motion. Shrinking occurs when there are high temperatures that cause the land to dry out, resulting in more movement in the soil, which can be seen as a gradual settling or sudden sinking of Earth's surface. The combination of shrinking and swelling could increase with climate change and ultimately increase the frequency of subsidence and sinkholes in Mifflin County.

# 4.3.11.5 Vulnerability Assessment

Areas of the county where commercial mining operations take place are the most vulnerable to subsidence and sinkhole hazards. Natural subsidence and sinkholes have never been reported in Mifflin County. A mined area may be differentially prone to subsidence based on its geology and depth of mineral seam, but reliable information about the different locations of varying depths of seams are not available. Geologists agree that all areas that are mined are prone to subsidence; therefore, coal mined areas are shown as vulnerable to mine subsidence.

Most of the mining that has occurred in Mifflin County was superficial mining of natural resources. Subsidence cannot be ruled out as a potential hazard for Mifflin County. There are no state or county critical infrastructure facilities at risk in the county due to sinkholes.

Within Mifflin County there are multiple assets that are vulnerable to subsidence and sinkhole impacts including historical and cultural resources, critical infrastructure, and community lifelines. For example, zero critical infrastructure and community lifeline facilities fall within 500 feet of abandoned mine areas in Mifflin County. There are no historic and cultural resources recognized by the National Register of Historic Places that are within 500 feet of an abandoned mine area. Just because mining areas are not within Mifflin County, does not mean that the historic and cultural resources, critical infrastructure, and community lifelines do not have an increased risk of subsidence and sinkholes.

Municipalities with the highest risk of subsidence or sinkholes (abandoned mine areas and areas unsuitable for mining):

• None

Municipalities with an increased risk of subsidence or sinkholes (abandoned mine areas):

• None

Municipalities without an increased risk of subsidence or sinkholes (no abandoned mine areas):

- Armagh Township
- Bratton Township
- Brown Township
- Burnham Borough
- Decatur Township
- Derry Township
- Granville Township
- Juniata Terrace Borough
- Kistler Borough
- Lewistown Borough
- McVeytown Borough
- Menno Township
- Newton Hamilton Borough
- Oliver Township
- Union Township
- Wayne Township

Underserved, unserved, and socially vulnerable populations face heightened impacts from subsidence and sinkholes. Limited resources often result in substandard infrastructure, exacerbating susceptibility to ground collapse. Housing in these areas is prone to structural damage, posing threats to lives and livelihoods. Displacement becomes a critical concern as sinkholes disrupt communities, challenging access to safe shelter. Vulnerable populations may lack the financial means for adequate recovery, perpetuating economic hardships.

Population change can increase the impacts of subsidence or sinkholes in Mifflin County. Mifflin County has seven municipalities out of sixteen municipalities that had a population increase between the 2010 and the 2020 US Census. This population change can also be seen in *Table 3 – Population Change in Mifflin County*. Based on this information, it can be speculated that these municipalities may have an increased/equivalent risk to subsidence and sinkholes since 2010, due to the increase in population and construction.


Current land use in Mifflin County can affect the vulnerability of the county to subsidence and sinkholes. Impervious surfaces allow pollutants from aerial and terrestrial sources to accumulate. During stormwater runoff, these pollutants will run into stormwater drains and directly to local

waterbodies. When impervious surfaces increase, so does the quantity, speed, temperature, and pollutant load of the storm water runoff.

Subsidence and sinkholes present dual threats to both natural and cultural areas. Ecologically, these alter landscapes, compromising soil stability and disrupting ecosystems. Sinkholes can swallow habitats, impacting land use for the county. Culturally, the collapse of terrain endangers heritage sites, structures, and artifacts, erasing historical landscapes. Subsidence may threaten traditional agricultural practices linked to specific terrains.


Subsidence and sinkhole events can also pose a threat to systems within Mifflin County. Some systems that may be affected by subsidence and sinkhole events are natural gas, water, and the numerous other materials and chemicals transported through underground water systems in Mifflin County. During significant subsidence and sinkhole events, underground pipelines may crack, causing the transported material to leak into the ground and contaminating water sources in the county. Even in more contained scenarios, a small leak can have profound impact if the transported material is toxic or hazardous in nature, leading to degradation of the natural resources in the impacted communities. Subsidence and sinkhole events can also cause above ground localized transportation issues if an event were to occur along a transportation route through Mifflin County. This can cause a delay in daily transportation and may require alternate transportation routes to be established for an extended period of time.

Figure 34 - Sinkhole Susceptibility in Pennsylvania



Produced by MCM Consulting Group, Inc.

Figure 35 - Unsuitable Areas for Mining in Pennsylvania



Produced by MCM Consulting Group, Inc.

Page - 178

# 4.3.12. Tornado and Windstorm

# 4.3.12.1 Location and Extent

Tornadoes and windstorms can occur throughout Mifflin County and are usually localized in their location and extent. Severe thunderstorms may result in conditions favorable for the formation of windstorms, including tornadoes. Tornadoes are nature's most violent storms and can cause fatalities and devastation to neighborhoods and municipalities within the county and region. Tornadoes can occur at any time during the day or night but are most frequent during the later afternoon and early evening, which are typically the warmest hours of the day. Tornadoes are most likely to occur in the spring and summer.

## Tornadoes

There are two main types of tornadoes: supercell and non-supercell. Supercell tornadoes are the most common and often the most dangerous type of tornado. A rotating updraft is key to the development of a supercell and, eventually, a tornado. Once the updraft is rotating and being fed by warm air, a tornado is formed. The other type of tornado is categorized as non-supercell, which is not as common as a supercell tornado. One type of non-supercell tornado is the "Quasi-Linear Convective Systems" (QLCS). The QLCS tornadoes typically arise during the late night or early morning hours and are typically weaker and more short-lived than supercell tornado is a landspout. These tornadoes are narrow, rope-like funnels that form when a thundercloud grows without a rotating updraft, which causes the spinning motion common with tornadoes to appear near the ground.

# Windstorms

Windstorms are experienced on a region-wide scale. The most frequent cause of windstorms in Pennsylvania are thunderstorms, although they may also be caused by hurricanes and winter storms. Windstorms are defined as sustained wind speeds of 40 mph or greater, lasting for at least one hour, or winds of 58 mph or greater lasting for any duration. There are a wide variety of windstorm events that can take place in Mifflin County.

# 4.3.12.2 Range of Magnitude

#### Tornadoes

Each year tornadoes account for \$1.1 billion in damages and cause over eighty deaths nationally. Thus far, 2011 was the second worst year on record for deadly tornadoes behind 1936. The number of tornado reports has increased since 1950. While the extent of tornado damage is

usually localized, the vortex of extreme wind associated with a tornado can result in some of the most destructive forces on Earth. The damage caused by a tornado is a result of the high-wind velocity and windblown debris, also accompanied by lightning or large hail. The most violent tornadoes have rotating winds of 250 mph or more and are capable of causing extreme destruction and turning normally harmless objects into deadly projectiles.

Tornado movement is characterized in two ways: direction/speed of spinning winds and the forward movement of the tornado, also known as the storm track. The rotational wind speeds can range from 65 to more than 200 miles per hour (mph). The speed of forward motion can range from 0 mph to 50 mph. Forward motion of a tornado path can be a few to several hundred miles in length. Widths of tornadoes vary from less than 100 feet in diameter to more than a mile wide in regard to the largest tornadoes on record. The National Centers for Environmental Information (NCEI) reports that, "the maximum winds in tornadoes are often confined to extremely small areas and vary tremendously over short distance," which explains why one house in a tornado's path may be completely demolished while a neighboring house could remain untouched. Some tornadoes never touch the ground and remain short lived, while others may touch the ground or "jump" along its path.

The destruction from tornadoes can range from minor to severe depending on the intensity, size, and duration of the storm. Typically, tornadoes cause the greatest damage to structures of light-weight construction, such as mobile homes. The Enhanced Fujita Scale, also known as the "EF-Scale", measures tornado strength and associated damages. The EF-Scale is an update to the earlier Fujita Scale, also known as the "F-Scale", that was published in 1971. These scales classify U.S. tornadoes into six intensity categories based upon the estimated maximum winds occurring within the wind vortex. This scale can be seen in *Table 45 – Enhanced Fujita Scale*. The EF-Scale became effective on February 1, 2007. Since its implementation by the National Weather Service in 2007, the EF-Scale has become the definitive metric for estimating wind speeds within tornadoes based upon damage to buildings and structures. Previously recorded tornadoes are reported with the older F-Scale values, but *Table 45 – Enhanced Fujita Scale* shows F-Scale categories with corresponding EF-Scale wind speeds.

*Figure 23 – Pennsylvania Wind Zones* identifies wind speeds that could occur across the state, which may be used as the basis for design and evaluation of the structural integrity of shelters and critical facilities. The majority of Pennsylvania falls within Zone III, meaning that the design of shelters and critical facilities should be able to withstand a three-second gust of up to 200 mph, regardless of whether the gust is a result of a tornado, hurricane, tropical storm, or windstorm incident. The western portion of the state falls within Zone IV, which indicates

Produced by MCM Consulting Group, Inc.

Page - 180

shelters can withstand up to 250 mph winds, while the eastern side falls within Zone II where shelters should be designed to withstand up to 160 mph.

Since Mifflin County falls within Zone III, shelters and critical facilities should be designed to withstand up to 200 mph winds, regardless of whether the gust is the result of a tornado, coastal storm, or windstorm event. While it is difficult to pinpoint the exact locations at the greatest risk of a tornado, the southeast, southwest, and northwest sectors of the commonwealth are more prone to tornadoes.

Tornadoes/windstorms of all types have caused the following problems in Mifflin County:

- Power failures lasting four hours or longer.
- Loss of communications networks lasting four hours or more.
- Residents requiring evacuation or provision of supplies or temporary shelter.
- Severe crop loss or damage.
- Trees down or snapped off high above the ground/tree debris-fire fuel.
- Toppled high profile vehicles, including those containing hazardous materials.

Table 45 - Enhanced Fujita Scale

	Enhanced Fujita Scale				
EF-Scale Number	Wind Speed (MPH)	F-Scale Number	Description of Potential Damage		
EF0	65–85	F0-F1	Minor damage: Peels surface off some roofs; some damage to gutters or siding; branches broken off trees; shallow-rooted trees pushed over. Confirmed tornadoes with no reported damage (i.e., those that remain in open fields) are always rated EF0.		
EF1	86-110	F1	Moderate damage: Roofs severely stripped; mobile homes overturned or badly damaged; loss of exterior doors; windows and other glass broken.		
EF2	111–135	F1-F2	<b>Considerable damage</b> : Roofs torn off well-constructed houses; foundations of frame homes shifted; mobile homes completely destroyed; large trees snapped or uprooted; light- object missiles generated; cars lifted off ground.		


	Enhanced Fujita Scale				
EF-Scale Number	Sneed Description of Potential Dam				
EF3	136–165	F2-F3	Severe damage: Entire stories of well-constructed houses destroyed; severe damage to large buildings such as shopping malls; trains overturned; trees debarked; heavy cars lifted off the ground and thrown; structures with weak foundations blown away some distance.		
EF4	166–200	F3	<b>Devastating damage</b> : Well-constructed houses and whole frame houses completely leveled; cars thrown, and small projectiles generated.		
EF5	>200	F3-F6	Extreme damage: Strong frame houses leveled offfoundations and swept away; automobile-sized projectiles flythrough the air in excess of 100 m (300 ft.); steel reinforcedconcrete structure badly damaged; high-rise buildings havesignificant structural deformation.		
Source: NWS	5, 2007				

Most of the tornadoes that have struck Mifflin County have occurred countywide. In 1985, a total of twenty-three confirmed tornadoes touched down across Eastern Ohio, Southwestern New York, and Central/Western Pennsylvania. This outbreak remains the worst in recorded history for this area. Of these twenty-three tornadoes, eight were of violent intensity (F4 or F5) with estimated wind speeds over 200 mph. Mifflin County was not impacted by the 1985 outbreak.

#### Windstorms

Windstorms can be broken down into multiple categories. Straight-line winds are the most common wind event and are different from tornadic winds. It is a ground level, non-rotational, wind that comes out of a thunderstorm. Downdrafts are columns of air that rapidly sinks toward the ground and are classified as either a microburst or microburst. A macroburst is the outward burst of strong winds that are near or at the surface with horizontal dimensions greater than 2 <sup>1</sup>/<sub>2</sub> miles. Macrobursts winds may begin over a smaller area and then spread out to a wider area, sometimes producing damage similar to a tornado. On the other hand, microbursts are smaller outward bursts of strong winds near or at the surface. Microbursts are less than 2 <sup>1</sup>/<sub>2</sub> miles in

horizontal dimension and are typically short-lived winds that last a maximum of ten minutes, with windspeeds reaching up to 100 mph. Microburst events can be wet or dry events. Wet microbursts are typically associated with heavy precipitation at the surface. Dry microbursts do not have precipitation associated with them and are commonly found in the western portion of the United States.



A gust front is characterized by wind shift, temperature drop, and gusty winds out ahead of a thunderstorm. Derecho is a long-lived windstorm that is associated with a band of rapidly moving showers or thunderstorms. A typical derecho contains various downbursts and microbursts. If the wind damage is more than 240 miles and includes wind gusts of at least 58 mph, the event would then be classified as a derecho.

# 4.3.12.3 Past Occurrences

Mifflin County has experienced five tornado events since 1952, and 138 wind incidents between 1999 and summer of 2023 as seen in *Table 46 – Mifflin County Tornado History* and *Table 47 – Mifflin County High Wind History*. Numerous sources provide information in regard to past occurrences and losses associated with tornadoes/windstorms in Mifflin County and the commonwealth as a whole. Due to the number of sources available with information, specific number of events and losses could vary slightly between sources. Tornado and windstorm data was present until 2023, even though more recent events could have possibly occurred. Historically, the county has experienced both severe windstorms and tornadoes.

The most recent tornado impacted Granville on April 19, 2019. The tornado first touched down near the reservoir off of Minehart Road, south of Route 103 in Granville. Several hundred trees fell and snapped in half. The path of the broken trees extended approximately a mile long. Winds were reported at 115 mph. The tornado then traveled in northeast direction, moving through the Riverside Campground. Several dozen large trees were snapped and uprooted. About

Produced by MCM Consulting Group, Inc.

five trailers were totally destroyed by falling trees, with about a dozen others sustaining damage. One trailer was completely flipped over. The tornado weakened but continued into Lewistown where the next visible damage occurred. Several large trees were uprooted, with the most notable tree damage occurring along Grand Street. The roof of Brooklyn Fire station was partially removed, and this marked the end point of the damage path. Peak winds were estimated at 115 mph.

Table 46 - Mifflin County Tornado History

Mifflin County Tornado History						
Location	Date	Magnitude (F/EF Scale)	Deaths	Injuries	Property Damage	
Mifflin County	07/23/1952	F2	0	4	\$25,000.00	
Mifflin County	03/15/1954	F0	0	0	\$250.00	
Mifflin County	07/21/1983	F1	0	0	\$250,000.00	
Burnham	11/08/1996	F1	0	0	\$40,000.00	
Granville	04/19/2019	EF2	0	0	\$500,000.00	
Source: NOAA NCEI, 2024						
Estimated Values are marked	*					

Table 47 - Mifflin County High Wind History

Mifflin County High Wind History					
Location	Date	Date Magnitude (knots)		Property Damage	
Mifflin County	09/29/1999	60 kts.	0	\$0.00	
Mifflin County	01/10/2000	50 kts.	0	\$0.00	
Mifflin County	03/09/2002	50 kts.	0	\$0.00	
Mifflin County	02/23/2003	60 kts.	0	\$0.00	
Mifflin County	11/13/2003	60 kts.	0	\$0.00	
Mifflin County	09/17/2004	45 kts.	0	\$4,500.00	
Mifflin County	12/01/2004	60 kts.	0	\$0.00	
Mifflin County	12/01/2006	45 kts.	0	\$0.00	
Mifflin County	02/12/2009	50 kts.	0	\$10,000.00	
Mifflin County	02/19/2011	39 kts.	0	\$5,000.00	
Mifflin County	10/29/2012	50 kts.	0	\$0.00	

Mifflin County High Wind History					
Location	Date	Magnitude (knots)	Injuries	Property Damage	
Mifflin County	04/03/2016	52 kts.	2	\$25,000.00	
Mifflin County	02/12/2017	43 kts.	0	\$1,000.00	
Mifflin County	04/04/2018	52 kts.	0	\$0.00	
Mifflin County	02/24/2019	52 kts.	0	\$0.00	
Belleville	07/16/1996	50 kts	0	\$0.00	
Blacklog	07/30/1996	50 kts	0	\$0.00	
Lewistown	10/18/1996	50 kts	0	\$0.00	
McVeytown	05/19/1997	51 kts	0	\$0.00	
Lewistown	07/18/1997	51 kts	0	\$0.00	
Milroy	08/16/1997	51 kts	0	\$0.00	
Lewistown	06/16/1998	51 kts	0	\$0.00	
Lewistown	06/30/1998	51 kts	0	\$0.00	
Lewistown	09/07/1998	51 kts	0	\$0.00	
Kistler	06/12/2001	50 kts	0	\$0.00	
Kistler	06/12/2001	50 kts	0	\$0.00	
Lewistown	07/01/2001	50 kts	0	\$0.00	
Lewistown	04/28/2002	50 kts	0	\$0.00	
Lewistown	05/14/2002	50 kts	0	\$0.00	
Burnham	05/31/2002	50 kts	0	\$0.00	
Belleville	06/05/2002	70 kts	0	\$0.00	
Siglerville	07/18/2003	50 kts	0	\$0.00	
Reedsville	07/21/2003	50 kts	0	\$0.00	
Granville	07/21/2003	50 kts	0	\$0.00	
Siglerville	08/17/2003	50 kts	0	\$0.00	
Lewistown	08/27/2003	50 kts	0	\$0.00	
Kistler	06/14/2004	50 kts	0	\$0.00	
McVeytown	08/04/2004	50 kts	0	\$0.00	
Lewistown	06/06/2005	50 kts	0	\$0.00	
Lewistown	09/29/2005	50 kts	0	\$0.00	
Lewistown	11/06/2005	50 kts	0	\$0.00	
Burnham	07/12/2006	50 kts	0	\$0.00	

Mifflin County High Wind History					
Location	Date	Magnitude (knots)	Injuries	Property Damage	
Reedsville	07/20/2006	50 kts	0	\$0.00	
McVeytown	08/03/2006	50 kts	0	\$0.00	
Lewistown	06/08/2007	50 kts	0	\$0.00	
Siglerville	06/27/2007	50 kts	0	\$0.00	
Mc Veytown	06/16/2008	50 kts	0	\$0.00	
Lewistown	06/16/2008	50 kts	0	\$0.00	
Yeagertown	06/16/2008	50 kts	0	\$0.00	
Mattawana	06/22/2008	50 kts	0	\$2,500.00	
Strodes Mills	06/22/2008	50 kts	0	\$10,000.00	
Lewistown	07/20/2008	50 kts	0	\$0.00	
Lewistown	07/11/2009	50 kts	0	\$5,000.00	
Lumber City	04/08/2010	70 kts	0	\$15,000.00	
McVeytown	04/16/2010	50 kts	0	\$5,000.00	
Lewistown	04/16/2010	50 kts	0	\$5,000.00	
Juniata Terrace	08/04/2010	50 kts	0	\$5,000.00	
Lewistown	04/26/2011	50 kts	0	\$5,000.00	
Newton Hamilton	04/28/2011	50 kts	0	\$5,000.00	
Lewistown	04/28/2011	50 kts	0	\$5,000.00	
Kistler	05/27/2011	50 kts	0	\$5,000.00	
Milroy	08/19/2011	50 kts	0	\$5,000.00	
Lewistown	05/27/2012	50 kts	0	\$5,000.00	
Reedsville Arpt	06/01/2012	50 kts	0	\$5,000.00	
Milroy	06/03/2012	50 kts	0	\$10,000.00	
Lewistown	06/03/2012	50 kts	0	\$5,000.00	
Ryde	07/05/2012	50 kts	0	\$5,000.00	
Burnham	07/26/2012	50 kts	0	\$0.00	
Siglerville	04/10/2013	52 kts	0	\$5,000.00	
Milroy	05/22/2013	50 kts	0	\$5,000.00	
Lewistown	06/25/2013	50 kts	0	\$5,000.00	
Newton Hamilton	07/07/2013	50 kts	0	\$0.00	
Reedsville Arpt	07/07/2013	50 kts	0	\$0.00	

Mifflin County High Wind History					
Location	Date	Magnitude (knots)	Injuries	Property Damage	
Lewistown	07/07/2013	50 kts	0	\$5,000.00	
Longfellow	09/12/2013	50 kts	0	\$2,000.00	
Milroy	09/12/2013	50 kts	0	\$2,000.00	
Belleville	06/18/2014	50 kts	0	\$2,500.00	
Milroy	07/13/2014	50 kts	0	\$1,000.00	
Lumber City	07/13/2014	50 kts	0	\$1,000.00	
Strodes Mills	08/21/2014	50 kts	0	\$500.00	
Belleville	06/12/2015	50 kts	0	\$1,000.00	
Burnham	06/12/2015	50 kts	0	\$1,000.00	
Granville	08/03/2015	50 kts	0	\$500.00	
Juniata Terrace	08/03/2015	50 kts	0	\$500.00	
Juniata Terrace	08/03/2015	50 kts	0	\$500.00	
Maitland	08/03/2015	50 kts	0	\$500.00	
Lewistown	08/03/2015	50 kts	0	\$500.00	
Allensville	07/25/2016	52 kts	0	\$2,000.00	
McVeytown	07/25/2016	52 kts	0	\$2,000.00	
Mattawana	07/25/2016	52 kts	0	\$2,000.00	
Burnham Arpt	07/25/2016	52 kts	0	\$2,000.00	
Newton Hamilton	08/16/2016	52 kts	0	\$6,000.00	
Burnham	05/01/2017	52 kts	0	\$7,000.00	
Lewistown	07/01/2017	52 kts	0	\$4,000.00	
Yeagertown	07/01/2017	52 kts	0	\$4,000.00	
Milroy	08/12/2017	52 kts	0	\$1,000.00	
Yeagertown	08/12/2017	52 kts	0	\$2,000.00	
Burnham	08/19/2017	52 kts	0	\$4,000.00	
Lewistown	08/19/2017	52 kts	0	\$5,000.00	
Burnham	05/10/2018	52 kts	0	\$2,000.00	
Lewistown	05/10/2018	52 kts	0	\$0.00	
Newton Hamilton	05/15/2018	52 kts	0	\$0.00	
Lewistown	04/14/2019	52 kts	0	\$2,000.00	
Granville	04/19/2019	61 kts	0	\$4,000.00	

Mifflin County High Wind History					
Location	Date	Magnitude (knots)	Injuries	Property Damage	
Yeagertown	05/03/2019	52 kts	0	\$5,000.00	
Lumber City	05/03/2019	52 kts	0	\$5,000.00	
Locke Mills	05/03/2019	52 kts	0	\$5,000.00	
McVeytown	05/23/2019	52 kts	0	6,000.00	
Lumber City	06/29/2019	52 kts	0	\$4,000.00	
Belleville	08/18/2019	52 kts	0	\$5,000.00	
Yeagertown	08/18/2019	52 kts	0	\$5,000.00	
Yeagertown	08/18/2019	52 kts	0	\$7,000.00	
Granville	08/18/2019	52 kts	0	\$4,000.00	
Lewistown	08/18/2019	52 kts	0	\$6,000.00	
Lewistown	08/18/2019	52 kts	0	\$8,000.00	
Alfarata	08/18/2019	52 kts	0	\$5,000.00	
Yeagertown	06/03/2020	52 kts	0	\$4,000.00	
Newton Hamilton	06/04/2020	52 kts	0	\$4,000.00	
Ryde	06/22/2020	52 kts	0	\$4,000.00	
Ryde	06/22/2020	52 kts	0	\$3,000.00	
McVeytown	06/22/2020	52 kts	0	\$7,000.00	
Burnham Arpt	08/07/2020	52 kts	0	\$0.00	
Lumber City	05/26/2021	52 kts	0	\$0.00	
Belleville	07/11/2021	52 kts	0	\$2,000.00	
Locke Mills	07/11/2021	52 kts	0	\$4,000.00	
Reedsville Arpt	07/13/2021	52 kts	0	\$4,000.00	
Lewistown Arpt	07/17/2021	52 kts	0	\$0.00	
Maitland	07/17/2021	52 kts	0	\$4,000.00	
Milroy	08/11/2021	52 kts	0	\$3,000.00	
Burnham	08/11/2021	52 kts	0	\$5,000.00	
Yeagertown	08/18/2021	52 kts	0	\$4,000.00	
Lewistown	09/08/2021	52 kts	0	\$8,000.00	
Burnham Arpt	09/15/2021	52 kts	0	\$0.00	
Juniata Terrace	03/07/2022	52 kts	0	\$2,000.00	
Lewistown	03/31/2022	52 kts	0	\$12,000.00	

Mifflin County High Wind History						
LocationDateMagnitude (knots)InjuriesProperty Damage						
Yeagertown	06/06/2023	52 kts	0	\$5,000.00		
Highland Park	07/09/2023	52 kts	0	\$12,000.00		
Burnham Arpt	08/04/2023	52 kts	0	\$7,000.00		
Source: NOAA NCEI, 2024						
Estimated Values are marked*						

#### 4.3.12.4 Future Occurrence

In the United States, tornado activity has increased in variability, with a general decrease in the number of days a year on which activity occurs, but an increase in the number of tornadoes on those days. This indicates an increase in tornado outbreaks. The future probability of a disastrous tornado occurring in Mifflin County is ranked as possible, but not highly likely. While the chance of being hit by a tornado in Mifflin County is small, the damage that results when the tornado arrives can be devastating. An EF-5 tornado, with a 0.019% annual probability of occurring, can carry wind velocities of 200 mph, resulting in a force of more than 100 pounds per square foot of surface area. This is a "wind load" that exceeds the design limits of most buildings in Pennsylvania. As jurisdictions within the county grow, and as residential and commercial construction continues, the number of people and properties will be greatly affected by tornadoes and windstorms as they increase accordingly.

Based on historic patterns, tornadoes are unlikely to remain on the ground for long distances, especially in areas of the country with hilly terrain, such as the majority of Pennsylvania. However, the high historical number of windstorms with winds at or over 50 knots indicates that the annual chance of a windstorm in the county is uniquely high. The annual tornado season has begun to lengthen, with the season starting earlier than it has historically and ending later. Pennsylvania had, for example, a record number of tornadoes in April and May of 2019 compared to any other April and May on record. Climate change is causing temperatures and air moisture to increase, increasing the frequency and intensity of tornadoes and windstorms. There remains some uncertainty regarding the recurrence of tornadoes. Therefore, the number of future tornadoes and windstorm events could potentially increase due to known and unknown factors.

Based on historical incidents, there are three zones in Pennsylvania that can either experience less than one, one to four, or five to ten of EF-2 or above tornadoes per 3,700 square miles. Communities in Mifflin County, as shown in *Figure X* – *Tornado Activity in Mifflin County* below, are expected to have one tornado approximately every ten years as a future occurrence.

The approximation of one to four tornadoes annually assists with determining the rate of future tornado occurrences within Mifflin County. Future tornadoes will be similar to those that affected the county in past events. *Figure 37 – Tornado Activity in Pennsylvania* illustrates past tornado activity in Pennsylvania.

Windstorm events occur on a more frequent basis compared to tornadoes. Mifflin County, specifically, experiences windstorm events more commonly than tornadoes, which causes power failure, loss of communication networks, and residents requiring temporary shelters and provision of supplies. Therefore, unlike tornadoes, this hazardous event has a highly likely probability for future events to occur within the county.

Climate change and its relationship with tornado outbreaks is hard to identify. Some recent studies suggest that as average temperatures begin to rise, so will the intense storms that often lead to the creation of tornadoes. Warm, moist air is the most important aspect for developing strong tornadoes. Climate change can exacerbate this, and it could potentially lead to an increase in frequency and the severity of the events. Although not yet proven, this is one of the most prevalent theories on how climate change can impact tornado frequency and intensity.

### 4.3.12.5 Vulnerability Assessment

The frequency of windstorms and minor tornadoes is expected to remain relatively constant; vulnerability increases in more densely developed areas. Factors that impact the amount of damage caused by a tornado include the strength of the tornado, the time of day, and the area of impact. Usually, such distinct funnel clouds are localized phenomena impacting a small area. However, the high winds of tornadoes make them one of the most destructive natural hazards. There can be many cascading impacts of tornadoes and windstorms including, but not limited to, transportation accidents, hazardous material spills, flooding, and power outages. A proper warning system is vital for the public to be informed of what to do and where to go during such events.

Additional dangers that accompany tornado-associated thunderstorms, and which increase the vulnerability of Mifflin County, include:

- Flash floods 146 deaths annually nationwide.
- Lightning 75 to 100 deaths annually nationwide.
- Damaging straight-line winds reaching 140 mph wind speed.
- Large hail can reach the size of a grapefruit and can cause several million in damages annually to property and crops

The economy of Mifflin County is highly vulnerable to tornadoes. While there may be severe impact on financial and commercial systems of the economy, these storms, and the damage they cause, can disrupt business long-term. The local economy is vulnerable due to the possibility of being crippled by tornadoes and windstorms and their cascading effects when buildings and supporting infrastructure are destroyed in a storm. Power outages can create work stoppages, while transportation accidents and road closures can limit transportation of goods and services. Additionally, flooding cannot be discounted as it can destroy physical structures, merchandise, and equipment essential for business operation.

Mifflin County's environment is also vulnerable to tornado events. However, since tornado events are typically localized, environmental impacts are rarely widespread. The impact of windstorms on the environment typically takes place over a large area. In either case, where these events occur, severe damage to plant species is likely. This includes uprooting or total destruction of trees and an increased threat of wildfire in areas where dead trees are not removed. Most notably, hazardous material spills can pollute ground water systems and vegetation. In the case of hazardous material spills, the local environment can be negatively impact and can cause extensive cleanup and mitigation efforts. Mifflin County is considered a rural county that has a great amount of tourism that occurs in the surrounding hills, mountains, and state parks. Not only is the environment at risk to tornadoes and windstorms, but hikers, tourists, and hunters are also at risk when out in the environment. Consequently, in the event of a tornado or severe storm, these tourists have limited emergency notification measures which result in high vulnerability. A storm has the ability, potentially, to destroy structures, damage private and public property, and injure citizens and tourists to the area. People with disabilities, the elderly, functional needs, and non-English speaking residents are more vulnerable to tornadoes, windstorms, and their cascading effects. Without assistance to evacuate and/or seek shelter, and with potential difficulty understanding information, these at-risk populations may be unable to prepare themselves, or their homes and other possessions, to safely endure the storm.

Tornado, windstorm, and cascading events may affect a small portion, or the entirety, of the county. Therefore, it is important to identify specific critical facilities and assets that are most vulnerable to this hazard. Critical facilities are highly vulnerable to windstorms and tornado events. While many severe storms can cause exterior damage to structures, tornadoes can destroy structures, along with their surrounding infrastructure, immediately halting their function. Tornadoes are often accompanied by severe storms which can be threatening to critical facilities within the county. Many secondary effects from these disasters can jeopardize the operation of these critical facilities as well. Critical facilities are particularly vulnerable to power outages

which can leave facilities functionless, potentially crippling infrastructure supporting the population of the county. Due to Pennsylvania Uniform Construction Code Act 45, trailers and mobile homes built before 2004, because of their lightweight construction and often unanchored design, are more vulnerable to high winds/tornadoes and will generally sustain more damage than will mobile homes built after 2004.

As seen in *Table 3 – Population Change in Mifflin County* Bratton Township, Brown Township, Juniata Terrace Borough, McVeytown Borough, Newton Hamilton Borough, Oliver Township and Union Township have seen a net population increase from the 2010 decennial census to the 2020 decennial census. Based on this information, it can be speculated that these municipalities may have an increased/equivalent vulnerability to tornado and windstorms, since 2010, due to the increase in population and construction.

Tornadoes and windstorm events may disproportionately affect underserved, unserved, and socially vulnerable populations, amplifying existing hardships. Fragile infrastructure in these areas is more prone to damage, which can hinder evacuation and rescue efforts. Limited access to resources exacerbates challenges during and after the storms, from securing safe shelter to obtaining essential supplies. Vulnerable communities often lack financial resilience, facing prolonged economic setbacks as local businesses may suffer.

Land use, in the form of a built environment, such as residential expansion, can cause tornado impact severity to increase. Impact severity increases when built environment expansion provides an influx of people, infrastructure, and critical infrastructure in harm's way. Since the population in Mifflin County had a minor overall increase between 2010 and 2020, it can be speculated that the built environment did not increase significantly.

There are on historic or cultural properties that are listed with the National Register of Historic Places that are at an increased risk of tornadoes in Mifflin County. This analysis was run off of the previous tornado paths in the county and 500 feet vulnerability zones. These locations are where tornadoes have previously developed and may develop again.

Tornadoes and windstorms exert profound impacts on both natural and cultural areas. Ecologically, these intense weather events can result in habitat destruction, altering landscapes, and threatening biodiversity. Culturally, these storms endanger heritage sites, historic structures, and artifacts, eroding tangible, and intangible cultural elements. Sustainable recovery efforts must embrace an integrated approach, recognizing the interconnected vulnerability of natural, historical, and cultural landscapes to the formidable forces of tornadoes and windstorms. All of the critical infrastructure and community lifeline facilities are vulnerable to tornado events. Some of the critical infrastructure can be considered at a higher risk due to the life safety missions that they serve. Facilities that are within 500 feet of previous tornado tracks can be considered at high risk of tornados.

# Critical infrastructure and community lifelines at high risk (within 500 ft of previous tracks):

• None


# Municipalities with an increased risk of tornadoes (previously impacted):

- Armagh Township
- Derry Township

### Municipalities without an increased risk of tornadoes (not previously impacted):

- Bratton Township
- Brown Township
- Burnham Borough
- Decatur Township
- Granville Township
- Juniata Terrace Borough
- Kistler Borough
- Lewistown Borough
- McVeytown Borough
- Menno Township
- Newton Hamilton Borough
- Oliver Township
- Union Township
- Wayne Township


Figure 36 - Pennsylvania Wind Zones



Produced by MCM Consulting Group, Inc.

Page - 194


Figure 37 - Tornado Activity in Mifflin County



Produced by MCM Consulting Group, Inc.

Page - 195

Figure 38 - Tornado Activity in Pennsylvania



Produced by MCM Consulting Group, Inc.

Page - 196

# 4.3.13. Wildfire

#### 4.3.13.1 Location and Extent

The most prevalent causes of devastating wildfires are droughts, lighting strikes, arson, human carelessness, and in rare circumstances, spontaneous combustion. Most fires in Pennsylvania are caused by anthropogenic fires such as debris burns that spread and get out of control. A fire, started in somebody's backyard, could travel through dead grasses and weeds into bordering woodlands starting a wildfire. Major urban fires can cause significant property damage, loss of life, and residential or business displacement. While wildfires are a natural and essential part of many native Pennsylvania ecosystems (e.g., pitch pine and scrub oak woodlands), wildfires can also cause devastating damage if they are undetected and allowed to propagate unfettered. Wildfires most often occur in less developed areas such as open fields, grass, dense brush, or forests where they can spread rapidly by feeding off of vegetation and combustible fuels. Wildfires are most prevalent under prolonged dry and hot spells, or general drought conditions.

A large portion of Mifflin County is covered by either farmland or forested areas, increasing the geographic extent of wildfire vulnerability in the county. Under dry conditions or droughts, wildfires have the potential to burn forests as well as croplands. For recreational enjoyment, the county boasts several local parks and natural areas that include a series of trail systems – all of which are at risk for wildfires.

# 4.3.13.2 Range of Magnitude

Forested areas, croplands and properties that are at the interface between wild lands and human development are most at risk for being impacted by and causing wildfires. If an urban fire or wildfire is not contained, secondary impacts including power outages may result. Other negative impacts of wildfires can include death of people, livestock, fish, and wildlife, and destruction of valuable property, timber, forage, recreational and scenic values. Wildfires can also cause severe erosion, silting of stream beds and reservoirs, and flooding due to a loss of ground cover.

Almost all of the wildfires in the county occur in remote areas or areas away from residential structures. Unlike the wildland fires that occur in other parts of the country and affect vast areas of land and residential communities, most fires in Mifflin County are contained before they cause damage or extensive property loss. However, the county recognizes that wildfires of some magnitude will continue to occur in Mifflin County and will have more detrimental effects if development in and/or around the natural areas increases.

The United States Forest Service utilizes the Forest Fire Assessment System to classify the dangers of wildfire. *Table 48 – Wildland Fire Assessment System* identifies each threat classification and provides a description of the level.

Table 48 - Wildland Fire Assessment System

	Wildland Fire Assessment System (U.S. Forest Service)						
Rank	Description						
Low (L)	Fuels do not ignite readily from small firebrands although a more intense heat source, such as lightning, may start fires in duff or punky wood. Fires in open cured grasslands may burn freely a few hours after rain, but woods fires spread slowly by creeping or smoldering and burn in irregular fingers. There is little danger of spotting.						
Moderate (M)	Fires can start from most accidental causes, but with the exception of lightning fires in some areas, the number of starts is generally low. Fires in open cured grasslands will burn briskly and spread rapidly on windy days. Timber fires spread slowly to moderately fast. The average fire is of moderate intensity, although heavy concentrations of fuel, especially draped fuel, may burn hot. Short-distance spotting may occur but is not persistent. Fires are not likely to become serious and control is relatively easy.						
High (H)	All fine dead fuels ignite readily, and fires start easily from most causes. Unattended brush and campfires are likely to escape. Fires spread rapidly and short-distance spotting is common. High intensity burning may develop on slopes or in concentrations of fine fuels. Fires may become serious and their control difficult unless they are attacked successfully while small.						
Very High (VH)	Fires start easily from all causes and, immediately after ignition, spread rapidly and increase quickly in intensity. Spot fires are a constant danger. Fires burning in light fuels may quickly develop high intensity characteristics such as long-distance spotting and fire whirlwinds when they burn into heavier fuels.						
Extreme (E)	Fires start quickly, spread furiously, and burn intensely. All fires are potentially serious. Development into high intensity burning will usually be faster and occur from smaller fires than in the very high fire danger class. Direct attack is rarely possible and may be dangerous except immediately after ignition. Fires that develop headway in heavy slash or in conifer stands may be unmanageable while the extreme burning condition lasts. Under these conditions the only effective and safe control action is on the flanks until the weather changes, or the fuel supply lessens.						

### 4.3.13.3 Past Occurrence

The Pennsylvania Department of Conservation and Natural Resources (DCNR) has an extensive history of reported wildfires in its state forestry system and districts. Historically, Mifflin County experiences a minimal amount of these types of fires annually with all fires being relatively small. However, due to the many acres of farmland, forested areas, and open space in the county, under the right conditions the potential exists for a significant wildfire. Mifflin County is spread between three different forest districts. Mifflin County lies within the Bald Eagle State Forest District (District 7), the Rothrock State Forest District (District 5), and Tuscarora State Forest District (District 3) of the DCNR's Bureau of Forestry. District 7 encompasses parts of six counties, District 5 encompasses three different counties, and District 3 encompasses six counties. In 2023, there were a total of forty-one fires in District 74.8 acres, and ninety-nine fires in District 3 that destroyed 88.3 acres.

Districts 3, 5, and 7 reports the following twenty-three-year wildfire summary based on observed and reported wildfires. *Table 49 – Annual Summary of Wildfire Events* illustrates the number of acres burned in a certain number of fires for Districts 3, 5, and 7 from the year 2000 to the year 2023.

	Annual Summary of Wildfire Events District 3						
Year	Number of Fires	Frequency Increase or Decrease	Acres	Severity Increase or Decrease			
2000	8	-	21.8	-			
2001	9	仓	6.5	Û			
2002	2	Û	0.8	Û			
2003	5	Û	13.8	Û			
2004	1	Û	0.1	Û			
2005	9	Û	13.5	Û			
2006	17	Û	72.4	Û			
2007	13	Û	24.2	Û			
2008	5	Û	1.2	Û			
2009	8	Û	37.5	Û			
2010	15	Û	25.6	Û			
2011	10	Û	41.7	Û			
2012	15	仓	50.9	Û			
2013	27	仓	31.4	Û			
2014	32	仓	52.8	Û			

Table 49 - Annual Summary of Wildfire Events

Annual Summary of Wildfire Events District 3					
Year	Number of Fires	Frequency Increase or Decrease	Acres	Severity Increase or Decrease	
2015	17	Û	54.8	Û	
2016	24	仓	149.4	Û	
2017	23	Û	43.0	Û	
2018	13	Û	57.0	Û	
2019	25	仓	29.7	Û	
2020	33	Û	49.3	Û	
2021	35	Û	98.1	Û	
2022	25	Û	25.3	Û	
2023	99	仓	88.3	Û	
Source: PA DCNR, 2	2023				

Annual Summary of Wildfire Events District 5					
Year	Number of Fires	Frequency Increase or Decrease	Acres	Severity Increase or Decrease	
2000	22	-	53.4	-	
2001	14	Û	127.2	Û	
2002	17	Û	95.1	Û	
2003	5	Û	26.6	Û	
2004	0	Û	0.0	Û	
2005	15	Û	48.2	Û	
2006	22	Û	590.1	Û	
2007	16	$\hat{\Gamma}$	7.7	Û	
2008	6	Û	14.7	Û	
2009	11	Û	11.9	Û	
2010	19	Û	135.7	Û	
2011	10	Û	13.5	Û	
2012	15	Û	87.5	Û	
2013	17	Û	30.0	Û	
2014	25	Û	64.7	Û	
2015	19	Û	76.4	Û	
2016	23	Û	86.2	Û	
2017	9	Û	15.4	Û	
2018	10	Û	12.8	Û	
2019	9	Û	10.5	Û	
2020	13	Û	23.5	Û	
2021	8	Û	43.5	Û	

Annual Summary of Wildfire Events District 5					
Year Number of Fires Frequency Increase or Acres Severity Increase Decrease					
2022	6	Û	28.0	Û	
2023	58	Û	74.8	Û	
Source: PA DCNR, 2023					

Frequency Second to Inco					
Year	Number of Fires	Increase or Decrease	Acres	Severity Increase or Decrease	
2000	14	-	149.0	-	
2001	15	Û	12.9	Û	
2002	11	Û	13.5	仓	
2003	8	Û	55.5	仓	
2004	7	Û	18.5	Û	
2005	43	仓	70.4	仓	
2006	25	Û	118.9	仓	
2007	15	Û	21.7	Û	
2008	14	Û	100.6	仓	
2009	7	Û	6.2	Û	
2010	13	Û	20.5	仓	
2011	2	Û	2.6	Û	
2012	6	Û	15.0	仓	
2013	9	Û	5.5	Û	
2014	28	Û	189.2	仓	
2015	28	=	44.2	Û	
2016	20	Û	27.6	Û	
2017	14	Û	18.7	Û	
2018	20	Û	38.1	仓	
2019	15	Û	12.6	Û	
2020	42	仓	75.8	仓	
2021	32	Û	74.9	Û	
2022	20	Û	38.2	Û	
2023	41	仓	244.4	仓	

In recent years, the number of prescribed burns in Pennsylvania has been increasing. This corresponds to an understanding of the need for fire in many natural ecosystems and

management strategies for reducing vulnerability to wildfire; it also improves hunting opportunities. In 2022 there were sixty-three prescribed burns that were carried out by the Pennsylvania Department of Conservation and Natural Resources (DCNR). This number is up by seventeen prescribed burns from the total number of reported prescribed burns in 2021 by the DCNR only, with a total of forty-six. At the time of writing this plan, data on 2023 prescribed burns by DCNR were unavailable.

### 4.3.13.4 Future Occurrence

Annual occurrence of urban fires and wildfires in Mifflin County are expected. Urban fires are most often the result of human errors, outdated wiring and occasionally, malintent (arson). The occurrence of large scale and intense wildfires is somewhat unpredictable and highly dependent on environmental conditions and human response. Weather conditions play a major role in the occurrence of wildfires, so in the event of drought conditions, wildfire caution should be heightened. Any fire without the quick response or attention of firefighters, forestry personnel, or visitors to the forest, has the potential to become a wildfire.

Climate change is expected to bring an elongated wildfire season and more intense and longburning fires (Pechony & Shindell, 2010). In some regions of the United States, this is a very real concern. Northern California has experienced unprecedented devastating wildfires and continues to experience these events in a yearly fashion. The fires that have been occurring in California are thought to be burning faster and hotter due to worsening drought conditions caused by increased climate change (Cvijanovic et al., 2017). Wildfire conditions in Pennsylvania are not nearly as severe as in Northern California, but the intensification is a signal that the changes brought by climate change are relevant to wildfires. In Pennsylvania, higher air temperatures and earlier warming in the spring are expected to continue, resulting in more wildfire prone conditions in the summer and fall (Shortle et al., 2015).

Climate change significantly influences wildfires by altering environmental conditions. Rising temperatures, prolonged droughts, and changes in precipitation patterns create drier landscapes, fostering the ignition and rapid spread of wildfires. Elevated temperatures contribute to increased evaporation, drying out vegetation and creating more fuel for fires. Altered precipitation patterns can lead to extended periods of drought, further desiccating ecosystems. Climate change also affects the timing and intensity of seasons, extending the fire-prone period. Additionally, warming temperatures facilitate the expansion of pests and diseases that weaken trees, making forests more susceptible to ignition.

### 4.3.13.5 Vulnerability Assessment

The size and impact of a wildfire depends on its location, climate conditions, and the response of firefighters. If the right conditions exist, these factors may often mitigate the effects of wildfires; however, during a drought, wildfires can be devastating. The highest risk for wildfires in Pennsylvania occurs during the spring (March to May) and the fall (October to November) months and 99% of all wildfires in Pennsylvania are caused by people. Approximately 83% of all Pennsylvania wildfires occur in the months outlined above. In the spring, bare trees allow sunlight to reach the forest floor, drying fallen leaves and other ground debris and increasing wildfire vulnerability. In the fall, the surplus of dried leaves is fuel for fires. *Figure 39 – Seasonal Wildfire Percentage* shows the wildfire percentage occurrence during each month in Pennsylvania.

Firefighters and other first responders can encounter life-threatening situations due to forest and wildfires. Traffic accidents during a response and the impacts of fighting the fire once on scene are examples of first responder vulnerabilities.

The Wildland Urban Interface (WUI) was nationally mapped by a United States Department of Agriculture Forest Service effort in 2015 that used data from 1990-2010 to develop a robust dataset that related housing density and vegetative density. The dataset provides a way to identify locations where larger numbers of people are living in or near natural areas that could be at risk in the event of a wildfire. The WUI defines two types of communities – interface and intermix. Intermix refers to areas where housing and wildland vegetation intermingle, and interface refers to areas where housing is in the vicinity of a large area of dense wildland vegetation. The WUI was the fastest-growing land use type in the United States between 1990 and 2010. Factors behind the growth include population shifts, expansion of cities into the wildlands, and the expansion of new vegetation growth. The primary cause has been the migration of people, not vegetation growth.

Figure 39 - Seasonal Wildfire Percentage



Pennsylvania is among the states with the largest WUI and the most housing units in a WUI designated area. Pennsylvanians desire the proximity of natural beauty in their daily lives, and the growth in WUI housing noted above illustrates this. *Figure 40 – Wildland Urban Interface* shows the extent of Mifflin County and the critical infrastructure facilities, functional needs facilities, and fire stations. Wildfire hazard is defined by conditions that affect wildfire ignition and/or behavior such as fuel, topography, and local weather. The many addressable structures in the Wildland Urban Interface and Intermix zones are broken up by assessed parcel use codes.

There are eighteen fire departments that serve Mifflin County. Each fire department conducts its own schedule of in-house training sessions for its members.

The response of firefighters is integral to the containment of wildfires in the county. There is a potential for fire stations and services to close, which affects response to a wildfire in Mifflin County. *Figure 41 – Fire Stations Locations* illustrates the position of fire stations and the location of state game lands, state forests, and natural areas within Mifflin County. It is recommended that each municipality assess vulnerabilities to department closures by building a relationship with their local providers and planning accordingly for if a local service were to close.

As seen above in Section 4.3.13.4 climate change may increase the frequency of wildfires. With this potential increase in wildfires comes disruption of systems that humans rely upon for daily activities. The systems wildfires most heavily impact include, but are not limited to transportation, water supply, power, and communications. Wildfires can block off transportation routes directly or can impact visibility of transportation routes due to the intense smoke that can be produced and settle over roadways.

As seen in *Table 3 – Population Change in Mifflin County*, seven have seen a net population increase from the 2010 decennial census to the 2020 decennial census. Based on this information, it can be speculated that these municipalities may have an increased vulnerability to wildfires, since 2010, due to the increase in population. Unserved, underserved, and socially vulnerable populations within Mifflin County may be at an increased vulnerability to wildfires. This is because these populations may not have access to or the ability to relocate during wildfire events. Those that are unsheltered within Mifflin County have an increased vulnerability to wildfire events due to being openly exposed to the elements, such as bad air quality from the smoke that wildfires produce.

Mifflin County promotes fishing, hunting, camping, hiking, canoeing, and other outdoor activities. These land use events can increase the risk of wildfires starting. Over 65% of Mifflin

County is made up of woodlands, and less than 1% is made up of streams, and wetland areas. Natural areas can be extremely vulnerable to wildfires within Mifflin County. Ecologically, these alter landscapes, compromising soil stability and disrupting ecosystems. Conditions of drought or invasive species that could damage forested areas can lead to wildfires. Wildfires can lead to devastation which can foster landslides and flash flood events. These events can destroy the forested terrain within the county and consume acres of traditional agricultural practices in a short amount of time. In addition to widespread burning that wildfires cause, these events also pollute the air within the county and surrounding areas, as well as waterways due to run off and the settling of the air pollution to ground level.

Most of the historic and cultural properties that are located in Mifflin County are at an increased vulnerability to wildfire events. These properties are the Embassy Theatre, the McCoy House, the Mifflin County Courthouse, the Montgomery Ward Building, the Old Hoopes School, and the Wollner Building. Each property is of a construction type that would be vulnerable to wildfires. The majority of the historic properties in the county are constructed out of brick and stone, with wooden interiors that would be destroyed by fires. Also, all of the historic places are within two miles of a fire station in Mifflin County. All other historic properties in the county are farther away from fire station locations which could result in a longer response time to fires.


# Municipalities with high risk due to wildfires (with areas of high-density interface or intermix):

- Armagh Township
- Brown Township
- Burnham Borough
- Derry Township
- Granville Township
- Juniata Terrace Borough
- Kistler Borough
- Lewistown Borough
- McVeytown Borough
- Newton Hamilton Borough
- Union Township
- Wayne Township

# Municipalities with lower risk due to wildfires (no areas of high-density interface or intermix):

- Bratton Township
- Decatur Township
- Menno Township
- Oliver Township


Figure 40 - Wildland Urban Interface



Produced by MCM Consulting Group, Inc.

Page - 207

Figure 41 - Fire Station Locations



Produced by MCM Consulting Group, Inc.



### 4.3.14. Winter Storm

### 4.3.14.1 Location and Extent

Most severe winter storm hazards include heavy snow (snowstorms), blizzards, sleet, freezing rain, and ice storms. Since most extra-tropical cyclones (mid-Atlantic cyclones locally known as Northeasters or Nor'easters), generally take place during the winter weather months, these hazards have also been grouped as a type of severe winter weather storm. According to the Pennsylvania State Hazard Mitigation Plan (PA HMP), winter storms are frequent events for the Commonwealth and occur from late October until mid-April. These types of winter events or conditions are further defined below.

- **Heavy Snow:** According to the National Weather Service (NWS), heavy snow is generally snowfall accumulating to four inches or more in depth in twelve hours or less; or snowfall accumulating to six inches or more in depth in twenty-four hours or less. A snow squall is an intense but limited duration, period of moderate to heavy snowfall, also known as a snowstorm, accompanied by strong, gusty surface winds and possibly lightning.
- **Blizzard:** Blizzards are characterized by low temperatures, wind gusts of thirty-five miles per hour (mph) or more and falling and/or blowing snow that reduces visibility to 1/4-mile or less for an extended period of time (three or more hours).
- Sleet of Freezing Rainstorm: Sleet is defined as pellets of ice composed of frozen or mostly frozen raindrops or refrozen partially melted snowflakes. These pellets of ice usually bounce after hitting the ground and other hard surfaces. Freezing rain is rain that falls as a liquid but freezes into glaze upon contact with the ground.
- Ice Storm: An ice storm is used to describe occasions when damaging accumulations of ice are expected during freezing rain situations. Significant accumulations of ice pull down trees and utility lines resulting in loss of power and communication. These accumulations of ice make walking and driving extremely dangerous and can create extreme hazards to motorists and pedestrians.
- Extra-Tropical Cyclone: Sometimes called mid-latitude cyclones, are a group of cyclones defined as synoptic scale, low pressure, weather systems that occur in the middle latitudes of the Earth. These storms have neither tropical nor polar characteristics and are connected with fronts and horizontal gradients in temperature and dew point otherwise known as "baroclinic zones". Extra-tropical cyclones are everyday weather phenomena which, along with anticyclones, drive the weather over much of the Earth. These cyclones produce impacts ranging from cloudiness and mild showers to heavy

gales and thunderstorms. Tropical cyclones often transform into extra-tropical cyclones at the end of their tropical existence, usually between 30° and 40° latitude, where there is insufficient force from upper-level shortwave troughs riding the westerlies (weather systems moving west to east) for the process of extra-tropical transition to begin. A shortwave trough is a disturbance in the mid or upper part of the atmosphere which induces upward motion ahead of it. During an extra-tropical transition, a cyclone begins to tilt back into the colder air mass with height, and the cyclone's primary energy source converts from the release of latent heat from condensation to baroclinic processes.

### 4.3.14.2 Range of Magnitude

The magnitude or severity of a severe winter storm depends on several factors including a region's susceptibility to snowstorms, snowfall amounts, snowfall rates, wind speeds, temperatures, visibility, storm duration, topography, and time of occurrence during the day (e.g., weekday versus weekend), and time of season. The extent of a severe winter storm can be classified by meteorological measurements, such as those above, and by evaluating its societal impacts.

The Northeast Snowfall Impact Scale (NESIS) categorizes snowstorms in this manner. Unlike the Fujita Scale (tornado) and Saffir Simpson Scale (hurricanes), there is no widely used scale to classify snowstorms. NESIS was developed by Paul Kocin of The Weather Channel and Louis Uccellini of the National Weather Service and rank high impact, northeast snowstorms. These storms have large areas of ten-inch snowfall accumulations and greater. NESIS has five ranking categories: Notable (1), Significant (2), Major (3), Crippling (4), and Extreme (5). These ranking can be seen in *Table 50 – NESIS Winter Storm Rankings*. The index differs from other meteorological indices in that it uses population information in addition to meteorological measurements. Thus, NESIS gives an indication of a storm's societal impacts. This scale was developed because of the impact of northeast snowstorms can have on the rest of the country in terms of transportation and economic impact.

NESIS Winter Storm Rankings				
CategoryDescriptionNESIS RangeDefinition				
1	Notable	1.0-2.49	These storms are notable for their large areas of 4- inch accumulations and small areas of 10-inch snowfall.	

Table 50 - NESIS Winter Storm Rankings

NESIS Winter Storm Rankings			
Category	Description	NESIS Range	Definition
2	Significant	2.5 – 3.99	Includes storms that produce significant areas of greater than 10-inch snows while some include small areas of 20-inch snowfalls. A few cases may even include relatively small areas of very heavy snowfall accumulations (greater than 30 inches).
3	Major	4.0 – 5.99	This category encompasses the typical major Northeast snowstorm, with large areas of 10-inch snows (generally between 50 and 150 x 103 mi <sup>2</sup> – roughly one to three times the size of New York State with significant areas of 20-inch accumulations.
4	Crippling	6.0 – 9.99	These storms consist of some of the most widespread, heavy snows of the sample and can be best described as crippling to the northeast U.S, with the impact to transportation and the economy felt throughout the United States. These storms encompass huge areas of 10-inch snowfalls, and each case is marked by large areas of 20-inch and greater snowfall.
5	Extreme	10+	The storms represent those with the most extreme snowfall distributions, blanketing large areas and populations with snowfalls greater than 10, 20, and 30 inches. These are only storms in which the 10- inch accumulations exceed 200 X 103 mi <sup>2</sup> and affect more than 60 million people.

Source: Kocin and Uccellini, 2004

The climate of Pennsylvania is marked by abundant snowfall. Winter weather can reach Pennsylvania as early as October and is usually in full force by late November with average winter temperatures between 20- and 40-degrees Fahrenheit. Mifflin County receives an average of about 26.2 inches of snowfall a year. Most areas of Mifflin County experience the effects of winter storms frequently. The general indication of the average annual snowfall map shows areas that are subject to a consistent risk for large quantities of snow. *Figure 43 - Pennsylvania Annual Snowfall 1981 – 2010* illustrates the long-term trends for snowfall accumulation in Pennsylvania over three decades.

#### 4.3.14.3 Past Occurrence

*Figure 42 – Winter Storm Events by County in Pennsylvania* shows the number of winter storm events from 1950 – 2013 for the Commonwealth of Pennsylvania. Mifflin County has experienced twenty-eight winter storm events, two winter weather events, one blizzard, twenty-one heavy snow events, and seven ice storm events. Table 51 – Recent Annual Snowfall Estimates shows recent annual snowfall measurements as stated by NOAA. Overall, Mifflin County has experienced a decrease on the annual estimated average of snowfall. On average, the annual snowfall totals have decreased from 2020 to present. A list of additional Mifflin County winter storms, and other related events is outlined in Table 52 – Mifflin County Winter Storm History.

<b>Recent Annual Snowfall Estimates</b>			
Time Span	Snowfall Estimates (inches)		
1999-2000	15.0		
2000-2001	25.1		
2001-2002	12.5		
2002-2003	49.5		
2003-2004	49.0		
2004-2005	22.7		
2005-2006	15.7		
2006-2007	19.7		
2007-2008	23.7		
2008-2009	14.4		
2009-2010	13.9		
2010-2011	22.8		
2011-2012	9.3		
2012-2013	26.6		
2013-2014	11.1		
2014-2015	37.3		
2015-2016	18.9		
2016-2017	25.6		
2017-2018	33.1		
2018-2019	34.0		
2019-2020	4.9		
2020-2021	33.1		
2021-2022	24.0		

Table 51 - Recent Annual Snowfall Estimates

<b>Recent Annual Snowfall Estimates</b>			
Time Span         Snowfall Estimates (inchestion)			
2022-2023	15.9		
Source: NOAA, 2024			

Table 52 - Mifflin County Winter Weather History

Mifflin County Winter Weather History					
Location	Date	Event Type			
Mifflin County	01/07/1996	Blizzard			
Mifflin County	01/12/1996	Heavy Snow			
Mifflin County	11/28/1996	Heavy Snow			
Mifflin County	02/13/1997	Winter Storm			
Mifflin County	03/14/1997	Ice Storm			
Mifflin County	11/14/1997	Heavy Snow			
Mifflin County	12/29/1997	Heavy Snow			
Mifflin County	01/15/1998	Ice Storm			
Mifflin County	01/02/1999	Winter Storm			
Mifflin County	01/08/1999	Winter Storm			
Mifflin County	01/14/1999	Winter Storm			
Mifflin County	03/14/1999	Heavy Snow			
Mifflin County	01/30/2000	Heavy Snow			
Mifflin County	02/13/2000	Ice Storm			
Mifflin County	02/18/2000	Winter Storm			
Mifflin County	12/13/2000	Winter Storm			
Mifflin County	03/04/2001	Heavy Snow			
Mifflin County	01/06/2002	Heavy Snow			
Mifflin County	12/05/2002	Heavy Snow			
Mifflin County	12/10/2002	Ice Storm			
Mifflin County	12/25/2002	Heavy Snow			
Mifflin County	02/16/2003	Heavy Snow			
Mifflin County	12/05/2003	Heavy Snow			
Mifflin County	02/03/2004	Heavy Snow			
Mifflin County	02/06/2004	Ice Storm			
Mifflin County	03/16/2004	Heavy Snow			
Mifflin County	03/19/2004	Heavy Snow			
Mifflin County	01/05/2005	Winter Storm			
Mifflin County	02/24/2005	Heavy Snow			

Mifflin County Winter Weather History					
Location	Date	Event Type			
Mifflin County	12/09/2005	Heavy Snow			
Mifflin County	12/16/2005	Winter Storm			
Mifflin County	02/13/2007	Winter Storm			
Mifflin County	03/16/2007	Heavy Snow			
Mifflin County	02/01/2008	Winter Storm			
Mifflin County	12/19/2008	Winter Storm			
Mifflin County	01/06/2009	Ice Storm			
Mifflin County	02/05/2010	Winter Storm			
Mifflin County	02/09/2010	Winter Storm			
Mifflin County	02/01/2011	Winter Storm			
Mifflin County	10/29/2011	Heavy Snow			
Mifflin County	12/14/2013	Winter Storm			
Mifflin County	02/04/2014	Winter Storm			
Mifflin County	02/13/2014	Heavy Snow			
Mifflin County	11/25/2014	Heavy Snow			
Mifflin County	01/22/2016	Winter Storm			
Mifflin County	02/08/2017	Winter Storm			
Mifflin County	03/13/2017	Winter Storm			
Mifflin County	03/20/2018	Winter Storm			
Mifflin County	11/15/2018	Winter Storm			
Mifflin County	02/11/2019	Winter Storm			
Mifflin County	02/20/2019	Winter Storm			
Mifflin County	12/16/2020	Winter Storm			
Mifflin County	01/31/2021	Winter Storm			
Mifflin County	02/01/2021	Winter Storm			
Mifflin County	01/09/2022	Ice Storm			
Mifflin County	03/12/2022	Winter Storm			
Mifflin County	11/18/2022	Winter Weather			
Mifflin County	12/15/2022	Winter Storm			
Mifflin County	12/22/2022	Winter Weather			
Source: NOAA NCEI, 2024					

#### 4.3.14.4 Future Occurrence

Winter storm hazards in Pennsylvania are guaranteed yearly since the state is located at a relatively high latitudes resulting in winter temperatures that range between 0- and 32-degrees Fahrenheit for a good deal of the fall through early spring season (later October until mid-April). In addition, the state is exposed to large quantities of moisture from both the Great Lakes and the

Atlantic Ocean. While it is almost certain that a number of significant winter storms will occur during the winter and fall season, what is not easily determined is how many such storms will occur during that time frame. Based on historical snow related disaster declaration occurrences, the Commonwealth of Pennsylvania can expect a snowstorm of disaster declaration proportions, on average, once every three to five years. Similarly, for ice storms, based on historical disaster declarations, it is expected that on average, ice storms of disaster proportions will occur once every seven to ten years within the state.

Climate change could increase the intensity of winter storms in the northeastern United States and Mifflin County, Pennsylvania. With warmer air temperatures, more moisture will be held in the air, and if the temperatures on the ground are below freezing, this could result in more snow falling during a weather event like a winter storm. These events may become less frequent as the climate warms, but they could be more intense.

#### 4.3.14.5 Vulnerability Assessment

Severe winter storms are of significant concern to Mifflin County because of their frequency and magnitude in the region. Additionally, they are of significant concern due to the direct and indirect costs associated with these events; delays caused by the storms and impacts on the people and facilities of the region related to snow and ice removal, health problems, cascade effects such as utility failure and traffic accidents, and stress on community resources.

Every year, winter weather indirectly and deceptively kills hundreds of people in the United States, primarily from automobile accidents, over exertion, and exposure. Winter storms are often accompanied by strong winds creating blizzard conditions with blinding win-drive snow, drifting snow, extreme cold temperatures, and dangerous wind chill. They are considered deceptive killers because most deaths and other impacts or losses are indirectly related to the storm. Heavy accumulations of ice can bring down trees and powerlines, disabling electrical power and communications for days or weeks. Heavy snow can immobilize a region and paralyze a city, shutting down all air and rail transportation and disrupting medical and emergency services. The economic impact of winter weather each year is quite large, with costs for snow removal, damage, and loss of business in the millions each year. Heavy snow can immobilize and strand commuters as well as stopping the flow of supplies through an area or transportation corridor. In rural areas, homes and farms may be isolated for days and unprotected livestock may be lost. Bridge and overpasses are particularly dangerous because they freeze before other transportation surfaces. For the purposes of this Hazard Mitigation Plan, the entire population of Mifflin County (46,146 according to the 2022 American Community Survey) is exposed to severe winter storm events. The elderly are considered the most susceptible to this

hazard due to their increased risk of injury and death from falls, overexertion, and or attempts to clear ice and snow. The elderly population is also more vulnerable to utility outages in winter, especially when they are paired with winter storm events. *Table 54 – Utility Outages in Mifflin County in Winter* shows the number of power outages, phone outages, and 911 outages, that have occurred in the county during winter months. Vulnerable populations within Mifflin County may not have access to housing or their housing may be less able to withstand cold temperatures (e.g., homes with poor insulation and heating supply). The unsheltered populations of an area are at most risk to winter storm events.

The table below illustrates the number of citizens per municipality under the age of five or over the age of sixty-five years of age who are at an increased vulnerability to winter storms, and cascading hazards from winter storms:

Population per Municipality under 5 Years or 65 Years or Older					
Municipality	Number of People under 5 years of age	Percent of Population (%)	Number of People 65 years or older	Percent of Population (%)	
Armagh Township	325	5.9	772	19.3	
Bratton Township	70	4.6	308	20.4	
Brown Township	187	4.5	817	19.7	
Burnham Borough	135	8	299	17.7	
Decatur Township	145	4.9	675	22.7	
Derry Township	245	3.4	2,275	31.5	
Granville Township	109	2.3	998	21.5	
Juniata Terrace Borough	54	9.4	66	11.5	
Kistler Borough	16	5.5	61	21	
Lewistown Borough	756	8.9	1,302	15.3	
McVeytown Borough	15	4.4	73	21.3	
Menno Township	323	16	201	10	
Newton Hamilton Borough	47	17	22	8	
Oliver Township	51	2.6	639	32.1	
Union Township	453	12.4	991	27.2	
Wayne Township	121	5.3	481	20.9	
Source: United States Census Bureau (USCB), American Community Survey (ACS), 2022					

Approximately 6.4% of the total population of Mifflin County is under the age of five years old and approximately 21.6% of the total population is sixty-years old or older. In total, 28% of the population is at an increased risk from exposure to winter storm events and cascading hazards.

Utility Outages in Mifflin County in Winter				
Municipality	Date	Event		
N/A	01/07/2014	Power Outage		
N/A	02/06/2015	911 Outage		
N/A	12/14/2015 - 12/15/2017	Phone Outage		
N/A	01/06/2017 – 01/18/2017 Phone Service Issue			
Lewistown Borough	ewistown Borough 12/27/2021 Electrical Outage			
Lewistown Borough 02/24/2022 Down power lines		Down power lines		
Source: Mifflin County 2019 HMP, Mifflin County Office of Public Safety, 2024				

Table 54 - Utility Outages in Mifflin County in Winter

The entire general building stock inventory in Mifflin County is exposed and vulnerable to the severe winter storm hazard. In general, structural impacts include damage to roof and building frames, rather than building content. There was no historical information available that identified property damages within Mifflin County due to a single severe winter storm event. Current modeling tools are not available to estimate specific losses for this hazard. All of the historic and cultural properties in Mifflin County are at similar vulnerability to severe winter storms. The properties include but are not limited to the Embassy Theatre, the McCoy House, the Mifflin County Courthouse, the Montgomery Ward Building, the Old Hoopes School, and the Wollner Building. The cultural aspects of Mifflin County, including both of the museums, are also at an increased vulnerability to winter storms. These two museums are both located in Lewistown Borough.

A specific area that is vulnerable to the severe winter storm hazard is the floodplain. At risk general building stock and infrastructure in floodplains are present in the flood profile due to snow and ice melt. Generally, losses from flooding associated with severe winter storms should be less than those associated with a 100-year or 500-year flood.

Full functionality of critical facilities such as police, fire, and medical facilities is essential for response during and after a severe winter storm event. These critical facility structures are largely constructed of concrete and masonry; therefore, they should only suffer minimal structural damage from severe winter storm events. Backup power is recommended critical infrastructure and facilities due to the potential for power interruption. Infrastructure at risk for this hazard includes roadways that could be damaged due to the application of salt and

intermittent freezing and warming conditions that can damage roads over time. Severe snowfall requires infrastructure to clear roadways and alert citizens to dangerous conditions. In spring, this type of roadway damage must be repaired. Additionally, freezing rain and ice storms impact utilities (i.e., power lines and overhead utility wires) causing power outages for hundreds to thousands of residents.

The cost of snow and ice removal and repair of roads from the freeze/thaw process can drain local financial resources. However, because severe winter storms are a regular occurrence in this area, Mifflin County is generally well-prepared for snow and ice removal each season.

Winter storm vulnerability is going to increase in Mifflin County when climate change is considered. As mentioned above in Section 4.3.14.4, climate change is expected to increase the intensity of winter storms. With warmer air temperatures, more moisture will be held in the air, and if temperatures on the ground rapidly decrease, or fall below freezing, this could result in more snow falling during a weather event like a winter storm. These events may become less frequent as the global temperatures increase, but they could become more intense.

As seen in *Table 3 – Population Change in Mifflin County*, Bratton Township, Brown Township, Juniata Terrace Borough, McVeytown Borough, Newton Hamilton Borough, Oliver Township, and Union Township have seen a net population increase from the 2010 decennial census to the 2020 decennial census. The impact that a winter storm can have on these municipalities will vary. Municipalities with an increase in population could have more resources available as well as personnel to mitigate the impacts that a winter storm can bring to one's community. A municipality that experienced a population decrease may not have these resources or personnel available to prepare for and mitigate against an impending winter storm. Adversely, municipalities with an increase in population could experience a more significant impact simply because they have more individuals being impacted compared to a smaller municipality. All municipalities within Mifflin County are at the same level of risk to winter storms, but the direct and indirect impacts and vulnerability will vary by municipality.


Vulnerable, or underserved, populations within Mifflin County may not have access to housing or their housing may be less able to withstand cold temperatures (e.g., homes with poor insulation and heating supply). The unsheltered populations of an area are at the highest vulnerability to winter storm events. Individuals who are also in poverty, based on information provided in the United States Census are more likely to have issues meeting economic requirements for utility bills in the winter as well. All of these populations can be considered socially vulnerable or communities that have unmet needs.

Land use and major developments will have negligible impacts on the vulnerability of Mifflin County to winter storm events. Land use may impact the response capabilities of Mifflin County in a winter storm event, but changes in that land use will not increase the vulnerability. Mifflin County has significant capabilities to respond to winter storm events. Major development in the county will need to be planned to allow for winter storm response, including size and makeup of transportation routes, and location of snow removal areas.

Winter storms may also negatively impact the natural resources in Mifflin County. According to the Pennsylvania Department of Transportation, 446,991 tons of salt were used in the commonwealth, including Mifflin County, during the 2022 through 2023 winter storm weather season. Although the use of salt and other anti-skid materials protect life safety by improving roadway conditions, there can also be unintended consequences. When salt used on roadways permeates the surrounding soil, it can infiltrate groundwater and contaminate wells. Hence, any groundwater sources near roadways, in Mifflin County, may be vulnerable to degradation.

Roadway salt can also pose a risk to freshwater aquatic life near to the routes of transportation treated with the minerals. Salt that makes its way into soil or freshwater becomes a persistent hazard, damaging plants and wildlife that are not adapted to coexist with high salinity. Its persistent nature is due to a lack of any known biological system that can remove it from the environment in which it exists. Although it may be diluted with water, such a treatment would not be sufficient in isolation, and some intervention would likely be necessary to extract the salt from the environment which it pollutes.


Figure 42 - Winter Storm Events by County in Pennsylvania



Produced by MCM Consulting Group, Inc.

Page - 220

Figure 43 - Pennsylvania Annual Snowfall 1981 - 2010



Produced by MCM Consulting Group, Inc.

Page - 221

# 4.3.15. Blighted Properties

# 4.3.15.1 Location and Extent

The presence of blighted properties in Mifflin County is a nuisance for both residents and visitors to the county on a year-round basis. Blighted properties include areas of the county where the infrastructure is damaged and aging beyond occupation, habitation, and/or commercial use.

Blighted properties are described by the Pennsylvania State Statute 1945 Act 385 as:

- 1. Any premises which because of physical condition or use is regarded as a public nuisance at common law or has been declared a public in accordance with the local housing, building, plumbing, fire, and related codes.
- 2. Any premises which because of physical condition, use, or occupancy is considered an attractive nuisance to children, including but not limited to abandoned wells, shafts, basements, excavations, and unsafe fences or structures.
- 3. Any dwelling which because it is dilapidated, unsanitary, unsafe, vermin-infested, or lacking in the facilities and equipment required by the housing code of the municipality, has been designated by the department responsible for enforcement of the code as unfit for human habitation.
- 4. Any structure which is a fire hazard or is otherwise dangerous to the safety of persons or property.
- 5. Any structure from which the utilities, plumbing, heating, sewage, or other facilities have been disconnected, destroyed, removed, or rendered ineffective so that the property is unfit for its intended use.
- 6. Any vacant or unimproved lot or parcel of ground in a predominantly built-up neighborhood, which by reason neglect or lack of maintenance has become a place for the accumulation of trash or debris, or a haven for rodents or other vermin.
- 7. Any unoccupied property which has been tax delinquent for a period of two years prior to the effective date of Pennsylvania State Statute 1945 Act 385 or local municipality regulations and those in the future having a two-year tax delinquency.
- 8. Any property which is vacant but not tax delinquent, which has not been rehabilitated within one year of the receipt of notice to rehabilitate from the appropriate code enforcement agency.
- 9. Any abandoned property.

# 4.3.15.2 Range of Magnitude

Mifflin County has a large number of blighted properties that are located in urban environments, including Lewistown Borough and Burnham Borough. Most of the blighted properties in Mifflin County are unsecured and highly unsafe due to one or more of the following issues: structure rot, infestation from vermin including but not limited to rats, mice, and insects, and occupation by squatters. These properties can create a risk for the county because they are unsafe for occupation and future construction.

# 4.3.15.3 Past Occurrence

The number of blighted properties in Mifflin County has increased in recent years. Although some properties that are considered to be blighted in Mifflin County have been demolished by the county itself. With recent market trends in real estate, a large number of vacant buildings in Mifflin County are sold prior to them being blighted.

# 4.3.15.4 Future Occurrence

Blighted properties in Mifflin County will continue to increase unless blighted property procedures are put into practice at the county and local levels. With the requisite policies put into place the number of blighted properties in Mifflin County is liable to decrease.

# 4.3.15.5 Vulnerability Assessment

Blighted properties are a significant concern when the health and safety of the citizens of Mifflin County are impacted. Blighted properties, while being an eye sore, are also a threat to the health and safety of individuals. Buildings that are blighted often can be unsafe due to building materials exposed to the environment or to unintentional consumption by humans. Buildings that have utilized asbestos in construction can become a major health hazard if the building is not maintained, the asbestos exposed, and people breath in those particles because the property has become abandoned and blighted. Another large health issue is mold in blighted properties and buildings. After a property becomes blighted, the functional systems that prevent mold from growing and spreading are often rendered useless, thus facilitating the growth of harmful mold and fungi that pose a threat to human health.

Just as blighted properties can adversely affect the health and safety of humans, it can also hurt the environment of an area. The leaching of building materials from an open or fallen property into water features, such as streams and creeks, can damage the wildlife in a water feature and hurt the public supply of drinking water. As mentioned above, asbestos is a large concern if the blighted property is of older construction. Also, potential chemicals from a blighted property,

like paints and oils, can make their way into water tables, streams, and creeks, thus polluting the water features.

Blighted properties also offer shelter for animals and vermin that may not be able to find a home, and an area for breeding in the wild. This can result in the spread of rats and other pests in an area with a large concentration of blighted properties. Along with the accumulation of pests like rats, there is also a high chance of that area also attracting vermin like cockroaches. The increase in vermin can also pose a threat to human health, as vermin and pests can carry diseases which can be contracted due to close contact.

Blight can also adversely affect the infrastructure and its ability to function if the blighted properties in Mifflin County are adjacent to or near critical facilities and functional needs facilities. If a blighted property abuts a critical facility, it may be best for that structure to be torn down so that potential negative effects from the blighted property do not cause damage or limit the function of the critical facility.

Finally, blighted properties can be a problem for tourism and attracting new residents to Mifflin County. If blighted properties flourish in the county, people who travel to Mifflin County for pleasure, whether that be for summer vacations or seasonal hunting, might reconsider that travel due to the presence of blighted properties.

## 4.3.16. Civil Disturbance

## 4.3.16.1 Location and Extent

Civil disturbance refers to mass acts of disobedience where participants can become hostile to authority and there is a threat to maintaining public safety and order. Such disturbances can often be forms of protest in the face of socio-political problems. Riots have not been frequent occurrences throughout the history of the Commonwealth, however when they occur, they can cause significant property damage, injury and even loss of life. The scale and scope of civil disturbance events varies widely. Government facilities, local landmarks, prisons, and universities are common sites where crowds and mobs may gather.

Criminal activity refers to all criminality, including enemy attack, sabotage, physical or information break of security, workplace or school violence, harassment, discrimination, and other crimes. Criminal activity is a very broad hazard category and similar to civil disturbance, the scale and scope of incidents or events vary widely.

## 4.3.16.2 Range of Magnitude

Civil disturbances can take the form of small gatherings or large groups blocking or impeding access to a building or disrupting normal activities by generating noise and intimidating people. They can range from a peaceful sit-in to a full-scale riot, in which a mob burns or otherwise destroys property and terrorizes individuals. Even in its more passive forms, a group that blocks roadways, sidewalks, or buildings interferes with public order. There are two types of large gatherings typically associated with civil disturbances: a crowd and a mob. A crowd may be defined as a casual, temporary collection of people without a strong, cohesive relationship. Crowds can be classified into four categories:

**Casual Crowd**: A casual crowd is merely a group of people who happen to be in the same place at the same time. Violent conduct does not occur.

- **Cohesive Crowd**: A cohesive crowd consists of members who are involved in some type of unified behavior. Members of this group are involved in some type of common activity, such as worshipping, dancing, or watching a sporting event. Although they may have intense internal discipline, they require substantial provocation to arouse to action.
- **Expressive Crowd**: An expressive crowd is one held together by a common commitment or purpose. Although they may not be formally organized, they are assembled as an expression of common sentiment or frustration. Members wish to be seen as a formidable influence. One of the best examples of this type is a group assembled to protest.

**Aggressive Crowd**: An aggressive crowd is comprised of individuals who have assembled for a specific purpose. This crowd often has leaders who attempt to arouse the members or motivate them to action. Members are noisy and threatening and will taunt authorities. They may be more impulsive and emotional and require only minimal stimulation to arouse violence. Examples of this type of crowd could include demonstrators and strikers, though not all demonstrators and strikers are aggressive.

A mob can be defined as a large disorderly crowd or throng. Mobs are usually emotional, loud, tumultuous, violent, and lawless. Similar to crowds, mobs have different levels of commitment and can be classified into four categories:

- **Aggressive Mob**: An aggressive mob is one that attacks, riots, and terrorizes. The object of violence may be a person, property, or both. An aggressive mob is distinguished from an aggressive crowd only by lawless activity. Examples of aggressive mobs are the inmate mobs in prisons and jails, mobs that act out their frustrations after political defeat, or violent mobs at political protests or rallies.
- **Escape Mob**: An escape mob are those groups which attempt to flee from something such as a fire, bomb, flood, or other catastrophe. Members of escape mobs are generally difficult to control and can be characterized by unreasonable terror.
- Acquisitive Mob: An acquisitive mob is one motivated by a desire to acquire something. Riots caused by other factors often turn into looting sprees. This mob exploits a lack of control by authorities in safeguarding property.
- **Expressive Mob**: An expressive mob is one that expresses fervor or revely following some sporting event, religious activity, or celebration. Members experience a release of pent-up emotions in highly charged situations.

In the event of a significant civil disturbance or criminal activity incident, local government operations and the delivery of services in the community may experience short-term disruptions. The greatest secondary effect is the impact on the economic and financial conditions of the affected community, particularly in relation to the property, facilities, and infrastructure damaged as a result of the disturbance. More serious acts of vandalism may result in limited power failure or hazardous material spills, leading to a possible public health emergency. Altered traffic patterns may increase the probability of a transportation accident.

Mifflin County's greatest likelihood for civil disturbance is in Lewistown Borough, the county seat. Citizens, property, and infrastructure could be affected if a large-scale disorder were to take place. Typically, government facilities, landmarks, prisons, and universities are common sites where crowds or mobs may gather.

## 4.3.16.3 Past Occurrence

The county has not experienced any *significant* civil disturbance events. Mifflin County has only experienced two protest events within the last five years. These events did not have significant impact or disruption within the county and were relatively small with around ten protestors at each event.

Following the death of African-American George Floyd in Minneapolis, Minnesota in May 2020 at the hands of law enforcement, civil unrest erupted across the nation. A Proclamation of Disaster Emergency was established by the Governor's Office for the entire Commonwealth of Pennsylvania on April 15, 2021. This gave the Pennsylvania Emergency Management Agency Director command and control of the statewide emergency operations and directed all agencies and departments to utilize all resources and personnel to cope with the magnitude and severity of the event.

Mifflin County does have potential for prison rioting and unrest due to the presence of the Mifflin County Prison in the Borough of Lewistown. While the county has the potential for prison rioting and unrest to occur, there have been no notable incidents within the Mifflin County Prison.

# 4.3.16.4 Future Occurrence

While unlikely, civil disturbances may occur in Mifflin County, and it is difficult to accurately predict the probability of future occurrence for civil disturbance events over the long-term. However, *Table 55 - Civil Disturbance Events Reported to PEMA 2018-2023*, depicts the range of potential civil disturbances in Pennsylvania and gives the county some background for consideration of future occurrences.

EVENT TYPE	2018	2019	2020	2021	2022	2023*
Demonstration	4	2	35	14	10	1
Juvenile Detention Center	7	0	0	0	0	0
Prison Disturbance	0	1	5	3	2	0
Detainee Escape	0	0	0	0	0	0
Protest	8	17	172	42	16	7
Large gathering	8	4	16	3	7	1
Riot	0	0	4	0	1	0
School Threat	0	0	0	0	0	0
Assault	0	0	0	0	0	0
Gun/Bomb Incident	0	0	0	0	0	0
Work Stoppage	0	0	0	0	2	0
Other	1	13	28	29	13	1
Civil Disorder - totals	28	37	260	101	51	10

Table 55 - Civil Disturbance Events Reported to PEMA 2018-2023

Produced by MCM Consulting Group, Inc.

According to the Pennsylvania State Hazard Mitigation Plan, from 2018 to 2023, the commonwealth experienced an average of eighty-one civil disturbance events each year. Due to that number being relatively low and occurrences in Mifflin County being rare, the local planning team (LPT) decided civil disturbance should be regarded as a low-risk hazard.

## 4.3.16.5 Vulnerability Assessment

Climate change has the potential to increase Mifflin County's vulnerability to civil disturbances, and disturbance events. Intense weather events and weather patterns can lead to riots and civil disturbance in areas that are directly impacted. For example, an extreme heat or drought event, that could become more common from climate change, could cause residents to seek water and resources, and create a conflict from increased competition for resources.

All municipalities in Mifflin County can be vulnerable to civil disturbance and criminal activity; however. the anticipated impact from such events is minimal. These events may be sparked for varying reasons and the seriousness of the event may well be exacerbated by how authorities handle the crowd. At the writing of this plan, the political temperature of the country as a whole continues to run high, making this hazard vulnerability one for consistent monitoring by public safety officials.

## 4.3.17. Dam Failure

## 4.3.17.1 Location and Extent

#### Dams

A dam restricts the flow of water or underground streams and often creates reservoirs for water storage. The reservoirs created by these barriers not only suppress floods but also provide water for activities such as irrigation, human consumption, industrial use aquaculture, and navigability.

Dam failures occur usually as a secondary effect of massive amounts of rainfall and flooding, causing too much water to enter the spillway system. This type of failure occurs with little to no warning. Spring thaws, severe thunderstorms, and heavy rainfall are also contributing factors to potential dam failures. Depending on the size of the body of water where the dam is constructed, additional water may come from distant upstream locations. Water contributions may also come from dam failures in adjoining counties that are along the same riverine or water features.

FEMA considers the following to be the most frequent causes of dam failures:

- Overtopping caused by floods that exceed the capacity of the dam
- Deliberate acts of sabotage
- Structural failure of materials used in dam construction
- Movement and/or failure of the foundation supporting the dam
- Settlement and cracking of concrete or embankment dams
- Piping and internal erosion of soil in embankment dams
- Inadequate maintenance and upkeep

Poor engineering or poor maintenance may also cause dam failure. The Pennsylvania Department of Environmental Protection (PA DEP) and the United States Army Corps of Engineers (USACE) awards permits for dams and also share inspection responsibilities. Inspection results are characterized as either safe or unsafe.

The National Inventory of Dams (NID) is a registry that captures information about structures that are greater than or equal to 25 feet in height or impound 50-acre-feet or more of water (an acre-foot is equal to 325,851 gallons of water); it includes structures above 6 feet in height where failure would potentially cause damage downstream. The dams are classified in terms of hazard potential as "High", "Significant", or "Low", with high-hazard dams requiring emergency action plans (EAPS) There are three high-hazard and low-hazard dams in Mifflin County that are both publicly and privately owned and are registered with the USACE in the NID. There are two dams within the county that are high-hazard and require an emergency action plan. *Table 57* –

*Mifflin County Dam Inventory* illustrates the dams located in Mifflin County. *Table 56 – High-Hazard Dams Municipal Summary* summarizes the high-hazard dams in Mifflin County by municipality. The municipalities not listed do not have high-hazard dams.

High-Hazard Dams – Municipal Summary		
Municipality Number of High-Hazard Dams		
Armagh Township	1	
Wayne Township	1	
Total:	2	
Source: NID, 2024		

Table 57 - Mifflin County Dam Inventory

Mifflin County Dams							
Dam Name	River	Owner Name	Year Completed	Dam Height (feet)	Drainage Area (acres)	Hazard	EAP
Dark Hollow	Dark Hollow Run	Mount Union Municipal Authority	1934	44	0.5	Н	Y
Laurel Creek	Laurel Creek	Lewistown Municipal Water Authority	1972	135	12.8	Н	Y
Strodes Run	Strodes Run	Robert L. & Mary A. Ford	1946	21	10.9	L	NR
Source: NID, 2	.024						

The Pennsylvania Department of Environmental Protection defines a high-hazard dam as "Any dam so located as to endanger populated areas downstream by its failure". High-hazard dams receive two inspections each year, once by a professional engineer on behalf of the owner and once by a PA DEP inspector (DEP, 2008).

#### Levees

Levee failures have the potential to place large numbers of people and property at risk. Unlike dams, levees are built parallel to a river or another body of water to protect the population and structures behind it from risks of damage during a flooding event. Levees do not serve a purpose beyond flood protection, unlike dams, which can serve to store water or generate energy in addition to protecting areas from flooding. The National Levee Database (NLD), like its counterpart of the National Inventory of Dams (NID), is maintained by the USACE and tracks

## 4.3.17.2 Range of Magnitude

#### Dams

Dam failures can pose a serious threat to communities located downstream from major dams. The impact of a dam failure is dependent on the volume of water impounded by the dam and the amount of population or assets located downstream. Catastrophic failures are characterized by the sudden, rapid, and uncontrolled release of impounded water from a dammed impoundment or water body. *Figure 44 – Mifflin County Dams* shows the location of dams within Mifflin County as well as their hazard designation.

### Levees

Levee failure can be caused by a number of factors, and they can also cause catastrophic effects. Damage to the area beyond a levee, if it fails, could be more significant than if the levee was not present. Levees are designed to provide a specific level of protection, so flooding events could overtop the levees if these events exceeded the levee specifications. Additionally, levees can also fail if they are allowed to deteriorate or decay. Regular maintenance of levees is critical.

A Levee failure of breach causes flooding in landward areas adjacent to the structure. The failure of a levee or other flood protection structure could be devastating, depending on the level of flooding for which structure is designed and the amount of landward development present. Large volumes of water may be moving at high velocities, potentially causing severe damage to buildings, infrastructure, trees, and other large objects. Levee failures are generally worse when they occur abruptly with little warning and result in deep, fast moving water through highly developed areas.

### 4.3.17.3 Past Occurrence

### Dams

There have been no past occurrences of dam failure or major incidence occurring at the locations of dams within Mifflin County. Smaller incidences have occurred but have not had significant impacts in the county.

There have been a few historically destructive dam failures in Pennsylvania over the course of the past two hundred years. The most destructive dam failure in United States history took place in Johnstown, Pennsylvania (Cambria County) in 1889, claiming 2,209 lives. Another significant dam failure took place in Austin, Pennsylvania (Potter County) in 1911, claiming seventy-eight lives. Similarly, a dam failure in West Taylor Township, Pennsylvania (Cambria County) claimed the lives of forty people when the Laurel Run Dam, No. 2 failed during the Johnstown Flood in the early morning hours of July 20th, 1977.

## Levees

The National Levee Database (NLD) lists no occurrence of levee failures or major incidents occurring in Mifflin County.

Some of the worst levee failures in the history of the United States have occurred in the American South, along parts of the Mississippi River delta. Levee failures in New Orleans, Louisiana during Hurricane Katrina from August 23 to August 31, 2005 resulted in an enormous amount of property damage and loss of lives. There were approximately fifty-three levee failures in constructed levees around the City of New Orleans. Hurricane Katrina precipitated the creation of more strict levee requirements for inspection and construction on the local, state, and federal level.

# 4.3.17.4 Future Occurrence

# Dams

Although dam failures can occur at any time, given the right circumstances, the likelihood of a dam failure in Mifflin County is considered to be unlikely.

The presence of structural integrity and inspection programs significantly reduces the potential for major dam failure events to occur. The PA DEP inventories and regulates all the dams that meet or exceed the following criteria (PA, DEP, 2008):

- Impound water from a drainage area of greater than 100 acres
- Have a maximum water depth greater than 15 feet
- Have a maximum storage capacity of 50 acre-feet or greater

The construction, operation, maintenance, and abandonment of dams is reviewed and monitored by the PA DEP Division of Dam Safety. Dams are evaluated based on those categories such as slope stability, undermining seepage, and spillway adequacy. With more strict construction and design procedures in place, the future occurrence of a dam failure is increasingly small. The new procedures and rules protect public safety and both public and private property. Newly

constructed dams are thoroughly examined by professional engineers to prevent future dam failure events.

## Levees

Although levee failures can occur at any time, given the right circumstances, the future occurrence of levee failures in Mifflin County can be considered unlikely. Most levees are designed to meet a specified level of flooding. While FEMA focuses on mapping levees that will reduce the risk of a 1% annual chance flood, other levees may be designed to protect against both smaller and larger floods.

## 4.3.17.5 Vulnerability Assessment

### Dams

Property and populations located downstream from any dams are vulnerable to dam failures. The Pennsylvania Code (\$105.91 Classification of dams and reservoirs) classifies doth dams by size and the amount of loss of life and economic loss expected in a failure event. *Table 58 – Dam Classification* displays the dam classification guide for the Commonwealth of Pennsylvania. Although the size of a dam may result in varying impacts, the hazard potential classification of category one dams is a more important indicator, since that will indicate the level of potential substantial loss of life and excessive economic loss.

Dam Classification (PA Code 1980)				
Dam Size Classification				
Class	Impoundment Storage (Acre-Feet)	Dam Height (Feet)		
Α	Equal to or greater than 50,000	Equal to or greater than 100		
В	Less than 50,000 but greater than 1,000	Less than 100 but greater than 40		
С	Equal to or less than 1,000	Equal to or less than 40		
	Dam Damage Classification			
Category	Loss of Life	Economic Loss		
1	Substantial	Excessive		
2	Few	Appreciable		

Table 58 - Dam Classification

Dam Classification (PA Code 1980)		
Dam Size Classification		
3	None Expected	Minimal

Dam failures can cause significant environmental effects, as the resulting flood from a dam failure is likely to disperse debris and hazardous materials downstream that can damage local ecosystems. Debris carried downstream can block roads, cause traffic accidents, disrupt traffic patterns, and delay the delivery of essential services along major traffic corridors. Debris flow can also cause landslides along steep slopes and embankments with low slope stability. The economic and financial impact from damage and recovery ranges from minimal to severe, depending on the magnitude of damage and scale of failure event.

Emergency action plans are developed by the owners of high-hazard dams. These plans are then disseminated to first responders and other planning partners within the county. Vulnerable populations are those residents and businesses located downstream from a high-hazard dam within the inundation area. The emergency action plan identifies a call list to notify downstream at-risk populations. Emergency action plan exercises are held every five to seven years depending on local policy.

The characteristics of both high-hazard dams in Mifflin County vary greatly. The Laurel Creek Dam, located in Armagh Township, has the largest drainage area with a total of 12.8 acres. The dam that was constructed most recently is the Laurel Creek Dam which was constructed in 1972. The dam that is the oldest in the county is Dark Hollow Run Dam, which was constructed in 1934. The Laurel Creek Dam is the tallest in the county with a height of 135 feet. The dams in Mifflin County are owned by a mix of public and private owners and vary in almost every aspect. The county dams are distributed relatively evenly throughout the county and municipalities, with an even mix of high and low hazard dams in the municipalities.

The failure or partial failure of a High-Hazard Potential Dam can have impacts that affect many different jurisdictions across Mifflin County and counties adjacent to Mifflin County. A failure at any of the dams in Mifflin County would result in some inundation in at least those municipalities adjacent to the dam in question. A more comprehensive examination of risk inundation areas from High-Hazard Potential Dams can be conducted in future iterations of the Mifflin County Hazard Mitigation Plan. This dataset was not readily accessible at the time of this writing. However, each of this municipalities that could be affected by the failure of a High-Hazard Potential Dam could result in the inundation of police stations and fire departments, critical infrastructure facilities, and community lifeline locations like medical facilities, power and energy facilities, and schools, nursing homes, and senior care and long term care facilities.

Mifflin County is at risk when high-hazard potential dams are considered. There are three types of risk related to high-hazard potential dams and they are listed below in *Table 59 – High-Hazard Potential Dams Risk Type*:

Table 59 -	High-Hazard	Potential I	Dams	Risk Type
	0			

High-Hazard Potential Dams Risk Types		
Type of Risk	Description	
Incremental Risk	The risk (likelihood and consequences) to the pool area and downstream floodplain occupants that can be attributed to the presence of the dam should the dam breach prior or subsequent to overtopping, or undergo component malfunction or misoperation, where the consequences considered are over and above those that would occur without dam breach. The consequences typically are due to downstream inundation, but loss of the pool can result in significant consequences in the pool area upstream of the dam.	
Non-Breach Risk	The risk in the reservoir pool area and affected downstream floodplain due to 'normal' dam operation of the dam (e.g., large spillway flows within the design capacity that exceed channel capacity) or 'overtopping of the dam without breaching' scenarios.	
Residual Risk	The risk that remains after all mitigation actions and risk reduction actions have been completed. With respect to dams, FEMA defines residual risk as "risk remaining at any time" (FEMA, 2015, p A-2). It is the risk that remains after decisions related to a specific dam safety issue are made and prudent actions have been taken to address the risk. It is the remote risk associated with a condition that was judged to not be a credible dam safety issue.	
Source: "Rehabilitation of	High Hazard Potential Dams Grant Program Guidance," June 2020	

At this time, insufficient information is available to conduct a substantive analysis of incremental, non-breach and residual risk relative to Mifflin County's high hazard potential dams. However, it is acknowledged that incremental risk is "the risk (likelihood and consequences) to the pool area and downstream floodplain occupants that can be attributed to the presence of the dam should the dam breach prior or subsequent to overtopping, or undergo component malfunction or misoperation, where the consequences considered are over and above those that would occur without dam breach;" non-breach risk is "the risk in the reservoir pool area and affected downstream floodplain due to 'normal' dam operation of the dam (e.g., large

spillway flows within the design capacity that exceed channel capacity) or 'overtopping of the dam without breaching' scenarios;" and residual risk) is "the risk that remains after decisions related to a specific dam safety issue are made and prudent actions have been taken to address the risk. It is the remote risk associated with a condition that was judged to not be a credible dam safety issue" (FEMA, 2020 Rehabilitation of High Hazard Potential Dams Grant Program Guidance)

The risk of high-hazard potential dams in Mifflin County is present but at the time of this writing, there is insufficient data to identify in exact detail the vulnerable populations and assets in inundation areas for the high-hazard potential dams. The areas downstream from the high-hazard potential dams are more vulnerable to inundation than areas that are upstream from said dams. There are current datasets to address high-hazard potential dam impacts in greater detail, but these datasets are still in development from the Pennsylvania Department of Environmental Protection, Pennsylvania Emergency Management Agency, the United States Army Corp of Engineers, and the Federal Emergency Management Agency.

Specifically, vector GIS boundary data for dam inundation areas would allow for more comprehensive damage overlays and damage analysis. Vector GIS information would allow for inundation areas to be mapped along with community lifelines and critical facilities to see what specific facilities could be impacted by a failure at a high-hazard potential dam, including type and use of those facilities impacted. This inundation data could also lead to greater analysis on the construction type of the buildings impacted, including what materials are used for building and what the physical characteristics of the buildings are made of that may be impacted. While useful for vulnerability assessment, these datasets would have to be carefully regulated in regard to access to ensure that no unauthorized individuals or organizations have the ability to see or use the data. Dam inundation maps could also be used if GIS boundary data is not available or able to be released.

Once these datasets have been published and inundation data is easier to acquire, this information will be used to develop more detailed risk assessments and vulnerability assessments for dam failure at the high-hazard potential dams. Continued collaboration with state and federal partners will occur to ensure that any data created or made available is utilized for vulnerability assessment for high-hazard potential dams.

Although there are data limitations to take into account in regard to high-hazard potential dams in Mifflin County, some open source, nationally available data can be integrated into this vulnerability assessment. One of those tools is the Resilience Analysis and Planning Tool (RAPT), administered by FEMA. This tool can overlay areas of interest around certain features

to determine what types of populations are within certain distances of those features. In the table below, a 2-mile distance was calculated around each high-hazard dam in Mifflin County. Those locations were then used to determine how many people or households are vulnerable to a dam failure based strictly on distance. Some of the indicators used for this analysis were total population, households with vehicles, households with limited English and housing units that are mobile homes.

High-Hazard Dam Vulnerability Data				
Dam	Total Population	Households without a vehicle	Households with limited English	Housing units that are mobile homes
Dark Hollow	2,672	510	1	183
Laurel Creek	840	74	2	63
Total	3,512	584	3	246
Source: RAPT, ACS, 2017-2021, Table B08201, Table S1602, and Table DP04				

 Table 60 - Mifflin County High-Hazard Dam Vulnerability (RAPT)

An analysis was also conducted for high priority infrastructure within 2-miles of high-hazard dams in Mifflin County. There were no law enforcement locations within 2 miles of the dams. The information in the table below illustrates which infrastructure was located in that vulnerability zone.

Table 61 - Mifflin County High-Hazard Dam Vulnerability - Infrastructure (RAPT)

High-Hazard Dam Vulnerability Data – Infrastructure				
Dam	Hospitals	Nursing Homes	<b>Fire Stations</b>	Public Schools
Dark Hollow	0	0	0	4
Laurel Creek	0	0	0	0
Source: RAPT, Homeland Infrastructure Foundation-Level Data, 2024				


The table below provides more information on infrastructure within 2 miles of high-hazard dams.

 Table 62 - Mifflin County High-Hazard Dam Vulnerability - 2-Mile Infrastructure

High-Hazard Dam Vulnerability Data – Infrastructure Names		
Dam   Infrastructure Details		
	Public Schools:	
Dark Hollow	1. Mount Union Area Senior High School	
	2. Mount Union Area Junior High School	

High-Hazard Dam Vulnerability Data – Infrastructure Names				
Dam	Infrastructure Details			
	3. Shirley Township Elementary School			
	4. Mount Union-Kistler Elementary School			
Laurel Creek	N/A			
Source: RAPT, Homeland Infrastructure Foundation-Level Data, 2024				

#### Figure 44 - Mifflin County Dams



Produced by MCM Consulting Group, Inc.

Page - 239

## 4.3.18. Disorientation

## 4.3.18.1 Location and Extent

Many people are attracted to Pennsylvania's rural areas for recreational purposes such as hiking, camping, hunting, and fishing. People can become lost or trapped in remote and rugged wilderness areas, as a result. Mifflin County has a few parks and large forested areas that may attract locals and tourists due to the natural appeal of the landscape and the expanses of land, both state-owned and otherwise. Mifflin County is home to one state park which is Reeds Gap State Park, as well as several state game lands. In the event of disorientation, search and rescue may be required for people who suffer from medical problems or injuries and those who become accidentally or intentionally disoriented. Search and rescue efforts are often focused in and around state forest and state park lands as they contain numerous miles of hiking and biking trails.

## 4.3.18.2 Range of Magnitude

Over 65% of Mifflin County is undeveloped forest land (Comprehensive Plan, 2014). A wide variety of factors can contribute to the outcome of a search and rescue mission, but the most common dangers associated with disorientation are lack of food, water, and shelter. Mifflin County generally has a limited amount of water (0.9% of total land area is surface water), and during the warmer summer months shelter is less of a necessity than during winter months when extreme cold poses a threat. Age, physical fitness, and familiarity with the area can also have a bearing on the outcome.

Initial search and rescue efforts are often made with teams of dogs, people on horseback, and or volunteers from fire departments, and for longer term incidents drones may be employed.

### 4.3.18.3 Past Occurrence

Wilderness search and rescue often requires considerable resources, sometimes resulting in the expenditure of hundreds of man-hours, both paid and volunteer. Mifflin County utilizes a database system called WebEOC to track various incidents within the county. Many incidents that have occurred throughout Mifflin County have been recorded. Specifically, search and rescue incidents that occurred in Mifflin County have been recorded. All search and rescue operations that have been recorded by the county can be seen in *Table 63 – Search and Rescue Operations in Mifflin County 2020 to 2023*. These incidents reflect a disoriented individual that needed assistance to return to safety and a place of familiarity.

Search and Rescue Operations in Mifflin County 2020 to 2023							
Start Date	End Date	Event	Location				
05/26/2020	05/26/2020	Water Rescue	Juniata River				
05/21/2022	05/21/2022	Search and Rescue	Armagh Township				
09/07/2022	09/08/2022	Missing Person - Search and Rescue	Derry Township				
07/14/2023	07/14/2023	Water Rescue	Juniata River – McVeytown Borough				
09/07/2023	09/07/2023	Water Recovery Honey Creek - Reedsvill					

Table 63 - Search and Rescue Operations in Mifflin County 2020 to 2023

### 4.3.18.4 Future Occurrence


During the warm summer months, as activities such as hiking, biking, and camping increase, so does the likelihood of individuals becoming disoriented. Many search and rescue events also occur in November due to individuals getting lost during hunting season. Disorientation occurs most often in state parks and state forests where outdoor recreation is most abundant, and the woods are most dense. Additionally, medical emergencies occur regularly in the county, especially among the elderly, which could result in disorientation events.

### 4.3.18.5 Vulnerability Assessment

Individuals are most likely to become disorientated in areas of vast, open wilderness. Children and the elderly are most vulnerable to exposure to the elements. The elderly tend to be more vulnerable to disorientation due to medical/mental related issues that may occur outside of rugged tertian. Often, an individual with dementia or Alzheimer's may become disoriented in residential or wilderness locations.

The most dangerous period to become lost outdoors is during the winter months when heat and shelter are vital. Mifflin County regularly experiences winter storms and temperatures below freezing, so persons participating in outdoor recreational activities in the winter are at a higher risk in the event of disorientation. *Figure* 45 - Mifflin *County Disorientation Vulnerability* identifies areas within the county that are most vulnerable to disorientation.

Figure 45 - Mifflin County Disorientation Vulnerability



Produced by MCM Consulting Group, Inc.



# 4.3.19. Drowning

# 4.3.19.1 Location and Extent

Drowning can be a significant hazard in communities with bodies of water (e.g., ponds, lakes, rivers, etc.) and extensive outdoor recreational activities. Water related recreational opportunities such as fishing, boating, and swimming are popular among residents and visitors. Some of the most popular tourist destinations in the county include Reeds Gap State Park, Stone Arch Bridge, Victory Park, and Big Valley Vista. Other rivers, lakes, and ponds are spread throughout the county.

In addition to natural bodies of water, swimming pools are another location where drownings occur. Many swimming pools are located at residences and hotel/lodges throughout the county. Drownings can also be caused due to flooding events; this hazard is discussed further in Section 4.3.4 of this hazard mitigation plan.

# 4.3.19.2 Range of Magnitude

Drownings can result in death due to the lungs filling with water and not allowing the transfer of oxygen to the body. Drowning rates are particularly high for children ages one to nineteen. According to the Center for Disease Control (CDC) 2021, from 2011-2020, there was an average of 4,012 deaths each year in the United States due to unintentional drownings (non-boating related). An additional 332 people die each year from drowning in boating-related incidents. In 2021, 658 boating-related deaths were reported by the U.S. Coast Guard. The CDC also reports that about one in five people who die from drowning are children fourteen years of age and younger. And, for every child who dies from drowning, another seven receive emergency department care for nonfatal submersion injuries. Of those that are treated in emergency departments for submersion injuries can cause severe brain damage that may result in long-term disabilities such as memory problems, learning disabilities, and permanent loss of basic functioning. The World Health Organization (WHO) reports that more than forty people die by drowning every hour of every day. They also report that drowning is one of the top ten leading causes of death for children in every region of the world.

# 4.3.19.3 Past Occurrence

Record of past occurrences of drowning were difficult to identify due to limited available data. *Table 64 – Drownings in Mifflin County 2020 to 2023* identifies incidents of drowning, near drowning, and water rescues in Mifflin County from 2020 to 2023 as identified by Mifflin County Office of Public Safety.

Drownings in Mifflin County 2020 to 2023					
Date	Event	Location			
5/26/2020	Water Rescue	Juniata River			
7/14/2023	Water Rescue	Juniata River – McVeytown Borough			
9/7/2023	Water Recovery	Honey Creek - Reedsville			
Source: Mifflin	County Office of Public Safety, 2024				

Table 64 - Drownings in Mifflin County 2020 to 2023

#### 4.3.19.4 Future Occurrence

It is impossible to predict when and where a drowning may occur. During the warm summer months, as activities such as swimming, boating, and fishing increase so does the likelihood of drowning. Based on past occurrences, Mifflin County can expect several drownings each year.

#### 4.3.19.5 Vulnerability Assessment

As tourism continues to increase in the county and the number of visitors grows, drowning is likely to continue without mitigation actions in place. Natural water sources like rivers, streams, lakes, and ponds are identified as vulnerable locations. In addition to natural water sources, manmade water sources such as pools pose a high vulnerability to visitors and residents of the county.

With tourism increasing in Mifflin County, it is anticipated that drownings will continue at pools and natural water sources. Pools with no supervision or lifeguards create a higher vulnerability than ones that are supervised. Children and the elderly are at a higher vulnerability than all other age groups. Natural water sources located in federal and state parks are more vulnerable than natural water sources located in remote areas. In general, all water sources (natural and manmade) in Mifflin County create some level of vulnerability to the residents and visitors of the county. *Table 65 – Drowning Hazards – Water Features* reflects the vulnerability for drowning in Mifflin County.

The WHO has identified ten actions created by high-income countries to reduce their drowning burden:

- 1. Install barriers controlling access to water.
- 2. Provide safe places away from water for pre-school children, with capable childcare.
- 3. Teach school-age children basic swimming, water safety and safe rescue skills.
- 4. Train bystanders in safe rescue and resuscitation.
- 5. Strengthen public awareness of drowning and highlight the vulnerability of children.
- 6. Set and enforce safe boating, shipping, and ferry regulations.


- 7. Build resilience and manage flood risks and other hazards locally and nationally.
- 8. Coordinate drowning prevention efforts with those of other sectors and agendas.
- 9. Develop a national water safety plan.
- 10. Address priority research questions with well-designed studies.

The United States' National Weather Service (NWS) reports that more than half of flood fatalities result from automobiles being swept downstream. In 2003 the NWS started the 'Turn around, don't drown' campaign to help reduce these deaths.

While participating in winter sports such as ice skating, ice fishing, or sledding participants must check the ice layer. Determining the safety of ice can be accomplished by assessing the following factors together:

- Appearance of the ice, its color, texture, and features.
- Thickness of the ice, there are recommended thicknesses for different uses.
- External temperature over a period of time and on the day.
- Snow coverage.
- Depth of water under the ice.
- Size of water body.
- Chemical composition of water, whether water is fresh or salt.
- Local climate fluctuations.
- Extent of ice.

Table 65 - Drowning Hazards - Water Features



Produced by MCM Consulting Group, Inc.

Page - 246

# 4.3.20. Environmental Hazards

# 4.3.20.1 Location and Extent

## **Transportation**

Environmental hazards are most commonly due to hazardous materials incidents occurring when such materials are manufactured, used, stored, or transported. Most hazardous materials incidents are unintentional, however hazardous materials could also be released in a criminal or terrorist act. A release, whether it is intentional or accidental, can result in injury or death and may contaminate air, water and/or soils. Hazardous materials incidents can be generally broken down into the subcategories of transportation and fixed facility. This section will focus on environmental hazards and how they relate to transportation of hazardous materials.

Tanker trucks, tractor trailers, and rail cars often are used to transport hazardous materials. When there are transportation incidents involving these types of vehicles, hazardous materials can be released in significant quantities. *Figure 48 – Environmental Hazard Transportation Vulnerability* shows major transportation routes through Mifflin County, including US 22, US 322, US 522, PA 103, PA 333, and PA 655.

## Fixed Facility

Hazardous materials incidents can be broken down into the subcategories of transportation and fixed facility. This section of the report focuses on environmental hazardous materials at fixed facilities.

In Pennsylvania, facilities that use, manufacture, or store hazardous materials must comply with Title III of the federal Superfund Amendments and Reauthorization Act (SARA), and the Commonwealth's reporting requirements under the Hazardous Materials Emergency Planning and Response Act (1990-165), as amended. There are forty-seven SARA Title III facilities in Mifflin County. These facilities listed as SARA sites should not be considered an exhaustive and comprehensive list of all locations where hazardous materials reside in the county. *Figure 47 – Hazardous Waste Locations* identifies SARA Title III facilities as well as several other locations that consume, store, or release potentially hazardous materials and wastes.

Fixed facilities are also monitored by the Environmental Protection Agency (EPA). The EPA has identified hazardous materials sites, not regulated by SARA Title III, and are known as Toxic Releases Inventory (TRI) sites. Facilities which employ ten or more full time employees, and which manufacture or process more than 25,000 pounds (or use more than 10,000 pounds) of any SARA Section 313-listed toxic chemical in the course of a calendar year are required to report

TRI information to the EPA. The EPA is the federal enforcement agency responsible for SARA Title III and PEMA classifications. As of 2024, there are four TRI facilities in Mifflin County, all located around the center of the county.

Oil and gas extraction facilities can also be sources of hazardous material release. Most wells in the county are active, but there are also many inactive and abandoned wells. *Figure* 46 - Oil & Gas Well Locations shows the location of all oil and gas wells in the county along with their proximity to surface waters.

## 4.3.20.2 Range of Magnitude

#### **Transportation**

While often accidental, releases can occur because of human carelessness, intentional acts, or natural hazards. When caused by natural hazards, environmental hazards are known as secondary events. Hazardous materials can include toxic chemicals, radioactive materials, infectious substances, or hazardous wastes. Such releases can affect nearby populations and contaminate critical or sensitive environmental areas.

Hazardous material release can contaminate air, water, and soil, and can possibly cause injuries, poisonings, or deaths. Hazardous materials fall into nine hazards classes. These hazard classes are as follows:

- Class #1: Explosives
- Class #2: Gases (flammable, non-flammable, non-toxic, and toxic)
- Class #3: Flammable and Combustible Liquids
- Class #4: Flammable Solids (spontaneously combustible and dangerous when wet materials/water reactive substances)
- Class #5: Oxidizing substances and organic peroxides
- Class #6: Toxic Substances and Infectious Substances
- Class #7: Radioactive Materials
- Class #8: Corrosive Substances
- Class #9: Miscellaneous Hazardous Materials / Substances

All nine hazard classes can be found in transportation incidences.

#### Fixed Facility

All nine hazard classes can be found at fixed facilities. Certain conditions can exacerbate release incidents and these events include fixed facilities:

- Micrometeorological effects of buildings and terrain which alters the dispersion of hazardous materials.
- Proximity to surface water and ground water resources.
- Compliance with applicable codes (e.g., building or fire codes) and maintenance failures (e.g., fire protection and containment features can substantially increase the damage to the facility itself and to surrounding buildings.

The type of material released, distance, and related response time of emergency responders also significantly impact severity and scope of hazardous material releases and clean-up efforts. Areas most proximal to the release are usually at the greatest level of risk, but depending on the material, a release can travel great distances or remain present in the environment for long periods of time (centuries or millennia for some radioactive materials) resulting in chronic and extensive impacts on people and the environment.

Oil and gas well drilling can have a variety of effects on the environment. Abandoned oil and gas wells, not properly plugged can contaminate groundwater and consequently drinking water wells. Surface waters and soil are sometimes polluted by brine, a salty wastewater product of oil and gas well drilling, and from oil spills occurring at the drilling site or from a pipeline breach. A pipeline breach or an accidental dispersal can spoil public drinking water supplies and can be particularly detrimental to vegetation and aquatic animals, making water safety an important factor in oil and gas extraction. In some cases, associated with hydraulic fracturing (fracking), methane has been found contaminating drinking water in surrounding areas.

Natural gas fires occur when natural gas is ignited at the well site. Often, these fires erupt during drilling when a spark from machinery or equipment ignites the gas. The initial explosion and resulting flames have the potential to seriously injure or kill individuals in the immediate area. These fires are often difficult to extinguish due to the intensity of the flame and the abundant fuel source.

### 4.3.20.3 Past Occurrence

#### Transportation

In the past Mifflin County has experienced transportation accidents that have resulted in hazardous material releases, including at least one truck rollover with dumped fuel and at least one multi-vehicle accident (MVA) with a diesel tank leak. More recent events are recorded in the county reporting software and are summarized in *Table 66 – Hazardous Material Incidents*. Transportation accidents that involved hazardous materials were included in the table below.

Hazardous Material Incidents					
Location	Date	Event			
Lewistown Borough	01/07/2020	Residential heating oil spill			
Granville Township	04/23/2021	Heating oil spill			
Armagh Township	10/05/2021	Truck rollover with dumped fuel			
Lewistown Borough	11/12/2021	Residential heating oil spill			
McVeytown Borough	12/23/2021	Illegal hazardous material dumping			
Burnham Borough	02/04/2022	Residential heating oil spill			
Burnham Borough	02/04/2022	Residential heating oil spill due to			
		faulty repair			
Armagh Township	04/27/2022	MiniMart tanker spill			
Armagh and Brown	05/03/2022	Heating oil spill while transporting a			
Townships		home heating oil tank			
Lewistown Borough	05/27/2022	Petroleum leak			
Lewistown Borough	12/08/2022	Residential heating oil spill			
Decatur Township	12/26/2022	Leaking waste oil drums			
Lewistown Borough	03/02/2023	Oil spill			
Armagh Township	06/14/2023	Chemical spill			
Armagh Township	07/07/2023	Fuel spill from truck pulling a camper			
Armagh Township	08/27/2023	Leaking oil tank in basement			
McVeytown Borough	09/22/2023	MVA with diesel tank leak			
Derry Township	10/02/2023	Residential heating oil spill			
Lewistown Borough	10/02/2023	Gas line struck			
Source: Mifflin County Reporting System, 2024					

Hazardous materials can be transported by air, sea, and land (over the road or through pipelines). Transportation accidents along roadways is a regular occurrence and a large number of hazardous materials are transported by roadway every day.

### Fixed Facility

There have been a number of hazardous material incidents in Mifflin County in the past but few of those events have been related to fixed facilities in the county. The majority of fixed facility incidents in Mifflin County have been residential heating oil spills and one occurrence of a gas

line struck during construction. More recent events are recorded in the county reporting software and are summarized in *Table 66 – Hazardous Material Incidents*.

The EPA tracks the management of hazardous materials in facilities that handle significant amounts of hazardous materials. The four toxic release inventory (TRI) facilities in Mifflin County as of 2024 are summarized in *Table 67 – TRI Facilities*. Production-related waste managed is a collective term to refer to how much of a chemical is recycled, combusted for energy recovery, treated for destruction, or disposed of, or otherwise released on and off site.

Table 67 - TRI Facilities

Toxic Release Inventory Facilities						
Name	Zip code	Industry Sector	Chemical	Production- related Waste Managed (lbs)		
Phillips Ultrasounds LLC	17084	334- Computers/Electronics Products	Lead/ Lead Compounds	291		
Standard Steel LLC	17009	331- Primary Metals	Aluminum oxide, Chromium, Chromium compounds, Copper compounds, Lead, Lead Compounds, Manganese, Manganese compounds, Nickle, Nickle compounds, Phosphoric acid, Propylene, Trichloroethylene, Zinc, Zinc Compounds	1,534,449		
Clayton Lewistown	17044	321- Wood Products	Diisocyanates	0		
Overhead Door Corp- Pennsylvania DIV	17044	332- Fabricated Metals	Diisocyanates, Ethylbenzene, Manganese, Methyl ethyl ketone, Methyl isobutyl ketone, Nickle, Toluene, Xylene	34,742		
Source: EPA, 202	4					

As of 2024, there are no active natural gas wells in Mifflin County.

### 4.3.20.4 Future Occurrence

**Transportation** 

While many incidents involving hazardous material releases have occurred in Mifflin County in the past, they are generally difficult to predict. The nature of traffic accidents is that there is little to no warning for their occurrence, and they can have disastrous results. An occurrence is largely dependent upon the accidental or intentional actions of a person or group.

## Fixed Facility

Hazardous material release incidents are generally difficult to predict, but the presence of such dangerous materials warrants preparation for accidental or intentional release events. Emergency response agencies in Mifflin County should be prepared to handle the types of hazardous materials housed and used the SARA Title III facilities, TRI facilities, and oil and gas wells that are located within the county. The Federal Superfund Amendments and Reauthorization Act (SARA) is also known as the Emergency Planning and Community Right-to-Know Act (EPCRA), and the Local Emergency Planning Committees (LEPCs) are designed by EPCRA to ensure that state and local communities are prepared to respond to potential chemical accidents.

## 4.3.20.5 Vulnerability Assessment

### **Transportation**

Quick response to transportation accidents involving hazardous materials minimizes the volume and concentration of hazardous materials that are transported and dispersed through the air, water, and soil. Every municipality within Mifflin County is vulnerable to a hazardous materials incident caused along a transportation route. These incidents can occur along highways, railways, and pipelines. *Figure 48 – Environmental Hazard Transportation Vulnerability Map* identified the 2,000-foot hazard corridor for all major highways in Mifflin County. *Figure 49 – Annual Truck Traffic Percentages* identifies the annual truck traffic percentages for all of the roadways in Mifflin County.

#### Fixed Facility

Populations, critical infrastructure, and natural habitats within 1.5 miles of SARA Title III and Toxic Release Inventory sites are vulnerable to hazardous material incidents.


Private water suppliers such as domestic drinking water wells in the vicinity of oil and gas wells are at risk of contamination from brine and other pollutants, including methane, which can pose a fire and explosive hazard. Ideally, vulnerability of private drinking well owners would be established by comparing the distance of drinking water wells to known oil and gas well locations, but this extensive detailed data is not readily available. Private drinking water is largely unregulated and information on these wells is voluntarily submitted to the Pennsylvania

Topographic and Geologic Survey by water well drillers, and the existing data is largely incomplete and/or not completely accurate. Decatur Township is the municipality with the highest number of domestic water wells, so that municipality is at the highest vulnerability to drinking water well contamination. *Table 68 – Oil and Gas Wells & Drinking Water Wells* illustrates the type of well and the local domestic drinking water wells for each municipality.

Oil & Gas Wells in Mifflin County (2024)					
Municipality	Type of Well				Domestic Drinking
	Active	Abandoned	Inactive	Proposed	Water Wells
Armagh Township	0	0	0	0	88
Bratton Township	0	0	0	0	51
Brown Township	0	0	0	0	57
Burnham Borough	0	0	0	0	1
Decatur Township	0	0	0	0	124
Derry Township	0	0	0	0	78
Granville Township	0	0	0	0	109
Lewistown Borough	0	0	0	0	19
McVeytown Borough	0	0	0	0	2
Menno Township	0	0	0	0	75
Newton Hamilton Borough	0	0	0	0	1
Oliver Township	0	0	0	0	101
Union Township	0	0	0	0	40
Wayne Township	0	0	0	0	80
Total:	0	0	0	0	826
Source: PA DEP, 2024					

Table 68 - Oil and Gas Wells & Drinking Water Wells


Figure 46 - Oil and Gas Well Locations



Produced by MCM Consulting Group, Inc.

Page - 254


Figure 47 - Hazardous Waste Locations



Produced by MCM Consulting Group, Inc.

Page - 255


Figure 48 - Environmental Hazard Transportation Vulnerability



Produced by MCM Consulting Group, Inc.

Page - 256

Figure 49 - Annual Truck Traffic Percentages



Produced by MCM Consulting Group, Inc.



# 4.3.21. Nuclear Incidents

# 4.3.21.1 Location and Extent

Nuclear hazards and incidents generally refer to incidents involving (1) a release of significant levels of radioactive materials or (2) exposure of workers or the general public to radiation. Primary concerns following a nuclear incident or accident are:

- the impact on public health from direct exposure to a radioactive plume
- inhalation of radioactive materials
- ingestion of contaminated food, water, and milk
- long-term exposure to deposited radioactive materials in the environment that may lead to acute health effects (e.g., death, burns, severe impairments), chronic health effects (e.g., cancer), and psychological effects

Nuclear accidents/incidents can be placed into three categories:

- 1. Criticality accidents which involve loss of control of nuclear assemblies or power reactors
- 2. Loss-of-coolant accidents which result whenever a reactor coolant system experiences a break or opening large enough that the coolant inventory in the system cannot be maintained by the normally operating make-up system
- 3. Loss-of-containment accidents which involve the release of radioactivity

A nuclear power facility makes electricity by continuously splitting uranium atoms. Within the Commonwealth of Pennsylvania, there are five nuclear power stations. These are:

- Beaver Valley Power Station, Beaver County;
- Limerick Generating Station, Montgomery County;
- Peach Bottom Atomic Power Station, York County;
- Susquehanna Steam Electric Station, Luzerne County; and,
- Three Mile Island Nuclear Generating Station, Dauphin County. (This station's license expired in 2019 and its owners have begun the decommissioning process; at the time of the writing of this plan, the station was for sale, but it must still adhere to many of the tenets of federal and state emergency response plans.)

One of the nuclear power stations is within fifty miles of the Mifflin County border: Three Mile Island nuclear power plant has one reactor that is capable of generating more than 800 megawatts of electricity. Three Mile Island is located on an island in the Susquehanna River and is approximately three miles from the Harrisburg airport. See *Figure 51– Mifflin County Municipalities in the 50-Mile Ingestion Exposure Pathways.* 

Most of the eastern part of Mifflin County is within the fifty-mile planning zone of Three Mile Island. The other four Commonwealth nuclear facilities are more than fifty miles away from Mifflin County and considered minimal threats. In the event of an emergency, evacuees from distant EPZs may seek shelter in Mifflin County or pass through the county and use local services.

# 4.3.21.2 Range of Magnitude

The Nuclear Regulatory Commission encourages the use of Probabilistic Risk Assessments (PRAs) to estimate quantitatively the potential risk to public health and safety considering the design, operations, and maintenance practices at nuclear power plants. PRAs typically focus on accidents that can severely damage the core and that may challenge containment. The Federal Emergency Management Agency (FEMA), the Pennsylvania Emergency Management Agency (PEMA), and county governments have formulated Radiological Emergency Response Plans that include a Plume Exposure Pathway Emergency Planning Zone (EPZ) with a radius of about ten miles from each nuclear power facility and an Ingestion Exposure Pathway EPZ with a radius of about fifty miles from each facility. See *Table 69 - Emergency Planning Zones*. The exact size and configuration of the EPZ may vary in relation to local emergency response capabilities, topography, road networks, and political boundaries.

Emergency Planning Zones				
EPZ	Description			
Plume Exposure Pathway (PEP)	Has a radius of about 10 miles from each reactor site.			
	Predetermined protective action plans are in place and include			
	sheltering, evacuation, and the use of potassium iodide where			
	appropriate.			
Ingestion Exposure Pathway (IEP)	Has a radius of about 50 miles from each reactor site.			
	Predetermined protective action plans are in place and are			
	designed to avoid or reduce dose from potential ingestion of			
	radioactive materials. These actions include a ban of			
	contaminated food and water.			
Source: U.S. Nuclear Regulatory ( preparedness/planning-zones.html	Commission <u>http://www.nrc.gov/about-nrc/emerg-preparedness/about-emerg-</u>			

Table 69 - Emergency Planning Zones

The magnitude of a nuclear incident differs for those within the Plume Exposure Pathway EPZ and those within the Ingestion Exposure Pathway EPZ. The Plume Exposure Pathway refers to whole-body external exposure to gamma radiation from a radioactive plume and from deposited materials and inhalation exposure from the passing radioactive plume. The duration of primary exposures could range in length from hours to days. The Ingestion Exposure Pathway refers to exposure primarily from ingestion of water or foods such as milk and fresh vegetables that have been contaminated with radiation.

Fixed facility incidents are not the only types of incidents that could affect Mifflin County. Other types of incidents such as transportation or terrorism could also pose a hazard. Both the Army and Airforce National Guard bases are located in Lewistown could pose a significant threat as a terrorism target.

In the event of a nuclear disaster, radioactive fallout would be the main danger of an incident within a fifty-mile radius. Invisible gamma rays from this fallout can cause radiation sickness due to physical and chemical changes in the cells of the body. If a person would receive a large dose of radiation, that person would die in a very short time. Non-lethal doses in varying degrees would cause radiation sickness among the survivors. Depending on the location of the event all of Mifflin County could be in the Ingestion Exposure Pathway.

The Nuclear Regulatory Commission uses four classification levels for nuclear incidents:

- 1. Unusual Event: Events are in process or have occurred which indicate potential degradation in the level of safety of the plant. No release of radioactive material requiring offsite response or monitoring is expected unless further degradation occurs.
- 2. Alert: Events are in process or have occurred which involve an actual or potential substantial degradation in the level of safety of the plant. Any releases of radioactive material from the plant are expected to be limited to a small fraction of the EPA Protective Action Guides (PAGs).
- 3. Site Area Emergency: Involves events in process or which have occurred that result in actual or likely major failures of plant functions needed for protection of the public. Any releases of radioactive material are not expected to exceed the EPA PAGs except near the site boundary.
- 4. General Emergency: Involves actual or imminent substantial core damage or melting of reactor fuel with the potential for loss of containment integrity. Radioactive releases during a general emergency can reasonably be expected to exceed the EPA PAGs for more than the immediate site area.

The nuclear industry has adopted predetermined, site-specific Emergency Action Levels (EALs). The EALs provide the framework and guidance to observe, address, and classify the severity of site-specific incidents and conditions that are communicated to off-site emergency response organizations (Nuclear Regulatory Commission, 2008). There are additional EALs that specifically deal with issues of security, such as threats of airborne attack, hostile action within the facility, or facility attack. These EALs ensure that appropriate notifications for the security threat are made in a timely manner. Each facility is also equipped with a public alerting system, which includes several sirens to alert the public located in the Plume Exposure Pathway EPZ. This alerting system is activated by the counties of each specific EPZ. Emergency notifications and instructions are communicated to the public via the Emergency Alert System as activated by the Commonwealth Resource Coordination Center (formerly Pennsylvania State Emergency Operations Center). State officials also have the capability to send emergency messages as text messages to mobile devices.

During and after a nuclear incident, the primary concern is the effect on the health of the population near the incident. The duration of primary exposure could range in length from hours to months depending on the proximity to the point of radioactive release. External radiation and inhalation and ingestion of radioactive isotopes can cause acute health effects (e.g., death, severe health impairment), chronic health effects (e.g., cancers) and psychological effects.

Potential environmental impacts specific to the fifty-mile Ingestion Exposure Pathway EPZ, and therefore of most concern to Mifflin County, include the long-term effects of radioactive contamination in the environment and in agricultural products. Mifflin County can expect some radioactive contamination in very small amounts in the case of a nuclear incident at Three Mile Island. This is not a significant concern in terms of external exposure and immediate health risks, but even a small amount of radiation will require the protection of the food chain, particularly milk supplies. Small amounts of radiation ingested over time could lead to future health issues. As a result, in the case of a nuclear incident, foodstuffs, crops, milk, livestock feed and forage, and farm water supplies will need to be protected from and tested for contamination. Additionally, spills and releases of radiologically active materials from accidents can result in the contamination of soil and public water supplies. Areas underlain by limestone and some types of glacial sediments are particularly susceptible to contamination.

The worst-case scenario for Mifflin County would be a General Emergency at Three Mile Island that leaked sufficient radiation to create longer-term damage in the form of contaminated water, soil, and food supplies.

## 4.3.21.3 Past Occurrence

Nuclear incidents rarely occur, but the incident at Three Mile Island in Dauphin County is the worst fixed nuclear facility accident in U.S. history. The resulting contamination and state of the reactor core led to the development of a 14-year cleanup and scientific effort. Additionally, the *President's Commission on the Accident at Three Mile Island* examined the costs of the accident, concluding that "the accident at Three Mile Island on March 28, 1979, generated considerable economic disturbance. Some of the impacts were short term, occurring during the first days of the accident. Many of the impacts were experienced by the local community; others will be felt at the regional and national levels." The report concluded: "It appears clear that the major costs of the TMI Unit 2 accident are associated with the emergency management replacement power and the plant refurbishment or replacement. The minimum cost estimate of nearly one billion dollars supports the argument that considerable additional resources can be cost effective if spent to guard against future accidents."

Despite the severity of the damage, no injuries due to radiation exposure occurred. However, numerous studies were conducted to determine the measurable health effects related to radiation and/or stress. More than a dozen epidemiological and stress-related studies conducted to date have found no discernible direct health effects on the population in the vicinity of the plant. However, one study conducted by the Pennsylvania Department of Health's *Three Mile Island Health Research Program* did find evidence of psychological stress, "lasting in some cases for five to six years." According to the program chief, "the people suffering from stress perceived their health as being poorer than it actually was when the health department checked the medical records."

The accident at Three Mile Island had a profound effect on residents, the emergency management community, government officials, and nuclear industry, not only in Pennsylvania, but nationwide. There were minimal requirements for off-site emergency planning for nuclear power stations prior to the accident. Afterward, comprehensive, coordinated, and exercised plans were developed for the state, counties, school districts, special facilities (hospitals, nursing homes, day care centers, and detention facilities) and municipalities to ensure the safety of the populations. Costs associated with an incident at one of the Commonwealth's nuclear facilities, be it real or perceived, are significant. The mitigation efforts put in place immediately following the 1979 accident continue until today. The Commonwealth's nuclear/radiological plan, which is a successor of the original "Annex E," is a result of the Commonwealth's efforts to address the many components of mitigation planning. The comprehensive planning involving its five nuclear facilities is an ongoing effort. Plans are reviewed and amended on an annual basis.

Another incident occurred at Three Mile Island on February 7, 1993, when an individual drove his car through a chain-link fence and then slammed into a roll-up garage door leading into the facility's turbine building. Plant officials, fearing the worst, immediately declared a Site Area Emergency. Fortunately, the person who crashed the gate was found and apprehended. Other than property damage caused by the forcible entry through physical structures, there was no lasting damage to the facility.

Mifflin County has not been affected by a fixed nuclear facility incident from any of the two local or other state facilities. The county has not been affected by any type of nuclear incident.

# 4.3.21.4 Future Occurrence

Pennsylvania is the site of the only nuclear power plant in the country with an incident rated as a General Emergency. Since the Three Mile Island incident, nuclear power has become significantly safer and is one of the most heavily regulated industries in the nation. Despite the knowledge gained since then, there is still the potential for a similar accident to occur again at any of the nuclear generating facilities nearest the county. The Nuclear Energy Agency of the Organization for Economic Co-Operation and Development notes that studies estimate the chance of a breach of protective barriers in a modern nuclear facility at less than one in 100,000 per year (Nuclear Energy Agency, 2005). Nuclear incident occurrences may also happen because of intentional actions, but these terrorist acts are rare. Nuclear incidents in or near Mifflin County should be considered unlikely.

## 4.3.21.5 Vulnerability Assessment

In addition to the areas of Mifflin County facing direct contamination risk, the entire county could also be affected on some level by incidents from any of the other nearby nuclear facilities, including the one at Three Mile Island. Evacuation of residents from these areas could lead to increased population or through-traffic in the county. County residents could be negatively impacted through the psychological effects of a nuclear incident as the effects and likelihood of radiation contamination are not always well understood by the public.

One of Mifflin County's sixteen municipalities fall wholly or partially within the fifty-mile EPZ of Three Mile Island. According to the 2019 U.S. Census Estimate, this represents a small population and covers only a small area of Decatur Township. This includes the south eastern most areas of Decatur Township.


The county's primary vulnerability to nuclear incidents comes in the form of food, soil, and water contamination. In terms of vulnerable land, the majority of the 64,994 acres of farmland held in Mifflin County's 533 farms are vulnerable to radiological contamination in a nuclear

incident. In 2017, the market value of all agricultural products of these farms was nearly \$135,845 million.

Water contamination is also a concern in nuclear incidents. There are several public water suppliers that operate in or provide water to the county; the largest of them are: Granville Township Municipal Authority, McVeytown Borough Authority, Allensville Municipal Authority, Lewistown Borough Municipal Authority, Mifflin County Municipal Authority. These water supplies, coupled with the county's domestic drinking water wells, are all vulnerable to the effects of a nuclear incident.


While unlikely that all agricultural products would be lost in the event of a nuclear incident, the county could expect some portion of that \$135,845,000.00 to be lost. Time of year also impacts the vulnerability and losses estimated for a nuclear incident. An incident that occurs during the prime growing and harvesting season will have a larger impact on the county. For example, the incident at Three Mile Island occurred in the off-season; as a result, the Pennsylvania Department of Agriculture estimated that agricultural losses for the entire Commonwealth were not more than \$1 million.


Figure 50 - Pennsylvania Nuclear Power Stations



Produced by MCM Consulting Group, Inc.

Page - 265





Produced by MCM Consulting Group, Inc.

Page - 266

# 4.3.22. Substance Use Disorder

## 4.3.22.1 Location and Extent

Substance Use Disorder (SUD) is a chronic condition characterized by compulsive drug or alcohol use despite the harmful consequences. According to the American Addiction Centers substance use disorder affects brain function and behavior, leading to an inability to control substance intake.(Fuller 2023). Symptoms include intense cravings, tolerance, withdrawal symptoms, and continued use despite negative effects on health, relationships, and responsibilities. Substance use disorder can impact anyone regardless of age, gender, or background, and often requires comprehensive treatment involving therapy, medication, and support to achieve recovery.

Substance use disorder escalates into opioid addiction through a progression that often starts with the legitimate medical use of prescription opioids for pain relief. Over time, individuals may develop a tolerance, requiring larger doses for the same effect. This can evolve into physical dependence, where the body experiences withdrawal symptoms without the drug. Psychological factors, such as seeking relief from stress, trauma, or co-occurring mental health disorders, may compel individuals to continue using opioids despite negative consequences. Eventually, the compulsive need to use opioids takes over, characterized by addiction, where obtaining and using the drug becomes a central focus of life.

According to the Diagnostic and Statistical Manual of Mental Disorders (DSM-5) ten classes of substance use disorder exist. These substances use related mental illnesses are alcohol use disorder, cannabis use disorder, phencyclidine use disorder, other hallucinogen use disorder that differ from phencyclidine, inhalant use disorder, opioid use disorder, sedative, hypnotic or anxiolytic use disorder and lastly stimulant use disorder which accompanies cocaine or methamphetamine.

Pennsylvania and the United States at large have been experiencing a substance use disorder epidemic which can lead to opioid drug abuse. According to the Pennsylvania Department of Health, the opioid overdose epidemic is the worst public health crisis in Pennsylvania. It affects Pennsylvanians across the state, from big cities to rural communities. Substance use disorder and opioid addiction has increased drastically over the last year due to the hardships faced from the COVID-19 pandemic. Opioid use has increased since the beginning of the COVID-19 pandemic which is being attributed to the uncertainty people are feeling due to the pandemic. Opioids, mainly synthetic opioids (other than methadone), are currently the main driver of drug overdose deaths. According to the Center for Disease Control and Prevention (CDC), 72.9% of opioid-involved overdose deaths involved synthetic opioids. Opioid addiction occurs when an individual becomes physically dependent on opioids. Opioids are a class of drug that reduces pain by interacting with receptors on nerve cells in the body and brain. The use of opioids is a broad term and includes opiates, which are drugs naturally extracted from certain types of poppy plants, and narcotics. Opioids can also be synthetically made to emulate opium. Opioid drugs are highly addictive and typically result in increasing numbers of overdose deaths both prescribed (e.g. fentanyl) and illicit (e.g. heroin) opioids. Overdose deaths from opioids occur when a large dose slows breathing, which can occur when opioids are combined with alcohol or antianxiety drugs. While generally prescribed with good intentions, opioids can be over-prescribed, resulting in addiction.

According to the Drug Enforcement Administration (DEA), opioids come in various forms such as tablets, capsules, skin patches, powder, chunks in various colors from white to brown/black, liquid form for oral or injection use, syrups, suppositories, and lollipops. The Centers for Disease Control and Prevention (CDC) defines the following as the three most common types of opioids:

- **Prescription Opioids**: Opioid medication prescribed by doctors for pain treatment. These can be synthetic oxycodone (OxyContin), hydrocodone (Vicodin), or natural (morphine).
- **Fentanyl**: A powerful synthetic opioid that is 50 to 100 times more powerful than morphine and used for treating severe pain; illegally made and distributed fentanyl is becoming more prevalent.
- **Heroin**: An illegal natural opioid processed from morphine which is becoming more commonly used in the United States.

Opioids are highly addictive. They block the body's ability to feel pain and can create a sense of euphoria. Additionally, individuals often build a tolerance to opioids, which can lead to misuse and overdose.

While other addictive substances such as methamphetamines and alcohol can be problematic for the health of individuals in Mifflin County, this profile focuses on opioid drugs and the substance use disorder. The opioid crisis was declared to be a public health emergency on October 26, 2017. While the declaration provides validation for the scope and severity of the problem, it was not accompanied by any release of funding for mitigating actions. On January 10, 2018, Governor Tom Wolf declared the opioid epidemic to be a statewide public health disaster

emergency for Pennsylvania. The declaration is intended to enhance response and increase access to treatment.

## 4.3.22.2 Range of Magnitude

Substance use disorder may lead to a narcotic addiction which could lead to an overdose and can sometimes be fatal. The most dangerous side effect of an overdose can include depressed breathing. Lack of oxygen to the brain causes permanent brain damage, leading to organ failure, and eventually death. Signs and symptoms include respiratory depression, drowsiness, disorientation, pinpoint pupils, and clammy skin. Substance use dependency can also be passed from mother to child in the womb. This condition, known as neonatal abstinence syndrome, has increased five-fold, according to the National Institute on Drug Abuse (NIDA). This results in an annual estimate of 20,000 babies born in the United States with this condition.

## 4.3.22.3 Past Occurrence

In 2023, there was an estimated total of 109,000 drug-related overdose deaths in the United States. This is the second highest number of overdose deaths ever recorded in a 12-month period, according to the recent provisional date from the CDC. *Table 70 – Drug Overdose Mortality In Mifflin County* shows years and deaths per year in Mifflin County. From the years 2014 to 2023, Mifflin County has experienced an increase in death rates from drug overdose. The most common age group for opioid abuse in Mifflin County is the twenty-five to thirty-four years of age demographic. In Mifflin County the overdose rate of males is greater than the overdose rate of females. Whites have the highest total rate of overdose deaths in Mifflin County, while Blacks have the highest per capita rate of overdose deaths when adjusted for population size. The most used opioid in Mifflin County are fentanyl, heroin, cocaine, benzodiazepines, and Rx opioids.

Drug Overdose Mortality in Mifflin County		
Year	Deaths Per Year	
2014	12	
2015	8	
2016	13	
2017	13	
2018	17	
2019	22	
2020	28	

Table 70 - Drug Overdose Mortality In Mifflin County

Drug Overdose Mortality in Mifflin County		
2021	24	
2022	20	
2023	20	

Table 71 - Drugs Present in 2020 Pennsylvania Overdose Deaths

Drugs Present in 2020 PA Overdose Deaths			
Drug Category	Percent Reported Among 2020 Decedents		
Cannabis	25%		
Cocaine	20%		
Heroin	15%		
Fentanyl	14%		
Methamphetamine	10%		
Prescription Opioids	5.5%		
Cathinones	5.5%		
Benzodiazepines	5%		
Source: DEA, 2020			

#### 4.3.22.4 Future Occurrence

Both Mifflin County, and Pennsylvania as a whole, have seen a steady rise in substance use disorder and the use of opioids over the last several years, with drug-related death rates increasing at a high percentage. Substance use disorder is a pressing issue in Pennsylvania, with far-reaching implications for public health, safety, and the well-being of individuals. Future occurrences of substance use and opioid addiction are unclear as the state moves forward with overdose prevention initiatives through the use of Naloxone, alternative pain treatments, improvement of tools for families and first responders, and expansion of treatment access. The Pennsylvania government has taken various approaches to help with the prevention of mass future occurrences across the Commonwealth. To help prevent future drug abuse and protect individual health among communities in Pennsylvania, the Pennsylvania's Prescription Drug Monitoring Program (PA DMP) collects information on all filled prescriptions for controlled substances and helps patients get correct treatment. The PA DMP also has drug take-back boxes located in the counties for an easy, convenient location where anyone can dispose of their unused, expired, or unwanted prescriptions to help lower potential drug overuse. In Mifflin County, there are four

drug take-back boxes located throughout the county. The drug take-back box locations include Geisinger Pharmacy at Mifflintown, McLaughlin Pharmacy Inc. Greenway Pharmacy, and Caresite Pharmacy.

In the event of an opioid overdose, death can sometimes be prevented with the use of the drug naloxone. The former Pennsylvania Secretary of Health, Dr. Rachel Levine, in 2020, signed updated standing order prescriptions of naloxone, which is available upon request to the general public. Naloxone is a medication that can reverse an overdose that is caused by an opioid drug (i.e., prescription pain medication or heroin). Naloxone is used to block the effects of opioids and is sold under the brand name of Narcan. When administered during an overdose, naloxone blocks the effects of opioids on the brain and restores breathing within two to eight minutes. Naloxone has been used safely by medical professionals for more than forty years and its only function is to reverse the effects of opioids on the brain and respiratory system in order to prevent death. Also, with the January 10, 2018 disaster declaration, emergency medical technicians (EMTs) are now allowed to leave naloxone behind at a scene of a recent overdose further increasing the distribution and accessibility of the lifesaving medication. According to a study published in September 2018, drug users reported that users often have multiple overdoses in the course of their drug use, and availability of naloxone has saved many lives. While the introduction of naloxone has been a significant benefit to the fight against opioid abuse, efforts to prevent future overdoses are still underway. Naloxone is another way to reduce future occurrences of the opioid epidemic from occurring in Mifflin County. According to the National Library of Medicines, supervised injection sites can provide disordered substance users with a secure location to reduce the risk of overdose, while also weaning them off of addictive substances.

Opioid drugs have been a problematic and addictive method for patients to deal with pain. Employing alternative approaches to pain management could prevent patients from ever being introduced to addictive opioids, especially considering the most common overdose drugs in Mifflin County have been prescription opioids. A possible alternative pain treatment comes from hemp extracted cannabidiol, or CBD. Unlike THC (the psychoactive constituent of cannabis), CBD is non-psychoactive and does not have the same intoxicating effect as THC; however, CBD can provide relief from pain, inflammation, anxiety, and even psychosis. CBD is legal without a prescription throughout the United States of America.

## 4.3.22.5 Vulnerability Assessment

Opioid overdoses have resulted in many tragic deaths in Pennsylvania and many people have been affected by the epidemic through the loss of either a family member, a close friend, or member of their community. Substance use disorder is a direct detriment to the personal

wellbeing of addicts, a burden to their families and communities, and a strain to the emergency response system that cares for overdose victims. In general, jurisdictions that are more densely populated are more vulnerable to opioid addiction threats as access to the drugs increases. However, rural communities in general experience larger per-capita opioid-related deaths. Jurisdictional losses in the opioid addiction crisis stem from lost wages, productivity, and resources rather than losses to buildings or land. Many counties across the Commonwealth, including Mifflin County, have seen an increase of time and resources devoted to the opioid epidemic as overdose and response increase.

While substance use disorder and opioid addiction is often viewed as a criminal problem, it can also be viewed as a chronic disease. This paradigm shift moves away from faulting the abuser and incentivizing quick cures, to viewing the abuser as a patient and working towards long-term management of the disease. In general, it is important to consider alternative approaches to pain treatment.

According to the National Institute of Mental Health, substance use disorder often stems from underlying mental health issues such as depression, anxiety, trauma, or unresolved psychological struggles. Individuals may turn to substances as a coping mechanism to alleviate emotional pain or distress. However, prolonged substance abuse can exacerbate mental health symptoms and lead to a vicious cycle of dependency. Additionally, genetic predispositions and environmental factors can also contribute to the development of both substances use disorders and mental health disorders (National Institute of Mental Health, 2023).

The vulnerability in the county depends on the number of additional risk factors on the vulnerable population such as genetic, psychological, and environmental factors that play a role in addiction. The known risk factors of opioid misuse and addiction include poverty, unemployment, family and/or personal history of substance abuse, history of criminal activity, history of severe depression or anxiety, and prior drug/alcohol rehabilitation. In addition, women have a unique set of risk factors for opioid addiction. Women are more likely than men to have diagnosed chronic pain. Compared with men, women are also more likely to be prescribed opioid medications, to be given higher doses, and to use opioids for longer periods of time. Women may also have biological tendencies to become dependent on prescription pain relievers more quickly than men. Therefore, if the county were to have a population with a great amount of these risk factors, the county would be very vulnerable to the opioid epidemic.

The COVID-19 pandemic and its periods of quarantine caused vulnerability in opioid users throughout Mifflin County. It is likely that the emergence of COVID-19 and subsequent

disruptions in health care and social safety nets combined with social and economic stressors has fueled the opioid epidemic. The COVID-19 pandemic challenged vulnerable populations, including those with opioid use disorders. The opioid epidemic and COVID-19 pandemic intersected and presented unprecedented challenges for families and communities. Opioid use affects respiratory and pulmonary health which may make those with opioid use disorders more susceptible to COVID-19. In addition, chronic respiratory disease is already known to increase overdose mortality risk among people taking opioids, and decreased lung capacity from COVID-19 could lead to similar health effects. Secondary impacts from the COVID-19 pandemic included disruption of treatment and recovery services, limited access to mental health services and peer support, disrupted routines, loss of work, and increased stress which led to increased opioid use and risk of relapse for those in recovery. Additionally, the pandemic took away the attention from the media, from legislators, and from public health agencies that was being focused on the opioid crisis. The opioid epidemic in Pennsylvania increased 30% since the end of the pandemic.


Risk factors may arise from indirect factors including housing instability and incarceration. Those with substance use disorder and opioid use disorders are potentially at a higher risk for housing insecurity, homelessness, and incarceration. Congregate living facilities such as homeless shelters, jails, and prisons are high-risk environments for virus transmission, and there are challenges in implementing recommendations from the CDC such as social distancing and quarantine.

Additionally, first responders and medical personnel are also a vulnerable population when dealing with the substance use disorder and opioid epidemic. First responders face exposure risk due to an increase in emergency calls due to an increase in the crisis, particularly to synthetic fentanyl. Fentanyl and related substances are hazardous materials, which cause the environment and the people around the substance to be vulnerable. Unintentional fentanyl contact can impact first responders and others that are in close proximity to the opioid user. Depending on the potency of the drug, it can take as little as a few milligrams of fentanyl to cause fatal health complications, the equivalent of a few grains of sand. There have been several reports nationally of first responders accidentally overdosing on fentanyl through brief skin contact or the drug becoming airborne. It is best for first responders to remain wary to avoid any potential exposure. The American College of Medical Toxicology (ACMT) and the American Academy of Clinical Toxicology (AACT) suggest that nitrile gloves provide sufficient protection for handling fentanyl, and for "exceptional circumstances where the drug particles or droplets suspended in the air, an N95 respirator provides sufficient protection". Other environmental structures such as

streams, rivers, and lakes have been known to contain traces of opioids and other drugs within them. These traces come from excreted human urine and feces, or improper disposal of medications. The Environmental Protection Agency (EPA) suggests that while the risks of pharmaceuticals found in wastewater, ambient water, and drinking water are low, further research is needed. A worst-case scenario with substance use in Mifflin County would be a high number of overdoses among residents and insufficient first responder personnel and material resources.

*Figure 52 – Opioid Overdose Deaths in Pennsylvania 2021* and *Figure 53 – Opioid Overdose Deaths in Pennsylvania 2022* illustrate the number of deaths per county in the Commonwealth of Pennsylvania.


Figure 52 - Opioid Overdose Deaths in Pennsylvania 2021



Produced by MCM Consulting Group, Inc.

Page - 275

Figure 53 - Opioid Overdose Deaths in Pennsylvania 2022



Produced by MCM Consulting Group, Inc.

Page - 276

# 4.3.23. Terrorism and Cyberterrorism

## 4.3.23.1 Location and Extent

Following several serious international and domestic terrorist incidents during the 1990s and early 2000s, citizens across the United States paid increased attention to the potential for deliberate, harmful actions of individuals or groups. The term "terrorism" refers to intentional, criminal, malicious acts. The functional definition of terrorism can be interpreted in many ways. Officially, terrorism is defined in the Code of Federal Regulations as "…the unlawful use of force and violence against persons or property to intimidate or coerce a government, the civilian population, or any segment thereof, in furtherance of political or social objectives." (28 CFR §0.85)

Cyber-terrorism is the unlawful use of force and violence over technological methods to cause harm to financial security, identity information, personal information, and attacking personal computers, mobile phones, gaming systems, and other Bluetooth or wirelessly connected devices. Cyber-terrorism can be just as damaging to infrastructure as conventional terrorism, due to the large amount of business that is carried out over the internet, through wirelessly connected devices, or from employees of companies working remotely.

The Federal Bureau of Investigations (FBI) further characterizes terrorism as either domestic or international, depending on the origin, base, and objectives of the terrorist organization. Often, the origin of the terrorist or person causing the hazard is far less relevant to mitigation planning than the hazard itself and the consequences. However, it is important to consider that the prevalence of homegrown violent extremists (HVEs) has increased in recent years, with individuals able to become radicalized on the internet. In a speech on August 29, 2018, addressed to the 11<sup>th</sup> annual Utah National Security and Anti-Terrorism Conference, FBI Director Christopher Wray describes HVEs as "the primary terrorist threat to the homeland here today, without question."

Community lifeline facilities are either in the public or private sector that provide essential products and/or services to the general public. Community lifeline facilities are often necessary to preserve the welfare and quality of life in the county, or fulfill important public safety, emergency response, and/or disaster recovery functions. Community lifeline facilities identified in the county are hospitals and health care facilities, schools, childcare centers, fire stations, police departments, municipal buildings, and hazardous waste facilities. In addition to critical facilities, the county contains at risk populations that should be factored into a vulnerability assessment. These populations include not only the residents and workforce in the county, but also the tourists that visit the area on a daily basis, those that are traveling through the county on

any major highway and marginalized groups such as LGBTQ persons and racial, religious, or other minorities.

Potential targets include:

- Commercial facilities
- Family planning clinics/organizations associated with controversial issues
- Education facilities
- Events attracting large amounts of people
- Places of worship
- Industrial facilities, especially those utilizing large quantities of hazardous materials
- Transportation infrastructure
- Historical sites
- Cultural sites
- Government facilities

## 4.3.23.2 Range of Magnitude

Terrorism may include use of Weapons of Mass Destruction (WMD) (including chemical, biological, radiological, nuclear, and explosive weapons) which include arson, incendiary, explosive, armed attacks, industrial sabotage, intentional release of hazardous materials, and cyber-terrorism. Within these general categories, there are many variations. There is a wide variety of agents and ways for them to be disseminated, particularly in the case of biological and chemical weapons.

Terrorist methods can take many forms including:

- Active assailant
- Agri-terrorism
- Arson/incendiary attack
- Armed attack
- Assassination
- Biological agent
- Chemical agent
- Cyber-terrorism
- Conventional bomb or bomb threat
- Hijackings
- Release of hazardous materials

- Kidnapping
- Nuclear bomb
- Radiological agent

Active assailant incidents and threats can disrupt the learning atmosphere in schools, interfere with worship services, cause traffic to be re-routed, and use taxpayer assets by deploying police, EMS and/or fire units. Mifflin County has one school district (public schools K through 12<sup>th</sup> grade) that include nine primary, secondary, and high schools. There is one post-secondary school that is located in Mifflin County.

The areas along major transportation routes can be susceptible to forms of public transit terrorist attacks. More populated areas of the county, including the county seat of Lewistown, can be susceptible to chemical, biological, radiological, nuclear, or explosive (CBRNE) events due to the concentration and density of residential communities and government activity and buildings. Secondary effects from CBRNE incidents can be damaging as well. Mass evacuations could result in congestion of roadways and possibly result in breakdown of civil order, further exacerbating the situation. Government operations may be disrupted due to the need to displace or operate under reduced capacity. Radiation fallout, hazardous chemical introduction into the groundwater or biologic/germ agents can cause long-term environmental damage.

Cyber terrorism is becoming increasingly prevalent. Cyber terrorism can be defined as activities intended to damage or disrupt vital computer systems. These acts can range from taking control of a host website to using networked resources to directly cause destruction and harm. Protection of databases and infrastructure are the main goals for a safe cyber environment. Cyber terrorists can be difficult to identify because the internet provides a meeting place for individuals from various parts of the world. Individuals or groups planning a cyber-attack are not organized in a traditional manner, as they are able to effectively communicate over long distances without delay. The largest cyber terrorism threat to institutions comes from any processes that are networked or controlled via computers.

Ransomware continues to be the leading threat, with Maze ransomware accounting for nearly half of all known cases in 2020. Cybercriminals have increasingly begun to steal proprietary – and sometimes embarrassing – data before encrypting it. The cybercriminal will then threaten to publicly release the stolen files if the victims do not provide financial transactions.

# 4.3.23.3 Past Occurrence

In February of 2024, Pennsylvania was hit with a statewide court agency cyberattack that resulted in the online systems being disabled. The federal government lead cyber security

agency, the U.S. Department of Homeland Security, and the F.B.I. investigated the attack and it was ruled a "denial of service attack". Cyber terrorism events are becoming more common in areas of local government, and these include counties near Mifflin County, PA.

Significant international terrorism incidents in the United States include the World Trade Center bombing in 1993, the bombing of the Murrow Building in Oklahoma City in 1995, and the September 11<sup>th</sup>, 2001, attacks on the World Trade Center and the Pentagon. One of the aircrafts hijacked in the September 11<sup>th</sup> attacks crash landed in Somerset County, Pennsylvania before it reached its intended target. While fatalities and destruction at the intended target were avoided, all passengers on the flight perished.

While the largest scale terrorist incidents have often had international stimuli, many other incidents are caused by home grown actors who may have become radicalized through hate groups either in person or via the internet, and who may struggle with mental health issues. Hate groups such as the Ku Klux Klan (KKK), Aryan Nation, the New Black Panther Party, and more recently, the Alt-Right, Antifa, anarcho-communists, Proud Boys, plus conspiracy theorist believers/promoters such as QAnon, have been part of domestic terrorism in different forms. During the May 2020 George Floyd protests, anti-police individuals associated with one or more of the groups created incendiary devices to burn down the Minneapolis Third Precinct. On January 6, 2021, individuals associated with one or more of the groups, stormed the United States Capitol to disrupt the certification of the 2020 presidential election, resulting in five deaths and evacuation of Congress.

#### Active Shooters

An active assailant (shooter), as defined by the U.S. Department of Homeland Security, is an individual actively engaged in killing or attempting to kill people in a confined area, in most cases, active shooters use firearms and there is not necessarily a pattern or method to their selection of victims. Throughout the year in 2023, there were at least 656 mass shooting incidents in the United States according to the Gun Violence Archive. Often these shooters are HVEs. Two significant events have occurred in Pennsylvania in recent history: one occurred on October 27, 2018, when eleven people were killed by a gunman in the Pittsburgh neighborhood of Squirrel Hill; the gunman was a homegrown violent extremist and attacked the congregation of the Tree of Life Synagogue in a shooting that targeted the Jewish population and was fueled by the gunman's anti-Semitic, anti-immigrant, and anti-refugee sentiments. Another event occurred in January of 2019, where a gunman killed two people and permanently injured one inside P.J. Harrigan's bar in State College and later killed a homeowner and himself. One of the most tragic recent active shooters occurred in Uvalde, Texas, where an armored and masked

gunman entered the Robb Elementary School on May 24, 2022 and killed nineteen students and two teachers. Another active shooter event occurred on November 22, 2022 when an employee at a Walmart in Chesapeake, Virginia entered the breakroom of the Chesapeake Walmart and killed six individuals before taking his own life.

Other active shooter events in the United States in recent years include Virginia Tech (April 2007), Sandy Hook Elementary School (December 2012), San Bernardino, California (December 2015), an Aurora, Colorado movie theater (July 2012) a church in Charleston, South Carolina (June 2015). An *Active Shooter Incidents 20-Year Review* by the FBI concluded that there has been a significant recent increase in frequency of active shooter incidents, and that most shooters were male. The report documents data from all the incidents, including location, commercial environments, educational environments, open spaces, military and other government properties, residential locations, houses of worship, and health care facilities (FBI, 2021). *Figure 54 – Active Shooter Incidents – 20 Year Active Shooter Summary* is one page from the report that illustrates a numerical breakdown of shooting events for those twenty years. *Figure 55 – Education Environments* and *Figure 56 - Education Environments Continued* shows two more summary pages from the report that detail active shooter statistics in educational environments.

The complete report may be found here: <u>https://www.fbi.gov/file-repository/active-shooter-incidents-20-year-review-2000-2019-060121.pdf/view.</u>

## Cyber-Threats

While Mifflin County has not been the target of any critical cyber terrorist events, the county has seen multiple security breaches due to online phishing and other scams.

One hack attack took down the largest fuel pipeline in the U.S. and led to massive gasoline shortages; it was the result of a single compromised password. Hackers gained entry into the networks of Colonial Pipeline Company on April 29, 2021 through a virtual private network account, which allowed employees to remotely access the company's computer network. On May 7, 2021, a ransom of \$4.4 million was demanded by the hackers, causing Colonial to shut down the entire supply line, immediately prompting temporary gasoline shortages and panic buying up and down the East Coast. The hackers, who were an affiliate of a Russian-linked cybercrime group known as *DarkSide*, were paid the ransom. The hackers also stole nearly 100 gigabytes of data from Colonial Pipeline and threatened to leak it if the ransom was not paid, according to Bloomberg News.

Then, in early June 2021, JBS, the world's largest meat company by sales, paid an \$11 million ransom to cybercriminals who temporarily knocked out plants that process roughly one-fifth of the nation's meat supply. The ransom payment, in bitcoin, was made to shield JBS meat plants from further disruption and to limit the potential impact on restaurants, grocery stores and farmers that rely on JBS, according to the company.

The attack on JBS was part of a wave of incursions using ransomware, in which companies are hit with demands for multimillion-dollar payments to regain control of their operating systems. The attacks show how hackers have shifted from targeting data-rich companies such as retailers, banks and insurers to essential-service providers such as hospitals, transport operators and food companies.

# 4.3.23.4 Future Occurrence

The likelihood of Mifflin County being a primary target for a major international terrorist attack is small and unlikely. More likely terrorist activity in Mifflin County includes bomb threats or other incidents at schools. Mifflin County has one school districts consisting of nine public schools. Several private schools and colleges/universities are also located in Mifflin County. These locations are considered soft targets and may be vulnerable, especially to domestic incidents.

# 4.3.23.5 Vulnerability Assessment

Mifflin County should stay prepared for terroristic events. The existence of industrial commerce, interstate highways and freight railroad activity create soft targets that could be used to interfere with the focus of day-to-day life that the county experiences. It is important to note that the use of and exposure to biological agents can remain unknown for several days until the infected person(s), livestock, or crops begin to experience symptoms or show damages. Often such agents are contagious, and the infected person(s) must be quarantined, livestock culled, and/or crops destroyed.

Although previous events have not resulted in what are considered to be significant terrorist attacks, the severity of a future incident cannot be predicted with a total level of certainty. One of the major concerns with agroterrorism is that acts can be carried out with minimal planning, effort, or expense.

Acronis, a global technology company that develops on-premises and cloud software for backup, disaster recovery, and secure file sync and share and data access, issues an annual threat scape report on cybercrime. Entitled *The Acronis Cyberthreats Report*, it contains an indepth review of the current threat landscape and projections for the coming year. Based on the protection and security challenges that were amplified by the shift to remote work during the COVID-19 pandemic, Acronis warns aggressive cybercrime activities will continue as criminals pivot their attacks from data encryption to data exfiltration.


The major points illustrated in the report are as follows:


- Attacks against remote workers will increase due to the movement of workers to less secure working areas.
- Ransomware will look for new victims and will become more automated.
- Legacy IT and technical solutions will struggle to keep pace with ransomware and cybercrime attacks.

According to a study carried out on the data sourced from the Federal Bureau of Investigation, Pennsylvania is ranked second worst among states when it comes to handling cyber-attacks. The study made by Information Network Associates – an international security consulting company – says an increase of 25% was witnessed in cyber-attacks between 2016 and 2017. This illustrates the amount of preparation that must occur in the commonwealth so that it can better respond to potential cybercrime attacks.

The probability of terrorist activity is more difficult to quantify than some other hazards. Instead of considering the likelihood of occurrence, vulnerability is assessed in terms of specific assets. By identifying potentially at-risk terrorist targets in communities, planning efforts can be put in place to reduce the risk of attack. Planning should work towards identifying potentially at-risk critical infrastructure and functional needs facilities in the community, prioritizing those assets and locations, and identifying their vulnerabilities relative to known potential threats.


All communities in Mifflin County are vulnerable on some level, directly or indirectly, to a terrorist attack. However, communities with schools and government infrastructure like the county seat, should be considered more likely to attract terrorist activity.






Produced by MCM Consulting Group, Inc.

Page - 284






Produced by MCM Consulting Group, Inc.

Page - 285





Produced by MCM Consulting Group, Inc.

Page - 286

# 4.3.24. Transportation Accidents

# 4.3.24.1 Location and Extent

Transportation accidents are defined as accidents involving highway, air, and rail travel. These incidents are collectively the costliest of all hazards in the Commonwealth in terms of lives lost, injuries, and economic losses. The sheer number of roadways, coupled with the high volume of traffic, creates the potential for serious accidents along the roads and bridges. In Mifflin County there are 184 state-maintained and fifty-three locally maintained bridges, according to PennDOT. Major transportation routes in Mifflin County include U.S. Route 22, 322, and 522. Other state routes are also present in the county including PA Route 103, 333, 305, and 655. *Figure 57 – Major Transportation Routes* shows the major transportation systems in Mifflin County.

Mifflin County has one public airport; the Mifflin County Airport which is located five miles northwest of Reedsville. The airport is open to the public and has one asphalt runway that is 5001 x 75 feet. There exists a potential extent for air transportation accidents to occur due to the number of commercial air traffic that flyovers the county every day. However, a five-mile radius around each airport can be considered a high-risk area since most aviation incidents occur near take-off and landing sites, this can be seen in *Figure 58 – Airports and Vulnerability Zones*.

There are several freight and passenger rail lines in Mifflin County. The railroad companies that operate within Mifflin County include the National Railroad Passenger Corp., the Juniata Valley Railroad Company, the Mifflin County Industrial Development Corporation, and the SEDA-COG Joint Rail Authority. With the ability of these railroads for interchanging with other companies, goods can be transported virtually anywhere via rail from Mifflin County. Rail transportation accidents are generally classified as one of these three types:

- Derailment an accident on a railway in which a train leaves the rails.
- Collision an accident in which a train strikes something such as another train or highway motor vehicle.
- Other accidents caused by other circumstances like obstructions on rails, fire, or explosion.

Rail transportation is divided into two major categories: freight and passenger. Each category can be subdivided according to carrier type: major carrier and local/regional carriers. Rail accidents can occur anywhere along the miles of rail located in Mifflin County.

There are no active oil and gas wells located in Mifflin County, but pipeline infrastructure is seen in the county. There are three major pipeline companies that transport hazardous materials in and

through Mifflin County. Of these three major pipeline companies, one supplies natural gas only; one supplies natural gas and propane; and one supplies natural gas and hydrogen sulfide.

# 4.3.24.2 Range of Magnitude

Significant passenger vehicle, air, and rail transportation accidents can result in a wide range of outcomes, from damage solely to property, to serious injury or even death. Most motor vehicle crashes in Pennsylvania are non-fatal, but PennDOT estimates that every hour nine people are injured in a car crash, and every seven hours someone dies because of a car crash. Most fatal crashes occur in May and June, but the highest number of crashes overall occurs in October, November, and December. Inclement weather, high traffic volumes, and high speeds increase the risk for automobile accidents.

Railway and roadway accidents have the potential to result in hazardous materials release. Railroad accidents occur with less frequency than highway accidents. However, when these types of incidents occur, they often cause extensive property damage and have the potential to cause serious injuries or deaths.

A worst-case scenario for a transportation accident impacting the county would occur if a road or rail accident resulted in a hazardous material spill in Lewistown Borough, which is the most populous municipality with 8,157 residents as of the 2020 U.S. Census and it is the county seat. Such an event would constitute an immediate health hazard to the population and require evacuation.

## 4.3.24.3 Past Occurrence

*Table 72 – PennDOT Crash Report for Mifflin County* shows crash statistics recorded by the Pennsylvania Department of Transportation between 2010 and 2022. Reports for 2023 were not available at the time of this report. The year 2018 had the most total crashes in Mifflin County while 2012 had the fewest total crashes. The number of total crashes has increased between 2020 and 2022 in the county. The most crashes involving both trains and vehicles occurred in 2021 with a total of two crashes happening in the county.

The majority of municipalities noted, on the municipality hazard identification and risk evaluation worksheet, that transportation accidents have not seen a major change in frequency or impact in Mifflin County over the past five years. However, a few municipalities did note an increase in transportation accidents and contributed the increase to an influx of travel through Mifflin County.

Table 72 - PennDOT Crash Report for Mifflin County

	PennDOT Crash Report for Mifflin County											
	Veh	icle accident	s for Miffli	in County		Vehicle Accident Deaths for Mifflin County						
Year	Total	Fatal Accidents	Injury Crashes	y Damage Accident Fatal		Alcohol- Related Fatalities	Pedestrian Fatalities	with Motor Vehicle Crashes/ Fatalities				
2010	385	7	182	196	8	2	0	0				
2011	386	7	178	201	9	3	0	0				
2012	354	4	126	214	4	1	0	0				
2013	418	9	180	229	9	2	4	0				
2014	366	4	166	196	5	0	1	1/1				
2015	459	3	206	250	4	0	0	0				
2016	451	3	171	277	3	1	2	0				
2017	453	6	172	275	7	2	1	0				
2018	469	2	163	304	2	1	0	1/0				
2019	441	7	169	265	7	2	0	1/0				
2020	361	10	143	208	11	2	0	0				
2021	389	5	149	235	5	2	0	2/0				
2022	401	7	147	247	8	2	0	0				

## 4.3.24.4 Future Occurrence

Mifflin County's population has decreased over the last decade, so it can be assumed that local traffic has decreased slightly as well. However, with the increasing volume of goods and trucking through the county, transportation accidents will continue to occur routinely. Hazardous material release through transportation accidents is difficult to predict but can be assumed to happen in future events as well. The U.S. Census Bureau reports the mean travel time to work for those aged 16 plus is approximately twenty-four minutes. Automobile accidents occur frequently, and typically occur more frequently than rail or aviation accidents. In the case of highway accidents, PennDOT has enacted measures to reduce the number of highway transportation accidents through programs such as the Pennsylvania Highway Safety Corridor. In this program, PennDOT designates sections of highway where traffic citation fines are doubled in the hopes that higher fines will deter unsafe driving and reduce accidents. Transportation accidents are impossible to predict accurately; however, areas prone to these hazards can be located, quantified through analysis of historical records, and plotted on countywide and municipal base maps.


## 4.3.24.5 Vulnerability Assessment

A transportation accident can occur anywhere in Mifflin County. However, severe accidents are more likely to occur on the county's major highways due to the heavier traffic volumes which make highways extremely vulnerable. The vulnerability for accidents on either highway, railway, or aviation, are directly related to the population and traffic density within the county. The vulnerability increases if there are hazardous materials involved. Hazards associated with causing transportation accidents can include natural hazards that affect the environment, such as winter storms or heavy rains that cause slippery roadways or mud slides, to windstorms or tornadoes that cause high-profile vehicles or train cars to topple over. Loss of roadway use, and public transportation services would affect commuters, employment, delivery of critical municipal and emergency services, and day-to-day operations within the county.

With highway accidents, there is an added vulnerability that stems from the age and upkeep of bridges throughout the county. Unrepaired, deficient bridges may be more likely to break, thus leading to highway transportation damages or deaths. 11.39% of Mifflin County bridges are in poor condition, indicating a vulnerability to transportation accidents, while 48.10% remain in fair condition, and 40.51% are in good condition.

Studying traffic and potential transportation accident patterns could provide information on vulnerability of specific road segments and nearby populations. Increased understanding of the types of hazardous materials transported through the county will also support mitigation efforts. Maintaining a record of these frequently transported materials can facilitate development of preparatory measures for response to a release. *Figure 59–Average Daily Traffic on Major Highway Vulnerability* identifies all major highways and railroads within Mifflin County.


Figure 57 - Major Transportation Routes



Produced by MCM Consulting Group, Inc.


Page - 291


Figure 58 - Airports and Vulnerability Zones



Produced by MCM Consulting Group, Inc.


Page - 292





Produced by MCM Consulting Group, Inc.

Figure 60 - Mifflin County Truck Percentages



Produced by MCM Consulting Group, Inc.



## 4.3.25. Urban Fire and Explosion

## 4.3.25.1 Location and Extent

Urban fire and explosion hazards incorporate vehicle and building/structure fires, as well as overpressure ruptures, overheat explosions, or other explosions that do not ignite. Statewide, this hazard is most problematic in the denser, and more urbanized areas, occurring most often in residential structures (US Fire Administration, 2009). Urban fires can more easily spread from building to building in denser urban areas.

According to the U.S. Census Bureau, 2020 U.S. Census, Mifflin County has approximately 21,485 housing units. Buildings that were constructed fifty or more years ago are at a higher risk of urban fires due to improvement in fire safety engineering practices. Nearly 28.2% of all structures in Mifflin County were built before 1940, with a majority of housing units built before 1939.

Fires can start from numerous causes including human errors or electrical malfunctions. Most fires are small and have little impact on the greater community other than possibly increasing insurance rates. Oftentimes large urban fires are the result of other hazards such as storms, droughts, transportation accidents, hazardous material spills, arson, or terrorism.

Natural gas exploration and extraction sites can be associated with fires and explosion events. Well flares regularly burn off excess gas, and if improperly managed, such activities can be dangerous for the surrounding areas.

## 4.3.25.2 Range of Magnitude

Urban fires can occur in any populated area, and fires affecting one structure happen quite often. Urban fires are most threatening when the fire can rapidly spread from one structure to another. Mifflin County is largely rural/semi-rural and does not have significant expanses of dense population.

Damages from fire and explosions ranges from minor smoke inhalation and/or water damage to the destruction of buildings. A worst-case scenario for any fire and or explosion would be in injuries and/or death of the occupants of the structures and the potential of injury or death of firefighters.

There are economic consequences related to a fire and explosion hazard, including:

- Loss in wages due to temporarily or permanently closed businesses
- Destruction and damage to business and personal assets

- Loss of tax base
- Recovery costs
- Loss related to the ability of public, private, and non-profit entities to provide postincident relief.

The secondary effects of urban fire and explosion events relate to the ability of public, private, and non-profit entities to provide post-incident relief. Human services agencies (community support programs, health and medical services, public assistance programs and social services) can be affected by urban fire and explosion events. Effects include causing physical damage to facilities and equipment, disruption of emergency communications, loss of health and medical facilities and supplies, and an overwhelming load of victims who are suffering from the effects of the urban fire, including loss of their home or place of business.

## 4.3.25.3 Past Occurrence

From 1910 to 1990, the Commonwealth of Pennsylvania experienced 13 major fires in suburban and urban settings, and 10 of them occurred after 1980. Between 1978 and 1982, the average number of deaths per fire was 2.7. After October 1990, the average number of deaths per fire decreased. *Table 73 - Mifflin County Fire Occurrence* reflects the major fires and explosions that have occurred in Mifflin County since the year 2020.

Mifflin County Fire Occurrences									
Location	Date	Event							
Derry Township	10/02/2020	Tractor trailer fire							
Lewistown Borough	04/19/2022	Structure fire							
Lewistown Borough	04/27/2022	Fire in the Krentzman's scrapyard							
Lewistown Borough	07/09/2022	Kish apartment's fire							
Source: Mifflin County Reporting System, 2024									

Table 73 - Mifflin County Fire Occurrence

As of January 2024, there were no active natural gas wells in Mifflin County (PA DEP, 2024). If active gas wells were to come into Mifflin County, these locations should be closely monitored, and safety protocols should be strictly adhered to in order to avoid explosions and starting fires. Mifflin County utilizes a database system called WebEOC to track incidents within the county. However, no such data was available to refence for urban fires or explosions during the development of this report, and as such no detailed report of past events can be displayed at this time.

## 4.3.25.4 Future Occurrence


Small urban fires occur regularly and usually cause little damage. Areas with greater population and an increased rate of population density are at greater risk for future urban fires and explosions. The more urban areas of Mifflin County include Lewistown Borough and Burnham Borough.

Any new construction must comply with PA Department of Labor's statewide uniform construction codes. One requirement in the construction codes is automatic sprinkler requirements for buildings other than one- and two-family dwellings. In most cases, this requirement will contain fires to the point of origin.

## 4.3.25.5 Vulnerability Assessment

Fire and explosion vulnerability greatly depends on the vulnerability of other hazards. Most fires result from the secondary effect of another hazard. The probability of a fire or explosion occurring increases with population and economic growth. The natural gas industry and exploration is active and growing in Mifflin County, and with it comes greater risk for fire and explosion. Urban fire risk also increases as the use of wood burning and kerosene space heaters increases. The elderly (those 65 years and older) tend to be more vulnerable to structure fires than other age groups, and often experience the highest number of deaths per fire. Older structures are more vulnerable to urban fire, and fires can spread faster to each other in areas with higher concentrations of housing. Potential secondary effects of urban fires include utility interruption and hazardous material spills. The following map *Figure 61 - Mifflin County Working Fires* identifies previous fires as well as which of those resulted in fatalities.

Figure 61 - Mifflin County Working Fires



Produced by MCM Consulting Group, Inc.

Page - 298

## 4.3.26. Utility Interruption

## 4.3.26.1 Location and Extent

Utility interruptions can occur from an internal system failure or as a secondary impact of another hazard, such as windstorm, winter storm, extreme temperatures, or a traffic accident. Strong adverse weather conditions and storms can cause widespread disruptions in electric and telecommunications service due to power lines being brought down by falling tree branches across a region. Strong heat waves may result in rolling blackouts where power may not be available for an extended period, impacting air conditioning across a region. Space weather, specifically solar flares, can also pose a threat to utility service across the globe. Although uncommon, the northeastern seaboard and the north central regions of the United States are particularly susceptible to this hazard.

The age of utility infrastructure also plays a role in interruptions, causing longer periods of outages in a larger area. Natural gas, water, telecommunications, and electric capabilities can all experience disruptions. Worker strikes at power generation facilities have also been known to cause minor and temporary power outages and failures. Other causes for minor power outages include but are not limited to vehicle accidents and wire destruction due to animals or wildlife. Outages can also be caused by blown transformers or tripped circuit breakers in the electric system. Major power outages typically occur on a regional scale and can last both short term and long term.

The list of utility providers in Mifflin County is shown in *Table 74 – Mifflin County Utility Providers*.

Mifflin County Utility Providers							
Utility Type	Name of Utility Provider						
Electricity	Penelec, Valley Rural Electric Cooperative						
Telephone/9-1-	Verizon, AT&T, Sprint, Century Link						
1/Wireless							
	Eastern Gas Transmission and Storage, Texas Eastern						
Natural Gas	Transmission, LP (Enbridge), Penn Fuel Gas, Inc., Interboro Gas						
	Company, UGI Utilities, Inc., Lewistown Gas Company						
	Granville Township Municipal Authority, McVeytown Borough						
Water	Authority, Allensville Municipal Authority, Lewistown Borough						
	Municipal Authority, Mifflin County Municipal Authority						

Table 74 - Mifflin County Utility Providers

Mifflin County Utility Providers							
Utility Type	Name of Utility Provider						
Source: PA Public Utility Com	Source: PA Public Utility Commission, 2024						

## 4.3.26.2 Range of Magnitude

Utility interruptions do not typically lead to large-scale problems by themselves. Typically, human casualties are not a direct result from outages. Many utility interruptions occur during storms or other severe weather events, and they can have secondary consequences. Typical secondary effects from a power outage can include a delay in emergency response and those services arriving in timely manner. A lack of potable drinking water can also become a major issue for areas impacted by utility interruptions.

## Electricity:

Interruptions or power failures could have the following impacts:

- Public safety concerns
- Food spoilage
- Loss of heating or air conditioning
- Basement flooding due to sump pump failure
- Loss of indoor lighting
- Loss of internet service
- Stopped and stalled elevators
- Direct economic impact from retail settings

Of all the above listed impacts, the loss of heating or air conditioning poses the greatest risk to the elderly and very young populations during times of extreme temperature. Prolonged power outages also pose a risk to residents that rely on home-based medical equipment such as home-supply oxygen units. Some of the issues that are listed above can be considered more of a nuisance than a hazard, such as food spoilage due to long-term electrical outages. However, significant damage or harm can occur depending on the population affected, the duration, and the severity of the outage.

A worst-case scenario for the utility interruptions would be a county-wide power outage during winter months, forcing the evacuation of vulnerable populations to facilities outside of the county or to warming shelters within the county.

Fuel:

Interruptions of the transportation of gas and other products used for fuel can lead to a loss of heating and manufacturing capabilities. This can adversely affect the economic stability of a region and the production of needed products for consumption.

## **Telecommunications:**

Interruptions to telecommunications systems include impacts to the 9-1-1 capabilities of a region, telephone, and internet service. The greatest risk in losing this utility to interruption is the risk of an emergency not being able to be reported to a public safety answering point (PSAP). Extensive loss of telephone and internet service can be detrimental to government, businesses, and to residents. With much of the country now dependent on wireless networks, signal interruptions can cause a large issue for people who are utilizing wireless telecommunications for work. There are also many concerns regarding safety and internet security due to the increase in people working over wireless networks that occurred during the COVID-19 pandemic. These interruptions and issues can be detrimental for the Mifflin County workforce.

### 4.3.26.3 Past Occurrence

Minor utility interruptions occur annually in Mifflin County and occur most often in conjunction with winter weather and/or windstorms. Mifflin County utilizes a database system called WebEOC to track incidents within the county. However, no such data was available for reference during the development of this report. *Table 75 – Utility Interruptions in Mifflin County* illustrates the number of interruptions to electric, natural gas, telecommunications, and water services between 2013 and the writing of this plan.

Utility Interruptions in Mifflin County							
Date	Event Type	Municipality					
11/28/2013	Power Outage with 911 Tower Affected	N/A					
01/07/2014	Power Outage	N/A					
05/20/2014 - 05/22/2014	Boil Water Advisory	N/A					
07/02/2014 - 07/03/2014	Phone Outage	N/A					
08/05/2014 - 08/06/2014	Utility Emergency	N/A					
02/06/2015	911 Outage	N/A					
05/20/2015	Gas Line Ruptured	N/A					
06/08/2015	Power Outage	N/A					
07/20/2015 - 08/13/2015	Boil Water Advisory	N/A					
12/14/2015 - 12/15/2017	Phone Outage	N/A					

Table 75 - Utility Interruptions in Mifflin County

Utility Interruptions in Mifflin County							
Date	Event Type	Municipality					
01/06/2017 - 01/18/2017	Phone Service Issue	N/A					
09/04/2017	Telecomm Outage	N/A					
09/20/2017 - 09/26/2017	Water Main Break	N/A					
10/02/2017	Power Outage	N/A					
03/06/2018 - 03/08/2018	Boil Water Advisory	N/A					
03/26/2018 - 04/05/2018	Boil Water Advisory	N/A					
08/04/2020	Power Failure	N/A					
08/17/2020	PSAP Service Disruption	Mifflin County					
10/08/2020	PSAP Service Disruption	Mifflin County					
06/09/2021	Down Utility Pole	Granville Townshi					
08/02/2021	911 Trunk Outage	Mifflin County					
08/12/2021	911 Trunk Outage	Mifflin County					
08/26/2021	911 Trunk Outage	Mifflin County					
09/02/2021	Water Main Break	Brown Township					
12/27/2021	Down Wires	Lewistown Boroug					
02/24/2022	Down Wires	Lewistown Boroug					
08/15/2022	Boil Water Advisory	Lewistown Boroug					
09/28/2022	Verizon Outage	Mifflin County					
10/02/2022	Verizon Outage	Mifflin County					
09/07/2023	911 Outage	Mifflin County					
10/02/2023	Gas Line Struck	Lewistown Boroug					
ource: Mifflin County 2019 HMP, Miffli	n County Office of Public Safety, 2024						

The Pennsylvania Public Utility Commission tracks the reliability of electric distribution companies (EDC) and outages. *Table 76 – 2018 Winter Storms Riley and Quinn Power Outages* by EDC compares the customers affected by power outage in Pennsylvania during these storm events and compares the to statistics from Nika from 2014 and Sandy from 2012. Some of the EDCs were not impacted by Winter Storm Quinn. PP&L customers experienced power outages for a duration of eight days with Winter Storm Quinn and Winter Storm Riley, whereas during Sandy in 2012, the duration was nine days. Nika in 2014 had a duration of just over three days.

2018 Winter Storms Riley and Quinn Power Outages										
Electric Distribution Company	Customers affected by storms Riley and Quinn 2018 (Percentage of total customers)	Customers affected by Nika 2014 (Percentage of total customer)	Customers affected by Sandy 2012 (Percentage of total customers)							
Met-Ed	272,928 (49.22%)	144,000 (26.00%)	298,300 (54.00%)							
PECO	794,969 (46.76%)	723,681 (42.00%)	845,703 (54.20%)							
Penelec	90,856 (15.61%)	N/A	96,847 (16.40%)							
PCLP	2,101 (47.44%)	N/A	4,487 (100.00%)							
PP&L	261,341 (18.67%)	92,283 (7.00%)	523, 936 (37.50%)							
Total:	1,422,195	959,964	1,769,273							
Source: Winter Storm	Source: Winter Storm Riley and Quinn Report 2019									

Table 76 - 2018 Winter Storms Riley and Quinn Power Outages

Other past significant events of utility interruptions in the United States occur on a regional basis and can have varied effects related to number of impacted customers. A large water treatment plant failure occurred in Jackson, Mississippi in August of 2022 after flooding impacted the treatment facility. The city of Jackson was left without safe drinking water for close to two months until the water was deemed safe and potable in October of 2022. This event stood out as a large scale failure of community lifelines and utilities. This event also opened discussions related to equity in infrastructure repairs, as the repairs took a significant amount of time in a vulnerable socio-economic area. An attack on an electrical grid and power substations in North Carolina in December of 2022 left almost 45,000 people without power and reliant heat during the cold temperatures of January.

## 4.3.26.4 Future Occurrence

Utility Interruptions are difficult to predict, and minor interruptions may occur several times a year to all utilities. Even so, utility interruptions occur more frequently as a secondary factor to severe weather events or transportation accidents.

Space weather is getting more attention as an infrastructure risk due in part to a March 2020 report by the United States Geological Survey (USGS). The report noted that geomagnetic storms caused by the dynamic action of the Sun and solar wind on the space environment surrounding the Earth can generate electric fields in the Earth's crust and mantle. These electric fields can interfere with the operation of grounded electric power-grid systems. Geomagnetic storms occur only occasionally, but when sufficiently energetic they can produce blackouts on a large scale.

As utility infrastructure ages, interruption events could occur more frequently if the maintenance of the infrastructure is not maintained. Utility providers can reduce Mifflin County's vulnerability to power outages by implementing improvement plans for utility infrastructure. Total replacement is not a feasible solution to the issue, but compromises can be reached to ensure that the new and old equipment along a utility line can work together efficiently.

Utility interruptions could see direct impacts based on climate change in Mifflin County. Prolonged heat waves caused by climate change could stress a power grid that was not specifically designed for increased heat exposure. Increased intensity of winter storms is of particular concern for the Commonwealth of Pennsylvania, as power outages can occur from lines being brought down by ice and snow.

## 4.3.26.5 Vulnerability Assessment

Resources such as electricity, communications, gas, and water supply are critical to ensure the health, safety, and general welfare of the citizenry. *Figure* 62 - Mifflin County Utilities illustrates the approximate locations of service lines and pipelines throughout Mifflin County.

Power outages can cause even greater detriment to at-risk and vulnerable populations, such as elderly (e.g., supplemental oxygen power needs) or those with functional and access needs to consider. All critical infrastructure is vulnerable to the effects of a power surge. The probability of a large-scale, extended utility failure is low; however, small-scale failures lasting short periods of time occur annually.

Long-term care facilities, senior centers, hospitals, and emergency medical facilities are all vulnerable to utility interruptions. Often back-up power generators are used at these facilities to offset electrical needs during extreme hot or cold temperature events. However, these back-up power generators must be maintained, and fuel supplies must be secured in advance of the utility interruption to ensure a seamless transition from the everyday, grid power source to the emergency generator. When officials consider maintenance and supplies for a facility, long-term use of back-up generators should be planned.

## Electricity:

Severe weather is one of the largest causes of power loss. The electric power grid infrastructure can be damaged by snow, ice, high winds, lightning, flooding, falling tree limbs, and vehicle accidents involving utility poles. Small animals can also cause minor power outages by climbing along the lines and shorting out the system.

Causes of a regional scale power outage or failure could be from infrastructure failure, sabotage, human error, or worker strikes. Community lifeline facilities are vulnerable to utility

interruptions, especially the loss of power. The establishment of reliable backup power at these facilities is extremely important to provide continued support of the health, safety, and well-being of Mifflin County residents and visitors.

The occurrence of severe weather related utility interruptions will increase due to climate change in the Commonwealth of Pennsylvania and the United States as a whole. Climate change will cause weather to become more severe on a more frequent basis.

## Water:

Water distribution can be affected in three ways.

- The amount of water available (depends on nature)
- The quality of the water (depends on human responsibility)
- The viability of the physical components of the distribution system

Well contamination or water shortages due to drought could pose a high vulnerability to local water distribution. Drought events will continue to occur more frequently as climate change alters that available amount of ground water for consumption. This will result in greater well shortages and water utility interruptions for citizens that have well water.

Water contamination can occur naturally, by human error, or intentionally. Releases of manure and milk into the water supply can cause contamination. Overflows from sewage systems and lagoons on farms can also cause contamination of groundwater and drinking water. There are times when accidental spills and releases of hazardous materials contaminate water supplies, thereby, water supplies along transportation routes may be affected.

## Gas and Liquid Pipelines:

Interruptions to natural gas distribution lines could be affected by:


- Deterioration of line and facilities
- Puncturing the distribution lines by humans (either intentional or accidental)
- Coastal or winter storms
- Extreme heat or cold events
- Transportation accidents

## Communications:

Interruptions in communications could be caused as a secondary effect of storms or high winds, infrastructure failure, or by humans (intentional or accidental). A loss of communications by emergency services would be devastating to the population of Mifflin County if 9-1-1 calls could not be received, or if emergency units could not be dispatched properly and/or timely.

No data regarding economic impacts from utility interruptions in Mifflin County are available. However, utility interruptions can cause economic impacts stemming from lost income, spoiled food and other goods, costs to the owners or operators of the utility facilities, and costs to government and community service groups.

Figure 62 - Mifflin County Utilities



Produced by MCM Consulting Group, Inc.

Page - 307

## 4.4. Hazard Vulnerability Summary

## 4.4.1. Methodology

Ranking hazards helps communities set goals and priorities for mitigation based on their vulnerabilities. A risk factor (RF) is a tool used to measure the degree of risk for identified hazards in a particular planning area. The RF can also assist local community officials in ranking and prioritizing hazards that pose the most significant threat to a planning area based on a variety of factors deemed important by the planning team and other stakeholders involved in the hazard mitigation planning process. The RF system relies mainly on historical data, local knowledge, general consensus from the planning team and information collected through development of the hazard profiles included in Section 4.3. The RF approach produces numerical values that allow identified hazards to be ranked against one another; the higher the RF value, the greater the hazard risk.

RF values were obtained by assigning varying degrees of risk to five categories for each of the hazards profiled in the HMP update. Those categories include *probability*, *impact*, *spatial extent*, *warning time and duration*. Each degree of risk was assigned a value ranging from one to four. The weighting factor agreed upon by the planning team is shown in *Table 77 – Risk Factor Approach Summary – Equation* To calculate the RF value for a given hazard, the assigned risk value for each category was multiplied by the weighting factor. The sum of all five categories equals the final RF value, as demonstrated in the following example equation:

Table 77 - Risk Factor Approach Summary – Equation

# Risk Factor Value = [(Probability x .30) + (Impact x .30) +(Spatial Extent x .20) + (Warning Time x .10) + (Duration x .10)]

*Table 78 – Risk Factor Approach Summary* summarizes each of the five categories used for calculating a RF for each hazard. According to the weighting scheme applied, the highest possible RF value is 4.0.

#### Table 78 - Risk Factor Approach Summary

RISK ASSESSMENT CATEGORY		DEGREE OF RIS	SK		WEIGHT	
	LEVEL	CRIT	ERIA	Risk.         INDEX         1         2         3         4         1         2         3         4         1         2         3         4         1         2         3         4         1         2         3         4         1         2         3         4         1         2         3         4	VALUE	
	UNLIKELY	LESS THAN 1% ANNUAL PROBA	BILITY	1		
<b>PROBABILITY</b> What is the likelihood of a	POSSIBLE	BETWEEN 1 & 10% ANNUAL PRO	BABILITY	2	2011	
hazard event occurring in a given year?	LIKELY	BETWEEN 10 &100% ANNUAL PR	OBABILITY	3	30%	
	HIGHLY LIKELY	100% ANNUAL PROBABILTY	RIAINDEITY1BILITY2ABILITY344MINOR PROPERTY DAMAGE TY OF LIFE. TEMPORARY ES.1N 10% OF PROPERTY IN STROYED. COMPLETE ES FOR MORE THAN ONE2BLE. MORE THAN 25% OF MAGED OR DESTROYED. AL FACILITIES FOR MORE3SS POSSIBLE. MORE THAN VA OF CRITICAL FACILITIES4O1TED2CTED3CTED4OTTE: Levels of warning time and tieria that define them may be justed based on hazard 	4		
IMPACT In terms of injuries, damage, or death, would you anticipate impacts to be minor, limited, critical, or catastrophic when a significant hazard event occurs?	MINOR LIMITED CRITICAL	& MINIMAL DISRUPTION ON QUA SHUTDOWN OF CRITICAL FACIL MINOR INJURIES ONLY. MORE TI AFFECTED AREA DAMAGED OR SHUTDOWN OF CRITICAL FACIL DAY. MULTIPLE DEATHS/INJURIES PO	VERY FEW INJURIES, IF ANY. ONLY MINOR PROPERTY DAMAGE & MINIMAL DISRUPTION ON QUALITY OF LIFE. TEMPORARY SHUTDOWN OF CRITICAL FACILITIES. MINOR INJURIES ONLY. MORE THAN 10% OF PROPERTY IN AFFECTED AREA DAMAGED OR DESTROYED. COMPLETE SHUTDOWN OF CRITICAL FACILITIES FOR MORE THAN ONE DAY. MULTIPLE DEATHS/INJURIES POSSIBLE. MORE THAN 25% OF PROPERTY IN AFFECTED AREA DAMAGED OR DESTROYED.			
	CATASTROPHIC	50% OF PROPERTY IN AFFECTED	THAN ONE WEEK. HIGH NUMBER OF DEATHS/INJURIES POSSIBLE. MORE THAN 50% OF PROPERTY IN AFFECTED AREA DAMAGED OR DESTROYED. COMPLETE SHUTDOWN OF CRITICAL FACILITIES			
	NEGLIGIBLE	LESS THAN 1% OF AREA AFFECT	TED	1		
n terns of injuries, damage, or eath, would you anticipate npacts to be minor, limited, ritical, or catastrophic when a ignificant hazard event occurs? SPATIAL EXTENT low large of an area could be npacted by a hazard event? Are npacts localized or regional? WARNING TIME	SMALL	BETWEEN 1 & 10% OF AREA AFF	ECTED	2	2024	
impacted by a hazard event? Are impacts localized or regional?	MODERATE	BETWEEN 10 & 50% OF AREA AF	FECTED	3	20%	
* 	LARGE	BETWEEN 50 & 100% OF AREA A	FFECTED	INDEX       V         1       2         3       4         2       3         4       2         3       4         2       3         4       4         1       2         3       4         1       2         3       4         1       2         3       4         1       2         3       4         1       2         3       4         1       2         3       4         1       2         3       4         2       3         4       1         2       3         4       2         3       4		
WADNING OD 45	MORE THAN 24 HRS	SELF-DEFINED		1		
Is there usually some lead time	12 TO 24 HRS	SELF-DEFINED	(NOTE: Levels of warning time and criteria that define them may be	2	10%	
event? Have warning measures	6 TO 12 HRS	SELF-DEFINED	adjusted based on hazard addressed.)	3	10%	
been implemented?	LESS THAN 6 HRS	SELF-DEFINED		4		
	LESS THAN 6 HRS	SELF-DEFINED		1		
DURATION	LESS THAN 24 HRS	SELF-DEFINED	(NOTE: Levels of warning time and criteria that define them may be	2		
How long does the hazard event usually last?	LESS THAN 1 WEEK	SELF-DEFINED	adjusted based on hazard addressed.)	3	10%	
	MORE THAN 1 WEEK	SELF-DEFINED		4		

## 4.4.2. Ranking Results

Using the methodology described in Section 4.4.1, *Table 79 – Risk Factor Assessment* lists the risk factor calculated for each of twenty-six potential hazards identified in the 2025 HMP. Some of the twenty-six hazards identified for the Mifflin County Hazard Mitigation Plan have been split for the risk factor assessment process because they are unique hazards. Hazards identified as *high* risk have risk factors greater than 2.5. Risk factors ranging from 2.0 to 2.4 were deemed *moderate* risk hazards. Hazards with risk factors 1.9 and less are considered *low* risk.

Table 79 - Risk Factor Assessment

Miffli	n County Hazard Ranking Based o	on Risk	Factor.	Assessm	ent Me	thodolo	gу
		RISK	ASSES	SMENT	CATEC	GORY	
Hazard Risk	Hazard Natural (N) or Human Caused (H)	Probability	Impact	Spatial Extent	Warning Time	Duration	RISK FACTOR (RF)
	Substance Use Disorder	4	3	4	4	4	3.7
	Invasive Species	3	4	4	1	4	3.4
	Pandemic and Infectious Disease	4	3	4	1	4	3.4
	Cyberterrorism	4	3	2	4	3	3.2
	Extreme Temperatures	4	2	4	1	3	3.0
	Subsidence and Sinkhole	4	2	2	4	4	3.0
HIGH	Drought	3	3	3	1	4	2.9
mon	Radon Exposure	4	2	3	1	4	2.9
	Lightning Strike	4	1	4	4	1	2.8
	Winter Storms	3	2	4	1	3	2.7
	Dam Failure	1	4	3	3	3	2.7
	Flash Flooding	3	2	2	4	2	2.5
	Utility Interruption	4	1	2	4	2	2.5
	Blighted Properties	4	2	1	1	4	2.5
	Terrorism	3	2	2	4	1	2.4
	Hurricane and Tropical Storm	2	2	4	1	2	2.3
	Disorientation	4	1	1	4	2	2.3
MODERATE	Transportation Accidents	3	2	1	4	2	2.3
	Tornado and Windstorm	4	1	1	4	1	2.2
	Environmental Hazards	2	2	2	4	1	2.1
	Flood	2	2	2	1	3	2.0

Miffli	n County Hazard Ranking Based	on Risk	Factor	Assessm	ent Me	thodolo	ду
		RISK	ASSES	SMENT	CATEC	GORY	
Hazard Risk	Hazard Natural (N) or Human Caused (H)	Probability	Impact	Spatial Extent	Warning Time	Duration	RISK FACTOR (RF)
	Urban Fire and Explosion	2	2	1	4	2	2.0
	Drowning	2	1	1	4	1	1.6
	Landslide	1	1	2	4	1	1.5
	Wildfire	1	1	1	4	2	1.4
LOW	Building and Structure Collapse	1	1	1	4	1	1.3
	Nuclear Incidents	1	1	1	4	1	1.3
	Civil Disturbance	2	1	1	1	1	1.3
	Ice Jam Flood	1	1	1	1	3	1.2

Based on these results, there are fourteen high risk hazards, eight moderate risk hazards, and seven low risk hazards in Mifflin County. Mitigation actions were developed for all high, moderate, and low risk hazards (see section 6.4). The threat posed to life and property for moderate and high-risk hazards is considered significant enough to warrant the need for establishing hazard-specific mitigation actions. Mitigation actions related to future public outreach and emergency service activities are identified to address low risk hazard events.

A risk assessment result for the entire county does not mean that each municipality is at the same amount of risk to each hazard. *Table 80 – Countywide Risk Factor Assessment* shows the different municipalities in Mifflin County and the assigned score based on municipality input for each hazard. This table was developed by the consultant based on the findings in the hazard profiles located in sections 4.3.1 through 4.3.26.

Table 80 - Countywide Risk Factor

Calculated Countywide Risk Factor by Hazard and Comparative Jurisdictional Risk									
IDENTIFIED HAZA	ARD AN	D CORR	ESPOND	ING CO	UNTYW	IDE RIS	K FACT	OR	
JURISDICTION	Substance Use Disorder	Invasive Species	Pandemic and Infectious Disease	Cyberterrorism	Extreme Temperatures	Subsidence and Sinkhole	Drought	Radon Exposure	Lightning Strike
	3.7	3.4	3.4	3.2	3.0	3.0	2.9	2.9	2.8
Armagh Township	3.1	2.5	2.8	3.7	2.5	3.1	3.1	1.3	2.5
Bratton Township									
Brown Township									
Burnham Borough									
Decatur Township									
Derry Township	1.6	1.8	2.5	2.0	2.1	1.6	2.2	1.5	2.5
Granville Township									
Juniata Terrace Borough									
Kistler Borough									
Lewistown Borough	1.3	2.2	2.5	1.4	2.1	1.3	1.5	2.4	1.6
McVeytown Borough									
Menno Township	3.7	3.4	3.4	3.0	3.0	3.0	2.9	2.9	2.8
Newton Hamilton Borough									
Oliver Township									
Union Township									
Wayne Township									

## Mifflin County, Pennsylvania 2025 Hazard Mitigation Plan

Calculated Countywide Risk Factor by Hazard and Comparative Jurisdictional Risk									
IDENTIFIED HAZA	ARD AN	D CORR	ESPOND	ING CO	UNTYW	IDE RIS	K FACT	OR	
JURISDICTION	Winter Storms	Dam Failure	Flash Flooding	Utility Interruption	Blighted Properties	Terrorism	Hurricane and Tropical Storm	Disorientation	Transportation Accidents
	2.7	2.7	2.5	2.5	2.5	2.4	2.3	2.3	2.3
Armagh Township	3.8	3.1	3.6	3.6	3.7	3.4	2.9	1.6	3.1
Bratton Township									
Brown Township									
Burnham Borough									
Decatur Township									
Derry Township	2.4	2.8	2.1	2.0	1.3	2.8	2.2	1.0	2.2
Granville Township									
Juniata Terrace Borough									
Kistler Borough									
Lewistown Borough	2.2	1.6	1.4	1.5	2.5	1.5	2.3	N/A	3.0
McVeytown Borough									
Menno Township	2.7	2.7	2.5	2.5	2.5	2.4	2.3	2.3	2.3
Newton Hamilton Borough									
Oliver Township									
Union Township									
Wayne Township									

## Mifflin County, Pennsylvania 2025 Hazard Mitigation Plan

Calculated Countywide Risk Factor by Hazard and Comparative Jurisdictional Risk									
IDENTIFIED HAZA	IDENTIFIED HAZARD AND CORRESPONDING COUNTYWIDE RISK FACTOR								
JURISDICTION	Tornado and Windstorm	Environmental Hazards	Flood	Urban Fire and Explosion	Drowning	Landslide	Wildfire	Building and Structure Collapse	Nuclear Incidents
	2.2	2.1	2.0	2.0	1.6	1.5	1.4	1.3	1.3
Armagh Township	3.0	2.9	3.7	3.1	2.6	1.9	3.9	2.7	3.1
Bratton Township									
Brown Township									
Burnham Borough									
Decatur Township									
Derry Township	1.6	2.4	1.9	2.3	1.6	1.3	1.7	2.2	3.1
Granville Township									
Juniata Terrace Borough									
Kistler Borough									
Lewistown Borough	1.2	1.5	1.6	1.5	1.3	1.3	1.9	1.3	N/A
McVeytown Borough									
Menno Township	2.2	2.1	2.0	2.1	1.6	N/A	1.4	1.3	1.3
Newton Hamilton Borough									
Oliver Township									
Union Township									
Wayne Township									

## Mifflin County, Pennsylvania 2025 Hazard Mitigation Plan

Calculated Countywide Risk Factor by Hazard and Comparative Jurisdictional Risk								
IDENTIFIED HAZARD AND CORRESPONDING COUNTYWIDE RISK FACTOR								
JURISDICTION	Civil Disturbance	Ice Jam Flood						
	1.3	1.2						
Armagh Township	2.7	1.4						
Bratton Township								
Brown Township								
Burnham Borough								
Decatur Township								
Derry Township	1.5	1.7						
Granville Township								
Juniata Terrace Borough								
Kistler Borough								
Lewistown Borough	1.0	1.2						
McVeytown Borough								
Menno Township	1.3	1.2						
Newton Hamilton Borough								
Oliver Township								
Union Township								
Wayne Township								

## 4.4.3. Potential Loss Estimates

Based on various kinds of available data, potential loss estimates were established for flooding. Estimates provided in this section are based on HAZUS-MH, version MR4, geospatial analysis, and previous events. Estimates are considered *potential* in that they generally represent losses that could occur in a countywide hazard scenario. In events that are localized, losses may be lower, while regional events could yield higher losses.

Potential loss estimates have four basic components, including:

- <u>Replacement Value</u>: Current cost of returning an asset to its pre-damaged condition, using present-day cost of labor and materials.
- <u>Content Loss</u>: Value of building's contents, typically measured as a percentage of the building replacement value.
- <u>Functional Loss</u>: The value of a building's use or function that would be lost if it were damaged or closed.
- <u>Displacement Cost</u>: The dollar amount required for relocation of the function (business or service) to another structure following a hazard event.

## **Flooding Loss Estimation:**

Flooding is a high-risk natural hazard in Mifflin County. The estimation of potential loss in this assessment focuses on the monetary damage that could result from flooding. The potential property loss was determined for each municipality and for the entire county. The quantity of commercial and residential structures in each Mifflin County municipality is outlined in section 4.3.4.5 of the flooding hazard profile.

MCM Consulting Group, Inc. conducted a countywide flood study using the Hazards U.S. Multi-Hazard (HAZUS-MH) software that is provided by the Federal Emergency Management Agency. This software is a standardized loss estimation software deriving economic loss, building damage, content damage and other economic impacts that can be used in local flood mitigation planning activities.

## 4.4.4. Future Development and Vulnerability

The 2020 census population for Mifflin County is 46,143 which is 539 fewer than the 2010 census. There was an overall decrease of 1.2% in population based on the data. Seven municipalities have seen population increases while the remaining nine had decreases in the period between 2010 and the 2020 as identified in *Table 81 – 2010 – 2020 Population Change*.

Table 81 - 2010 – 2020 Population Change

Population Change in Mifflin County from 2010-2020							
Municipality	2010 Census	2020 Census	Percent of Change 2010-2020				
Armagh Township	3,888	3,808	-2.06				
Bratton Township	1,289	1,430	10.94				
Brown Township	4,011	4,072	1.52				
Burnham Borough	2,153	1,820	-15.47				
Decatur Township	3,107	3,073	-1.1				
Derry Township	7,340	7,307	-0.45				
Granville Township	5,053	4,992	-1.21				
Juniata Terrace Borough	482	597	39.49				
Kistler Borough	380	315	-17.11				
Lewistown Borough	8,422	8,157	-3.15				
McVeytown Borough	331	334	0.91				
Menno Township	2,082	1,901	-8.69				
Newton Hamilton Borough	186	257	38.17				
Oliver Township	1,912	2,094	9.52				
Union Township	3,423	3,508	2.48				
Wayne Township	2,524	2,514	-0.4				
Source: United States Census Bureau (2024), 2010 Census Data, 2020 Census Data							

The 2022 American Community Survey from the United States Census estimates that there are approximately 18,612 occupied housing units in Mifflin County, Pennsylvania. Of those, 71.5% of the structures are occupied-housing units. The county-wide population changes indicate a potential alteration to overall hazard vulnerability. Municipalities that undergo widespread population reductions may have more difficulty meeting personnel demands than would expanding jurisdictions. However, certain municipalities experienced significant resident increases and, thus, may be more vulnerable to certain hazards due to development and residential growth. Although expanding population zones may be especially vulnerable to hazards outlined in section 4.3 of this hazard mitigation plan update, natural and human caused hazards could potentially occur at any time regardless of population change. The Mifflin County Hazard Mitigation Local Planning Team will conduct annual reviews of this plan and the impacts all hazards have on the county and new development every year and within a time frame after a disaster or major emergency.

## 5. Capability Assessment

## 5.1. Update Process Summary

The capability assessment is an evaluation of Mifflin County's governmental structure, political framework, legal jurisdiction, fiscal status, policies and programs, regulations, ordinances, and resource availability. Each category is evaluated for its strengths and weaknesses in responding to, preparing for, and mitigating the effects of the profiled hazards. A capability assessment is an integral part of the hazard mitigation planning process. Here, the county and municipalities identify, review, and analyze what they are currently doing to reduce losses and identify the framework necessary to implement new mitigation actions. This information will help the county and municipalities evaluate alternative mitigation actions and address shortfalls in the mitigation plan.

A capabilities assessment survey was provided to the municipalities during the planning process at meetings held with Mifflin County officials. These meetings were designed to seek input from the key county and municipal stakeholders on legal, fiscal, technical, and administrative capabilities of all jurisdictions. As such, the capabilities assessment helps guide the implementation of mitigation projects and will help evaluate the effectiveness of existing mitigation measures, policies, plans, practices, and programs.

Throughout the planning process, the mitigation local planning team considered the county's sixteen municipalities. Pennsylvania municipalities have their own governing bodies, pass, and enforce their own ordinances and regulations, purchase equipment and manage their own resources, including critical infrastructure. Therefore, these capability assessments consider the various characteristics and capabilities of municipalities under study.

The evaluation of the following categories – political framework, legal jurisdictions, fiscal status, policies and programs and regulations and ordinances – allows the mitigation planning team to determine the viability of certain mitigation actions. The capability assessment analyzes what Mifflin County, and its municipalities have the capacity to do and provides an understanding of what must be changed to mitigate loss.

Mifflin County has several resources it can access to implement hazard mitigation initiatives including emergency response measures, local planning and regulatory tools, administrative assistance and technical expertise, fiscal capabilities and participation in local, regional, state, and federal programs. The presence of these resources enables community resiliency through actions taken before, during, and after a hazardous event. While the capability assessment serves

as a good instrument for identifying local capabilities, it also provides a means for recognizing gaps and weaknesses that can be resolved through future mitigation actions. The results of this assessment lend critical information for developing an effective mitigation strategy.

## 5.2. Capability Assessment Findings

Twelve of the sixteen municipalities in Mifflin County completed and submitted a capability assessment survey. The results of the survey were collected, aggregated, and analyzed.

Each plan participant has some ability to expand and improve upon their administrative and technical capabilities following this plan update and during an update process. The municipalities of Mifflin County could improve upon these capabilities by first reviewing the capability assessment forms submitted during this update process and identifying areas of growth based off of these forms. A comprehensive review is within the power of each municipality of Mifflin County to see what departments, commissions, boards, and staff they have available to assist in each aspect of capability assessments. Each municipality, as a plan participant, should assess if they have the ability to improve in these areas during an annual review process or during the next hazard mitigation plan update. The plan participants should also review their ability to improve the financial capabilities by reviewing funding and funding sources, and researching other funding sources for hazard mitigation processes. Each plan participant can improve their education and outreach capabilities by increasing public event participation and education events that they attend in the county.

## 5.2.1. Planning and Regulatory Capability

Municipalities have the authority to govern more restrictively than state and county minimum requirements as long as they are compliant with all criteria established in the Pennsylvania Municipalities Planning Code (MPC) and their respective municipal codes. Municipalities can develop their own policies and programs and implement their own rules and regulations to protect and serve their residents. Local policies and programs are typically identified in a comprehensive plan, implemented through a local ordinance, and enforced by the governmental body or its appointee.

Municipalities regulate land use via the adoption and enforcement of zoning, subdivision, land development, building codes, building permits, floodplain management and/or stormwater management ordinances. When effectively prepared and administered, these regulations can lead to an opportunity for hazard mitigation. For example, the National Flood Insurance Program (NFIP) established minimum floodplain management criteria, and adoption of the Pennsylvania Floodplain Management Act (Act 166 of 1978) established even higher floodplain management

standards. A municipality must adopt and enforce these minimum criteria to be eligible for participation in the NFIP. Municipalities have the option of adopting a single-purpose ordinance or incorporating these provisions into their zoning, subdivision, and land development, or building codes; thereby mitigating the potential impacts of local flooding. This capability assessment details the existing Mifflin County and municipal legal capabilities to mitigate the profiled hazards. It identifies the county and the municipal existing planning documents and their hazard mitigation potential. Hazard mitigation recommendations are, in part, based on the information contained in the assessment.

## **Building Codes**

Building codes are important in mitigation because they are developed for a region of the country in respect to the hazards that exist in that area. Consequently, structures that are built according to applicable codes are inherently resistant to many hazards, such as intense winds, floods, and earthquakes; and can help mitigate regional hazards, such as wildfires. In 2003, Pennsylvania implemented the Uniform Construction Code (UCC) (Act 45), a comprehensive building code that establishes minimum regulations for most new construction, including additions and renovations to existing structures.

The code applies to almost all buildings, excluding manufactured and industrialized housing (which are covered by other laws), agricultural buildings, and certain utility and miscellaneous buildings. The UCC requires builders to use materials and methods that have been professionally evaluated for quality and safety, as well as inspections to ensure compliance.

The initial election period, during which all of Pennsylvania's 2,565 municipalities were allowed to decide whether the UCC would be administered and enforced locally, officially closed on August 7, 2004. The codes adopted for use under the UCC are the 2003 International Codes issued by the International Code Council (ICC). Supplements to the 2003 codes have been adopted for use over the years since.

If a municipality has "opted in", all UCC enforcement is local, except where municipal (or third party) code officials lack the certification necessary to approve plans and inspect commercial construction for compliance with UCC accessibility requirements. If a municipality has "opted-out", the Pennsylvania Department of Labor and Industry is responsible for all commercial code enforcement in that municipality; and all residential construction is inspected by independent third-party agencies selected by the owner. The department also has sole jurisdiction for all state-owned buildings no matter where they are located. Historical buildings may be exempt from such inspections and Act 45 provides quasi-exclusion from UCC requirements.

The municipalities in Mifflin County adhere to the standards of the Pennsylvania Uniform Code (Act 45). All of the building codes are governed under each of the sixteen Mifflin County municipalities.

## **Zoning Ordinance**

Article VI of the Municipalities Planning Code (MPC) authorizes municipalities to prepare and enact zoning to regulate land use. Its regulations can apply to the permitted use of land, the height and bulk of structures, the percentage of a lot that may be occupied by buildings and other impervious surfaces, yard setbacks, the density of development, the height and size of signs, and the parking regulations. A zoning ordinance has two parts, including the zoning map that delineates zoning districts and the text that sets forth the regulations that apply to each district.

## **Subdivision Ordinance**

Subdivision and land development ordinances include regulations to control the layout of streets, the planning lots and the provision of utilities and other site improvements. The objectives of subdivision and land development ordinance are to coordinate street patterns, to assure adequate utilities and other improvements are provided in a manner that will not pollute streams, wells and/or soils, to reduce traffic congestions, and to provide sound design standards as a guide to developers, the elected officials, planning commissions, and other municipal officials. Article V of the Municipality Planning Code authorizes municipalities to prepare and enact a subdivision and land development ordinance. Subdivision and land development ordinances provide for the division and improvement of land. Six municipalities are under the authority of the Mifflin County Planning Commission since they do not have their own ordinance. The municipalities that are under the authority of the Mifflin County Planning Commission are Bratton Township, Juniata Terrace Borough, Kistler Borough, McVeytown Borough, Newton Hamilton Borough, and Wayne Township. The remaining ten municipalities in Mifflin County have their own subdivision and land development ordinances, these municipalities are Armagh Township, Brown Township, Burnham Borough, Decatur Township, Derry Township, Granville Township, Lewistown Borough, Menno Township, Oliver Township, and Union Township.

## Stormwater Management Plan/Stormwater Ordinance

The proper management of storm water runoff can improve conditions and decrease the chance of flooding. Pennsylvania's Storm Water Management Act (Act 167) confers on counties the responsibility for development of watershed plans. The Act specifies that counties must complete their watershed storm water plans within two years following the promulgation of these guidelines by the Pennsylvania Department of Environmental Protection (PA DEP), which may

grant an extension of time for any county for the preparation and adoption of plans. Counties must prepare the watershed plans in consultation with municipalities and residents. This is to be accomplished through the establishment of a watershed plan advisory committee. The counties must also establish a mechanism to periodically review and revise watershed plans. Plan revisions must be done every five years or sooner, if necessary.

Municipalities have an obligation to implement the criteria and standards developed in each watershed storm water management plan by amending or adopting laws and regulation for land use and development. The implementation of storm water management criteria and standards at the local level are necessary since municipalities are responsible for local land use decisions and planning. The degree of detail in the ordinance depends on the extent of existing and projected land development. The watershed storm water management plan is designed to aid the municipality in setting standards for the land uses it has proposed. Municipalities within rapidly developing watersheds will benefit from the watershed storm water management plan and will use the information for sound land use considerations. A major goal of the watershed plan and the attendant municipal regulations is to prevent future drainage problems and avoid the aggravation of existing problems. All municipalities in Mifflin County have adopted the county's stormwater management plan.

## **Comprehensive Plan**

A comprehensive plan is a policy document that states objectives and guides the future growth and physical development of a municipality. The comprehensive plan is a blueprint for housing, transportation, community facilities, utilities, and land use. It examines how the past led to the present and charts the community's future path. The Pennsylvania Municipalities Code (MPC Act 247 of 1968, as reauthorized and amended) requires counties to prepare and maintain a county comprehensive plan. In addition, the MPC requires counties to update the comprehensive plan every ten years.

Regarding hazard mitigation planning, Section 301.a(2) of the Municipality Planning Code requires comprehensive plans to include a plan for land use, which, among other provisions, suggests that the plan consider floodplains and other areas of special hazards and other similar uses. The MPC also requires comprehensive plans to include a plan for community facilities and services that recommends considering storm drainage and floodplain management.

Mifflin County last updated its comprehensive plan in 2014.

Article III of the MPC enables municipalities to prepare a comprehensive plan: however, development of a comprehensive plan is voluntary. Of the twelve capability assessment

responses, four municipalities in Mifflin County have their own comprehensive plan, two have adopted the Mifflin County comprehensive plan as their plan, and four municipalities have no comprehensive plan. All other municipalities either did not submit a response to the capability assessment survey or marked it as not applicable.

## **Capital Improvements Plan**

The capital improvements plan is a multi-year policy guide that identifies needed capital projects and is used to coordinate the financing and timing of public improvements. Capital improvements relate to streets, storm water systems, water distribution, sewage treatment, and other major public facilities. A capital improvements plan should be prepared by the respective county's planning department and should include a capital budget. This budget identifies the highest priority projects recommended for funding in the next annual budget. The capital improvements plan is dynamic and can be tailored to specific circumstances.

## Participation in the National Flood Insurance Program (NFIP)

Floodplain management is the operation of programs or activities that may consist of both corrective and preventative measures for reducing flood damage, including but not limited to such things as emergency preparedness plans, flood control works, and flood plain management regulations. The Pennsylvania Floodplain Management Act (Act 166) require every municipality identified by the Federal Emergency Management Agency (FEMA) to participate in the National Flood Insurance Program and permits all municipalities to adopt floodplain management regulations. It is in the interest of all property owners in the floodplain to keep development and land usage within the scope of the floodplain regulations for their community. This helps keep insurance rates low and ensures that the risk of flood damage is not increased by property development.

The Pennsylvania Emergency Management Agency (PEMA) was appointed by legislation in September 2021 to coordinate the Commonwealth NFIP and employ the State NFIP Coordinator. For many years prior, these roles were held by the Pennsylvania Department of Community and Economic Development (DCED), which still offers support to communities through its Floodplain Mitigation Program. PEMA provides communities, based on CFR Title 44, Section 60.3 level of regulations, with a suggested ordinance document to assist municipalities in meeting the minimum requirements of the NFIP along with the Pennsylvania Flood Plain Management Act (Act 166). These suggested or model ordinances contain provisions that are more restrictive than state and federal requirements. Suggested provisions include, but are not limited to, the below.

- 1. Prohibiting manufactured homes in the floodway
- 2. Prohibiting manufactured homes within the area measured fifty feet landward from the top-of-bank of any watercourse within a special flood hazard area
- 3. Special requirements for recreational vehicles within the special flood hazard area
- 4. Special requirement for accessory structure
- 5. Prohibiting new construction and development within the area measured fifty feet landward from the top-of-bank of any watercourse within a special flood hazard area
- 6. Providing the county conservation district an opportunity to review and comment on all applications and plans for any proposed construction or development in any identified floodplain area

Act 166 mandates municipal participation in, and compliance with, the NFIP. It also establishes higher regulatory standards for new or substantially improved structures which are used for the production or storage of dangerous materials (as defined by Act 166) by prohibiting them in the floodway. Additionally, Act 166 established the requirement that a special permit be obtained prior to any construction or expansion of any manufactured home park, hospital, nursing home, jail and prison if said structure is located within a special flood hazard area.

The NFIP's Community Rating System (CRS) provides discounts on flood insurance premiums in those communities that establish floodplain management programs that go beyond NFIP minimum requirements. Under the CRS, communities receive credit for more restrictive regulations, acquisition, relocation, or flood-proofing of flood prone buildings, preservation of open space, and other measures that reduce flood damages or protect the natural resources and functions of floodplains.

The CRS was implemented in 1990 to recognize and encourage community floodplain management activities that exceed the minimum NFIP standards. Section 541 of the 1994 Act amends Section 1315 of the 1968 Act to codify the Community Rating System in the NFIP. The section also expands the CRS goals to specifically include incentives to reduce the risk of floodrelated erosion and to encourage measures that protect natural and beneficial floodplain functions. These goals have been incorporated into the CRS and communities now receive credit toward premium reductions for activities that contribute to them.

Under the Community Rating System, flood insurance premium rates are adjusted to reflect the reduced flood risk resulting from community activities that meet a minimum of three of the following CRS goals.

1. Reduce flood losses

- 2. Protect public health and safety
- 3. Reduce damage to property
- 4. Prevent increases in flood damage from new construction
- 5. Reduce the risk of erosion damage
- 6. Protect natural and beneficial floodplain functions
- 7. Facilitate accurate insurance rating
- 8. Promote the awareness of flood insurance

There are ten Community Rating System classes. Class 1 requires the most credit points and gives the largest premium reduction; class 10 receives no premium reduction. CRS premium discounts on flood insurance range from 5% for Class 9 communities up to 45% for Class 1 communities. The CRS recognizes eighteen credible activities, organized under four categories: Public Information, Mapping and Regulations, Flood Damage Reduction, and Flood Preparedness.

FEMA Region III makes available to communities an ordinance review checklist which lists required provisions for floodplain management ordinances. This checklist helps communities develop an effective floodplain management ordinance that meets federal requirements for participation in the NFIP. PEMA provides communities, based on their 44 CFR 60.3 level of regulations, with a suggested ordinance document to assist municipalities in meeting the minimum requirements of the NFIP and the Pennsylvania Flood Plain Management Act (Act 166). Act 166 mandates municipal participation in and compliance with the NFIP. It also established higher regulatory standards for hazardous materials and high-risk land uses. As new Digital Flood Insurance Rate Maps (DFIRMs) are published, the Pennsylvania State NFIP Coordinator at DCED works with communities to ensure the timely and successful adoption of an updated floodplain management ordinance by reviewing and providing feedback on existing and draft ordinances.

According to the State NFIP Coordinator, all of Mifflin County's sixteen municipalities have floodplain regulations in place that meet requirements set forth by the NFIP. Currently, no municipalities have completed or started to complete the CRS program. Additional research will be conducted on the CRS program and mitigation actions will be developed in support of the CRS.

To spread awareness as well as capture participation levels, all municipalities were instructed to complete an NFIP survey provided by the Federal Emergency Management Agency. In total, twelve municipalities submitted an NFIP survey. These surveys can be found in Appendix C of this plan.

The following information outlines floodplain ordinances from jurisdictions in Mifflin County that have not submitted NFIP surveys during this hazard mitigation planning process.

#### Additional National Flood Insurance Program and Floodplain Management Information:

#### **Decatur Township:**

The floodplain management ordinance for Decatur Township was not available to the local planning team or submitted as part of the hazard mitigation planning process.

#### **Union Township:**

The floodplain management ordinance for Union Township was not available to the local planning team or submitted as part of the hazard mitigation planning process.

#### Wayne Township:

The floodplain management ordinance for Wayne Township was not available to the local planning team or submitted as part of the hazard mitigation planning process.

#### 5.2.2. Administrative and Technical Capability

There are six boroughs and ten townships within Mifflin County. Each of these municipalities conducts it daily operations and provides various community services according to local needs and limitations. Some of these municipalities have formed cooperative agreements and work jointly with their neighboring municipalities to provide services such as police protection, fire and emergency response, infrastructure maintenance, and water supply management. Other municipalities choose to operate independently and provide such services internally. Municipalities vary in staff size, resource availability, fiscal status, service provision, constituent population, overall size, and vulnerability to the profile hazards. Technical capability relates to an adequacy of knowledge and technical expertise of local government employees or the ability to contract resources for this expertise in order to effectively execute mitigation activities. Common examples of skill sets, and technical personnel needed for hazard mitigation include: planners with knowledge of land development and management practices, engineers or professionals trained in construction practices related to buildings and/or infrastructure (e.g. building inspectors), planners or engineers with an understanding of natural and/or human caused hazards, emergency managers, floodplain managers, land surveyors, scientists familiar with hazards in the community, staff with education of expertise to assess community vulnerability to hazards, personnel skilled in geographic information systems, resource development staff or grant writers, fiscal staff to handle complex grant application processes.

#### **County Planning Commission**

In Pennsylvania, planning responsibilities traditionally have been delegated to each county and local municipality through the Municipalities Planning Code (MPC). A planning agency acts as an advisor to the governing body on matters of community growth and development. A governing body may appoint individuals to serve as legal or engineering advisors to the planning agency. In addition to the duties and responsibilities authorized by Article II of the MPC, a governing body may, by ordinance, delegate approval authority to a planning agency for subdivision and land development applications. A governing body has considerable flexibility, not only as to which powers and duties are assigned to a planning agency, but also what form an agency will possess. A governing body can create a planning commission, a planning department, or both. The Mifflin County Planning Commission assists all municipalities in the county as needed.

#### **Municipal Engineer**

A municipal engineer performs duties as directed in the areas of construction, reconstruction, maintenance and repair of streets, roads, pavements, sanitary sewers, bridges, culverts, and other engineering work. The municipal engineer prepares plans, specifications and estimates of the work undertaken by the township. Most municipalities in Mifflin County have a municipal engineer under contract to perform these duties.

#### Personnel Skilled in GIS or FEMA HAZUS Software

A geographic information system (GIS) is an integrated, computer-based system designed to capture, store, edit, analyze, and display geographic information. Some examples of uses for GIS technology in local government are land records management, land use planning, infrastructure management, and natural resources planning. A GIS automates existing operations such as map production and maintenance, saving a great deal of time and money. The GIS also includes information about map features such as the capacity of a municipal water supply or the acres of public land. GIS data is managed, maintained, and developed by a Mifflin County GIS Department, which is available to assist all the county's municipalities. GIS data is an important tool to use in hazard mitigation planning and is instrumental in assessing the risk of municipalities to various hazards.

#### **Emergency Management Coordinator**

Emergency management is a comprehensive, integrated program of mitigation, preparedness, response, and recovery for emergencies/disasters of any kind. No public or private entity is

immune to disasters and no single segment of society can meet the complex needs of a major emergency or disaster on its own. Hence, the National Preparedness Goal of 2011 also defines what it means for the whole community to be prepared for all types of disasters and emergencies and lists five mission areas which support preparedness: prevention, protection, mitigation, response, and recovery – doubling the emphasis on mitigation activities in an emergency management program.

The Pennsylvania Emergency Management Services Code (PA Title 35) requires Mifflin County and its municipalities to have an emergency management coordinator.

The Mifflin County Office of Public Safety coordinates countywide emergency management efforts. Each municipality has a designated local emergency management coordinator who possesses a unique knowledge of the impact hazardous events have on their community.

A municipal emergency management coordinator is responsible for emergency management – preparedness, response, recovery, and mitigation within his/her respective authority having jurisdiction (AHJ). The responsibilities of the emergency management coordinator are outlined in PA Title 35 §7633.

- Prepare and maintain a current disaster emergency management plan
- Establish, equip, and staff an emergency operations center
- Provide individual and organizational training programs
- Organize and coordinate all locally available manpower, materials, supplies, equipment, and services necessary for disaster emergency readiness, response, and recovery
- Adopt and implement precautionary measures to mitigate the anticipated effects of a disaster
- Cooperate and coordinate with any public and private agency or entity
- Provide prompt information regarding local disaster emergencies to appropriate commonwealth and local officials or agencies and the public
- Participate in all tests, drills, and exercises, including remedial drills and exercises, scheduled by the agency or by the federal government

PA Title 35 requires that all municipalities in the Commonwealth have a local emergency operations plan (EOP) which is updated every two years. None of the municipalities in Mifflin County have adopted the county EOP. Based on responses from the received community capability assessments, seven of the municipalities have their own Emergency Operations Plan and one of those seven is currently under development. All of the other municipalities either did

not submit a response or marked it as not applicable. The notification and resource section of the plan was developed individually by each municipality.

#### Federal Agency Assistance

There are many federal agencies that can provide technical assistance for mitigation activities, and these include, but are not limited to:

- United States Army Corps of Engineers (USACE)
- Department of Housing and Urban Development (HUD)
- Department of Agriculture (DOA)
- Economic Development Administration
- Emergency Management Institute (EMI)
- Environmental Protection Agency (EPA)
- Federal Emergency Management Agency (FEMA)
- Small Business Administration (SBA)

#### **State Agency Assistance**

There are many commonwealth agencies that can provide technical assistance for mitigation activities, and these include but are not limited to:

- Pennsylvania Emergency Management Agency (PEMA)
- Pennsylvania Department of Community and Economic Development
- Pennsylvania Department of Conservation and Natural Resources
- Pennsylvania Department of Environmental Protection

#### **Existing Limitations**

Funding has been identified as the largest limitation for a municipality to complete mitigation activities. The acquisition of grants is the best way to augment this process the municipalities. The county and municipality representatives will need to rely on regional, state, and federal partnerships for future financial assistance. Development of intra-county regional partnerships and intra-municipality regional partnerships will bolster this process.

#### 5.2.3. Financial Capability

Fiscal capability is significant to the implementation of hazard mitigation activities. Every jurisdiction must operate within the constraints of limited financial resources. The decision and capacity to implement mitigation-related activities is often strongly dependent on the presence of

financial resources. While some mitigation actions are less costly than others, it is important that money is available locally to implement policies and projects. Financial resources are particularly important if communities are trying to take advantage of state or federal mitigation grant funding opportunities that require local-match contributions. The following information pertains to various financial assistance programs relevant to hazard mitigation.

#### **State and Federal Grants**

During the 1960s and 1970s state and federal grants-in-aid were available to finance many municipal programs, including streets, water and sewer facilities, airports, parks, and playgrounds. During the early 1980s, there was a significant change in federal policy, based on rising deficits and a political philosophy that encouraged states and local governments to raise their own revenues for capital programs. The result has been a growing interest in "creative financing".

Grant programs that may be utilized to accomplish hazard mitigation objectives include the: Pennsylvania Department of Community and Economic Development Community Development Block Grant (CDBG); Land Use Planning and Technical Assistance (LUPTAP); Shared Municipal Services (SMS); Community Revitalization (CR) and Floodplain Land Use Assistance Programs; the PA DEP's Growing Greener; Act 167 Stormwater Management; Source Water Protection; and Flood Protection Programs. The Flood Protection Programs include the PA DCNR's Community Conservation Partnership Program, PEMA's Pre-Disaster Mitigation (PDM) Grant, Flood Mitigation Assistance Grant Programs (FMA), and Hazard Mitigation Grant Program.

Below are some of the other state programs that may provide financial support for mitigation activities:

- DCED Flood Mitigation Program
- DCED H2O PA Flood Control Projects
- DCED H2O PA High Hazard Unsafe Dam Projects
- DCED H2O PA Water Supply, Sanitary Sewer and Storm Water Projects
- DCED PA Small Water and Sewer
- DCNR Community Conservation Partnerships Program
- DCNR Pennsylvania Heritage Areas Program
- DCNR Pennsylvania Recreational Trails Program
- DCNR Land and Water Conservation Fund

Below are some of the federal programs that may provide financial support for mitigation activities:

- FEMA Community Assistance Program State Support Services Element (CAP-SSSE)
- FEMA Community Disaster Loan Program
- FEMA Community Rating System
- FEMA Emergency Management Performance Grants (EMPG)
- FEMA Environmental Planning and Historic Preservation Program (EHP)
- FEMA Flood Mitigation Assistance Program
- FEMA Hazard Mitigation Grant Program (HMGP)
- FEMA Individuals and Households Program (IHAP)
- FEMA National Dam Safety Program
- FEMA National Flood Insurance Program
- FEMA Pre-Disaster Mitigation Program
- FEMA Public Assistance Program (PA)
- FEMA Regional Catastrophic Preparedness Grant Program
- FEMA Repetitive Flood Claims Program (RFC)
- FEMA Severe Repetitive Loss Grant Program
- USACE Continuing Authorities Program
- USACE Flood Plain Management Services Program (FPMS)
- USACE Inspection of Completed Works Program (ICW)
- USACE National Levee Safety Program
- USACE Planning Assistance to States
- USACE Rehabilitation and Inspection Program (RIP)

#### **Capital Improvement Financing**

Because most of the capital investments involve the outlay of substantial funds, local governments can seldom pay for these facilities through annual appropriations in the annual operating budget. Therefore, numerous techniques have evolved to enable local government to pay for capital improvements over a time period exceeding one year. Public finance literature and state laws governing local government finance classify techniques that are used to finance capital improvements. The techniques include revenue bonds, lease-purchase, authorities and special district, current revenue (pay-as-you-go); reserve funds; and tax increment financing. Most municipalities have very limited local tax funds for capital projects. Grants and other funding are always priorities.

#### **Indebtedness through General Obligation Bonds**

Some projects may be financed with general obligation bonds. With this method, the jurisdiction's taxing power is pledged to pay interest and principal to retire debt. General obligation bonds can be sold to finance permanent types of improvements, such as schools, municipal buildings, parks, and recreational facilities. Voter approval for this may be required.

#### **Municipal Authorities**

Municipal authorities are most often used when major capital investments are required. In addition to sewage treatment, municipal authorities have been formed for water supply, airports, bus transit systems, swimming pools, and other purposes. Joint authorities have the power to receive grants, borrow money, and operate revenue generating programs. Municipal authorities are authorized to sell bonds, acquire property, sign contracts, and take similar actions. Authorities are governed by authority board members, who are appointed by the elected officials of the member municipalities.

#### **Sewer Authorities**

Sewer authorities include multi-purpose authorities with sewer projects. They sell bonds to finance acquisition of existing systems for construction, extension, or system improvement. Sewer authority operating revenues originate from user fees. The fee frequently is based on the amount of water consumed and payment is enforced by the ability to terminate service by the imposition of liens against real estate. In areas with no public water supply, flat rate charges are calculated on average use per dwelling unit.

#### Water Authorities

Water authorities are multi-purpose authorities with water projects, many of which operate both water and sewer systems. The financing of water systems for lease back to the municipality is one of the principal activities of the local government facilities' financing authorities. An operating water authority issues bonds to purchase existing facilities to construct, extend, or improve a system. The primary source of revenue is user fees based on metered usage. The cost of construction or extending water supply lines can be funded by special assessments against abutting property owners. Tapping fees also help fund water system capital costs. Water utilities are also directly operated by municipal governments and by privately owned public utilities regulated by the Pennsylvania Public Utility Commission. The Pennsylvania Department of Environmental Protection has a program to assist with consolidating small water systems to make system upgrades more cost effective.

#### U.S. Department of Agriculture Circuit Riding Program (Engineer)

The Circuit Riding Program is an example of intergovernmental cooperation. This program offers municipalities the ability to join to accomplish a common goal. The circuit rider is a municipal engineer who serves several small municipalities simultaneously. These are municipalities that may be too small to hire a professional engineer for their own operations yet need the skills and expertise the engineer offers. Municipalities can jointly obtain what no one municipality could obtain on its own.

#### 5.2.4. Education and Outreach

The Mifflin County Office of Public Safety conducts public outreach at public events to update the citizens and visitors of the county on natural and human-caused hazards. The county conservation district also conducts outreach on various activities and projects in the county.

Education activities that directly impact hazard mitigation in Mifflin County predominantly revolve around the first responders. Providing fire, medical, search and rescue training, and education enhances the response and recovery capabilities of response agencies in the county. Newly appointed emergency management coordinators are trained in both Duties and Responsibilities and damage assessment – which includes a discussion on mitigation; this training can be translated into teaching municipal employees or local emergency services to assist them during a disaster.

The county also has several websites and social media accounts that can educate residents about hazard mitigation and risk while also communicating information in the event of a disaster:

# <u>Mifflin County Office of Public Safety Webpage:</u> <u>https://www.mifflincountypa.gov/public-safety</u>

#### Mifflin County Office of Public Safety Facebook:

https://www.facebook.com/MifflinCountyPublicSafety

The Mifflin County GIS Department website has an education and outreach capability, particularly with the county map viewer, which could be updated to include hazard mitigation data. The websites of the Mifflin County Office of Public Safety and the Mifflin County Planning Department also post information to educate residents, particularly in disaster preparedness, floodplain management, and zoning requirements. The Mifflin County Planning Department currently provides access to planning documents and educational brochures about the benefits of planning and helpful guides. The Office of Public Safety also holds quarterly

Local Emergency Planning Committee (LEPC) meetings that are open to the public, which serve as another means to conduct outreach and educate the public about hazard mitigation.

Education and outreach on the NFIP are necessary. With new regulations in flood-plain management, updated digital flood insurance rate maps and new rates for insurance policies, education, and outreach on the NFIP would assist the program. The Mifflin County Local Planning Team will identify actions necessary to complete this.

#### 5.2.5. Plan Integration

Plan integration recognizes that hazard mitigation is most effective when it works in efficient coordination with other plans, regulations, and programs. Plan integration promotes safe, resilient growth, effective management, an overall reduction of risk, by ensuring that the goals and actions established in the Hazard Mitigation Plan are included in the comprehensive planning efforts so they can affect future land use and development. Some of the most important areas of planning and regulatory capabilities which hazard mitigation goals and actions should be integrated include comprehensive plans, the hazard mitigation plans from all surrounding or encompassing areas, EOPs, building codes, floodplain ordinances, subdivision, land development ordinances, stormwater management plans and ordinances, and zoning ordinances. All of these tools provide mechanisms for the implementation of adopted mitigation strategies.

#### Mifflin County Comprehensive Plan

#### Overview

Comprehensive plans establish the overall vision, goals, and objectives for a community's growth. The Visions for the 21<sup>st</sup> Century: The Mifflin County Comprehensive Plan was adopted by the Mifflin County Commissioners on April 24<sup>th</sup>, 2014. The plan is a collaborative effort between communities and populations in Mifflin County and contains both regional priorities and actions for each community in the county. The plan establishes countywide goals and objectives, describes environmental and demographic characteristics, identifies potential capital improvement projects, and inventories existing planning initiatives and tools in the county.

As part of the update process, the goals and objectives in the 2014 comprehensive plan were reviewed, and those that are currently supportive of hazard mitigation goals and principles were identified. The plan also identified opportunities to integrate goals and objectives from the 2019 Hazard Mitigation Plan and 2025 HMP Update into the next update of the comprehensive plan.

#### **Recommendations for Continued and Future Integration**

As discussed, many of the goals and objectives outlined in the Mifflin County Comprehensive Plan are related to the hazard mitigation risks and goals established in the HMP. Several could be revised to include updated information from this HMP. Additionally, the comprehensive plan can identify the places of higher vulnerability that are identified in this plan for all the high-risk hazards, and include objectives aimed at reducing the risk to these vulnerable areas. For example, an objective of the comprehensive plan could be to encourage elevation and flood proofing of structures in the Special Flood Hazard Area (SFHA) by seeking Flood Mitigation Assistance (FMA) grants and strictly enforcing floodplain management ordinances in certain communities (See Section 4.3.3 for Flooding and Flash Flooding information). Similarly, an objective for communities that are most vulnerable to subsidence and land failure could be to educate property owners about mine subsidence, associated risks, and actions to take in the event of an emergency. These types of objectives could also be created for medium-risk hazards when appropriate.

Another key opportunity for further integration of hazard mitigation into planning and regulatory tools is to incorporate hazard mitigation goals and objectives into the future Mifflin County Comprehensive Plan update. The Mifflin County Comprehensive Plan also ties into the Mifflin County Hazard Mitigation Plan when mitigation strategy is considered. The mitigation principles outlined in this hazard mitigation plan are used and reviewed in long-range planning throughout Mifflin County.

#### **Integration of Hazard Mitigation into Local Mechanisms**

Integration of hazard mitigation principles into local mechanisms can be efficient for Mifflin County. With sixteen municipalities, local mitigation mechanisms can directly interface with the Mifflin County HMP. These potential integration items include municipal comprehensive plans, municipal flood plans, or development plans for transportation and community resources. The municipalities should review the completed HMP and utilize items identified in the risk assessment, mitigation strategy, and capability assessment sections. Previously, hazard mitigation information from the Mifflin County plans has been integrated into other planning mechanisms. All municipalities can also utilize portions of the hazard mitigation plan into their planning mechanisms could include comprehensive plans, flood plans, or development plans for transportation. Previous successful mitigation and plan integration has occurred in the development of comprehensive plans at the local level and this information and integration should continue through the formal update process of all plans in Mifflin County.

Mifflin County, Pennsylvania 2025 Hazard Mitigation Plan

Further discussion on plan integration can be found in section 7.3 of this hazard mitigation plan.

# 6. Mitigation Strategy

## 6.1. Update Process Summary

Mitigation goals are general guidelines that explain what the county wants to achieve. Goals are usually expressed as broad policy statements representing desired long-term results. Mitigation objectives describe strategies or implementation steps to attain the identified goals. Objectives are more specific statements than goals; the described steps are usually measurable and can have a defined completion date. There were six goals and twenty-one objectives identified in the 2019 hazard mitigation plan. The 2025 Mifflin County Hazard Mitigation Plan Update has seven goals and twenty-one objectives. Objectives have been added and arranged in order to associate them with the most appropriate goal. These changes are noted in *Table 82 – 2019 Mitigation Goals and Objectives Review*. These reviews are based on the five-year hazard mitigation plan review worksheet, which includes a survey on existing goals and objectives completed by the local planning team. Municipal officials then provided feedback on the changes to the goals and objectives via a mitigation strategy update meeting. Copies of these meetings and all documentation associated with the meetings are located in Appendix C.

Actions provide more detailed descriptions of specific work tasks to help the county and its municipalities achieve prescribed goals and objectives. There were fifty-five actions identified in the 2019 mitigation strategy. A review of the 2019 mitigation actions was completed by the local planning team. The results of this review are identified in *Table 83 – 2019 Mitigation Actions Review*. Actions were evaluated by the local planning team with the intent of carrying over any actions that were not started or continuous for the next five years.

Mifflin County 2014 and 2019 Mitigation Goals and Objectives							
Goal/Objective	Description	Comment					
Goal 1	Strengthen County and local capabilities to reduce the potential impact of flooding on existing and future public/partner assets, including structures, critical facilities, <del>and technological</del> <del>hazards.</del>	<b>2025 Review Comment:</b> "Strengthen local and countystructures, critical facilities, and community lifelines."					
Objective 1.1	Protect existing structures from damage that can be caused by hazards.	<b>2025 Review Comment:</b> "Protect existing critical infrastructure from damage that can be caused by all hazards."					

Mifflin	County 2014 and 2019 Mitigation	Goals and Objectives
Goal/Objective	Description	Comment
Objective 1.2	Promote management and regulatory procedures that would reduce the impacts of hazards on public and private property.	2025 Review Comment:
Objective 1.3	Develop local structural projects to reduce the impacts of natural and human-caused hazards on public and private property.	<b>2025 Review Comment:</b> "Provide advice on projects to reduce the impacts of natural and human-caused hazards on public and private property."
New Objective		<b>2025 Review Comment:</b> "Develop local projects to reduce the impacts of natural and human-caused hazards on public and private property."
Objective 1.4	Maintain streams and culverts to reduce back-up and flooding.	2025 Review Comment:
Objective 1.5	Protect critical facilities from the impacts of natural and human-caused hazards.	<b>2025 Review Comment:</b> "Protect critical facilities and community lifelines from"
Goal 2	Protect the citizens of Mifflin County as well as public and private property from the impacts of natural and human-caused hazards.	<b>2025 Review Comment:</b> "Protect the citizens of Mifflin County as well as the public, including public and private property, from the impacts of natural and human-caused hazards."
Objective 2.1	Develop regulations limiting development in hazard-prone areas.	<b>2025 Review Comment:</b> "Review, update, and maintain regulations limiting development in hazard-prone areas and directing new growth away from those area"
Objective 2.2	Lessen impacts on natural resources and open space from natural and human-caused hazards.	<b>2025 Review Comment:</b> "Lessen impacts on natural resources from all hazards."
Objective 2.3	Direct new growth away from hazard- prone areas.	<b>2025 Review Comment:</b> Combine into 2.1.
Goal 3	Enhance planning and emergency response efforts among state, county, and local emergency management personnel to protect public health and safety.	<b>2025 Review Comment:</b> "Enhance planning and emergency response efforts among local, county, and state emergency management personnel to protect the health and safety of all people in Mifflin County"

Miffli	n County 2014 and 2019 Mitigation	Goals and Objectives		
Goal/Objective	Description	Comment		
Objective 3.1	Improve coordination and communication between departments and private industry.	2025 Review Comment: No update.		
Objective 3.2	Ensure adequate training and resources for those involved in emergency response, services, relief, or hazard mitigation.	2025 Review Comment: No update.		
Objective 3.3	Ensure adequacy of equipment and technology.	<b>2025 Review Comment:</b> Remove this objective but to review any actions tied to it.		
Objective 3.4	Ensure that residents receive relief and are evacuated as quickly as possible in the event of a disaster.	<b>2025 Review Comment:</b> "Assist and coordinate relief and evacuation in the event of a disaster."		
		<b>2025 Review Comment:</b> Keep this objective. Adjust verbiage as needed.		
Objective 3.5 Continue to foster development of information and resources for subsequent Hazard Mitigation Plans.		"Continue to foster and review the development of information, participants, and resources for subsequent hazard mitigation planning efforts."		
Goal 4	Build Mifflin County's spatial informational resources to strengthen public and private hazard mitigation planning and decision support capabilities.	<b>2025 Review Comment:</b> "Build, maintain, and enhance Mifflin County's spatial resources and projects to strengthen"		
Objective 4.1	Develop data management policies to ensure adequate data management.	2025 Review Comment: No update.		
Objective 4.2	Develop and update detailed databases related to hazards and hazard mitigation.	<ul> <li>2025 Review Comment: Actions related to public awareness of what is and is not available, including the creation of new databases.</li> <li>"Develop and update detailed databases related to each high-risk hazard and vulnerable items to those hazards."</li> </ul>		
Goal 5	Increase public awareness on both the potential impacts of natural hazards and activities to reduce those hazards.	<b>2025 Review Comment:</b> "reduce the vulnerability of Mifflin County to those hazards."		

Mifflin	Mifflin County 2014 and 2019 Mitigation Goals and Objectives								
Goal/Objective	Description	Comment							
Objective 5.1	Develop public and business education and outreach programs on hazards and hazard mitigation.	<b>2025 Review Comment:</b> "on all natural hazards and hazard mitigation."							
Objective 5.2	Educate property owners in hazard- risk areas regarding their risks and the precautions they can take.	<b>2025 Review Comment:</b> "Educate property owners in high-risk areas regarding their vulnerability and the precautions that can be taken to mitigate that vulnerability."							
Objective 5.3	Encourage property owners in the 1% annual chance floodplain to purchase flood insurance.	<b>2025 Review Comment:</b> "in the Special Flood Hazard Area (1% annual chance floodplain)"							
New Objective	Stormwater runoff	New verbiage: "Review, maintain, or develop projects related to stormwater runoff that could reduce the vulnerability of certain areas to flash flooding or stormwater flooding."							
Goal 6	Increase intergovernmental cooperation and build public- private partnerships to implement activities that will reduce the impact of natural, man-made, and technological disasters.	<b>2025 Review Comment:</b> "all hazards."							
Objective 6.1	Improve hazard mitigation awareness and response for the private sector of Mifflin County.	<b>2025 Review Comment:</b> Remove this objective.							
Objective 6.2	Maintain open lines of communication between the County and the municipalities regarding hazard mitigation.	2025 Review Comment: No update.							
Objective 6.3	Discuss partnering opportunities with private entities.	<b>2025 Review Comment:</b> "Discuss partnering opportunities and future hazard mitigation involvement with private entities."							

## Mifflin County, Pennsylvania 2025 Hazard Mitigation Plan

Table 83 - 2019 Mitigation Actions Review

Mifflin County Mitigation Actions Review Worksheet						
		Si	tatus			
<b>Existing Mitigation Actions</b> (2019 HMP)	No Progress/ Unknown	In Progress/Not Yet Complete	Continuous	Completed	Discontinued	<b>Review Comments</b>
1 – Armagh Township						2025 Review Comment: Pursue
Remove debris from the Creek Drive sinkhole.						permitting; critical flooding issues.
Laurel Creek empties into this sinkhole, and	Х					
during major rain storms the blockage results in						
flooding of 81 structures on Creek Drive.						2025 Deview Commonto Ducio et
<b>2 - Armagh Township</b> Install concrete chunks in wire mesh, along the						2025 Review Comment: Project
sides of township road T-467 to prevent flash				Х		complete.
flooding damage to road, pipes, and lawns.						Removed.
<b>3</b> – Bratton Township						<b>2025 Review Comment:</b> No update
Relocate and elevate River Road (T-477), which						provided.
floods during heavy rain or dam releases, to	X					r ·
prevent roadway damage and 12+ road closures						
per year.						
<b>4 – Brown Township</b> Install an impermeable sheet piling barrier to protect 81 structures between Honey Creek and Willow Lane from flooding.	X					<b>2025 Review Comment:</b> Updated to "Install an impermeable sheet piling barrier to protect eighty-one structures between Honey Creek and Willow Lane from flooding."
5 – Burnham Borough						2025 Review Comment: No update.
Remove fallen trees and debris and install riprap, to stabilize the banks of Hundry Run. This will alleviate stream bank erosion and prevent the tree/debris buildup that causes flooding. See Appendix C for photos.		Х				

Mifflin County Mitigation Actions Review Worksheet						
		S	tatus			
<b>Existing Mitigation Actions</b> (2019 HMP)	No Progress/ Unknown	In Progress/Not Yet Complete	Continuous	Completed	Discontinued	Review Comments
<b>6 - Burnham Borough</b> Acquire, via voluntary buyout, the McCardle Mobile Home Court in Burnham. This property is in the Kishacoquillas Creek floodplain and regularly floods.	Х					2025 Review Comment: No update.
7 – Decatur Township Replace the structurally deficient bridge carrying Shindle Road over an Unnamed Tributary to Jack's Creek, in order to improve the hydraulic capacity and reduce flooding to adjacent properties.		X				<b>2025 Review Comment:</b> To be completed summer 2024.
8 – Decatur Township Identify and educate residents within or adjacent to the Meadow Creek and Jack's Creek floodplains. Develop a mailer to send to affected landowners, to educate them about flood mitigation techniques.			Х			2025 Review Comment: No update.
<b>9</b> – <b>Decatur Township</b> Identify areas where existing watercourses run near or adjacent to existing Township Roadway networks. Develop a database, assess and monitor existing conditions, and rehabilitate problem areas.			Х			2025 Review Comment: Split into two actions: "Identify areas where existing watercourses run near or adjacent to existing township roadway networks." And "Develop a database to access and monitor existing conditions and rehabilitate problem areas."

Mifflin County Mitigation Actions Review Worksheet						
		St	tatus			
<b>Existing Mitigation Actions</b> (2019 HMP)	No Progress/ Unknown	In Progress/Not Yet Complete	Continuous	Completed	Discontinued	<b>Review Comments</b>
10 – Decatur Township						<b>2025 Review Comment:</b> No update.
Develop a drought emergency plan to identify			Х			
responses and prioritize actions.						
11 – Decatur Township						<b>2025 Review Comment:</b> No update.
Map, assess, and plan responses to address			Х			
wildfires. Educate residents on fire safety			21			
construction and techniques.						
12 – Decatur Township						2025 Review Comment: Planning
Take actions to preserve and protect major						and design in progress, awaiting
Township infrastructure by inspecting and, as						funding to finalize.
necessary, repairing structural issues with the						
bridge carrying Alfarata Road over Jack's Creek.	Х					
Replace existing superstructure, remove existing						
pier to eliminate collecting debris and						
exacerbating flooding, and stabilize scour at						
existing abutments.						2025 Destant Commente Dissuita
13 – Decatur Township						<b>2025 Review Comment:</b> Planning
Take actions to preserve and protect major						and design under consideration,
Township infrastructure by inspecting and, as	V					awaiting funding.
necessary, repairing structural issues with the	Х					
bridge carrying Hoffman Road over Jack's Creek.						
Replace existing deficient superstructure and						
stabilize scour at existing abutments.						

Mifflin County Mitigation Actions Review Worksheet						
		Si	tatus			
<b>Existing Mitigation Actions</b> (2019 HMP)	No Progress/ Unknown	In Progress/Not Yet Complete	Continuous	Completed	Discontinued	<b>Review Comments</b>
14 – Decatur Township						2025 Review Comment: To be
Take actions to preserve and protect major						completed in 2024.
Township infrastructure by inspecting and, as						
necessary, repairing structural issues with the		Х				
bridge carrying Ertley Road over Belltown Run.						
Replace existing deficient superstructure and						
stabilize scour at existing abutments. 15 – Decatur Township						2025 Review Comment: Planning in
Take actions to preserve and protect major						progress, awaiting funding.
Township infrastructure by inspecting and, as						progress, awarting runding.
necessary, repairing structural issues with the						
bridge carrying Snook Road over Belltown Run.	Х					
Replace existing deficient superstructure and the						
existing pier and stabilize scour at existing						
abutments.						
16 – Derry Township						2025 Review Comment: No update.
Establish tree program and replanting plan to						
address current inventory and health of trees in						
Kish Park, due to removal of 200+ ash trees killed			Х			
by the Emerald Ash Borer. In addition to						
providing shade, some of these trees will stabilize						
stream banks in the park.						
17 – Derry Township						2025 Review Comment: No update.
Prevent further stream bank erosion in Kish Park			Х			
by installing plantings and managing wildlife.						

Mifflin County Mitigation Actions Review Worksheet						
			tatus			
<b>Existing Mitigation Actions</b> (2019 HMP)	No Progress/ Unknown	In Progress/Not Yet Complete	Continuous	Completed	Discontinued	<b>Review Comments</b>
<ul> <li>18 – Derry Township</li> <li>Repurpose a former industrial site in the floodplain, Phillips Industrial Property along US</li> <li>22 on the bank of the Juniata River in Lewistown, to greenspace. Complete a real estate appraisal and a Phase 1 Environmental Site Assessment, demolish structures, remediate the property, and construct and maintain the intended greenspace.</li> </ul>	х					2025 Review Comment: No update.
<b>19 – Granville Township</b> Stabilize Middle Road and embankment, to prevent continued collapse into Strodes Run Creek.	X					<b>2025 Review Comment:</b> No update provided.
<b>20 – Juniata Terrace Borough</b> Upgrade storm sewers to improve drainage and avoid sinkholes.	Х					<b>2025 Review Comment:</b> No update provided.
<b>21 – Kistler Borough</b> Prevent the backup of sewage into lines and homes if the pump station is flooded or the power is out for a long period. Floodproof the wastewater treatment facility and lift stations located in flood hazard areas. Restore power as soon as possible, which may require use of generators.	X					<b>2025 Review Comment:</b> No update provided.
<b>22</b> – Lewistown Borough Install three inlets and pave Virginia Avenue, to fix dramatic road deterioration due to water and to reduce icy roadway conditions in winter.	Х					<b>2025 Review Comment:</b> Being discussed and planned for future project.

Mifflin County Mitigation Actions Review Worksheet						
		Si	tatus			
<b>Existing Mitigation Actions</b> (2019 HMP)	No Progress/ Unknown	In Progress/Not Yet Complete	Continuous	Completed	Discontinued	Review Comments
23 – McVeytown Borough						2025 Review Comment: No update
Conduct smoke testing of sewer lines and inspect						provided.
homes, to identify homes with basement floor						
drains and sump pumps that are connected to the	Х					
Municipal Sewer system. This is a concern due to						
the potential for home heating oil to contaminate						
the system. Create a corrective action plan.						
24 – Menno Township						2025 Review Comment: This
Replace bridges on Hickory Lane (T464) and						project was completed in late 2023
Renno Road (T453) with PennDOT approved aluminum box culvert structures. Current						utilizing a combination of Liquid
deterioration has caused some of the decking and				v		Fuel and general Township funds.
wing walls to fall into the stream, causing				Х		Removed.
flooding onto public roads and local farm fields.						Kemoved.
Hickory Lane bridge is currently closed to all						
traffic with signs and barriers.						
25 – Newton Hamilton Borough					1	2025 Review Comment: No update.
Replace the Church Street Bridge, which has						
become unstable due to age and erosion of the	Х					
foundations.						
26 – Oliver Township						2025 Review Comment: No update
Implement Oliver Township road and						provided.
infrastructure drainage improvements, to reduce	Х					
water and ice hazards on roads as well as						
infrastructure damage due to washouts.						

Mifflin County Mitigation Actions Review Worksheet						
		S	tatus			
<b>Existing Mitigation Actions</b> (2019 HMP)	No Progress/ Unknown	In Progress/Not Yet Complete	Continuous	Completed	Discontinued	Review Comments
27 – Union Township Safely demolish aging, unused smoke stacks and tanks located at the former Fairmont facility.	Х					<b>2025 Review Comment:</b> Updated to "Safely demolish aging and unused smokestacks and tanks located at the former Fairmont facility."
<b>28 – Union Township</b> Improve / replace / re-route an existing private storm water conveyance system through the lands of Kerfam, Inc. to reduce the threat of nuisance / possibly catastrophic flooding to adjacent properties. Increase or improve / optimize the hydraulic capacity of the existing swales; Reroute the existing pipes under the existing buildings.	Х					<b>2025 Review Comment:</b> Continuing to monitor; awaiting funding. Updated to "Improve, replace, or reroute private storm water conveyance systems through the lands of Kefram, Inc. to reduce the threat of nuisance or catastrophic flooding to adjacent properties. Increase, improve, or optimize hydraulic capacity of the existing swales and reroute pipes under existing buildings."

Mifflin County Mitigation Actions Review Worksheet								
		Si	tatus					
<b>Existing Mitigation Actions</b> (2019 HMP)	n Actions (Null P)		itiliaation Actions 10 HWb) In Progress/Not Yet Complete Completed		Completed	Discontinued	Review Comments	
<b>29 – Union Township</b> Improve / replace an existing culvert under SR 655 at the SR 655 / South Penn Street Intersection, to reduce the threat of nuisance / possibly catastrophic flooding to adjacent properties. Existing culvert capacity is significantly reduced due to sedimentation. Increase or improve / optimize the hydraulic capacity by culvert under SR 655; confirm the structural adequacy; improve outfall.	Х				х	<b>2025 Review Comment:</b> Township considers this to be a Penn Dot issue. Updated to "Improve or replace an existing culvert under SR 655 at the SR 655 and South Penn Street intersection to reduce the threat of nuisance or catastrophic flooding to adjacent properties. Existing culvert capacity is significantly reduced due to sedimentation. Increase, improve, or optimize the hydraulic capacity of the culvert under SR 655."		
<b>30 – Union Township</b> Remove / replace existing structurally / hydraulically deficient bridge carrying Spring Run Road over Kishacoquillas Creek. Existing bridge is the sole access to several residential / recreational properties.		х				2025 Review Comment: Continuing to evaluate alternate access to properties served by bridge. Updated to "Remove or replace existing structurally or hydraulically deficient bridge carrying Spring Run Road over Kishacoquillas Creek. Existing bridge is the sole access to several residential and recreational properties."		
<ul> <li>31 – Wayne Township</li> <li>Install a culvert under Ferguson Valley Road (T-328), which floods during heavy rain events.</li> <li>Stormwater runoff from agricultural fields crosses and closes the road and can cause washout.</li> </ul>	Х					2025 Review Comment: No update provided.		

Mifflin County Mitigation Actions Review Worksheet						
		Si	tatus			
<b>Existing Mitigation Actions</b> (2019 HMP)	No Progress/ Unknown	In Progress/Not Yet Complete	Continuous	Completed	Discontinued	Review Comments
32 – Wayne Township						2025 Review Comment: No update
Coordinate with the PA Historic and Museum						provided.
Commission to establish whether or not the						
Juniata Canal Lockkeeper's House is considered						
historic. Its location in a floodplain dictates	Х					
"substantial improvement" if significant						
renovations are made, unless it can be defined as a						
historic structure. Convert the house into a						
museum. 33 – Mifflin County						2025 Review Comment: OPS.
Update the database of special needs populations						2025 Review Comment: OPS.
in Mifflin County, by location and need. The						
database could be used during extended disaster						
events, in the event that residents are asked to			Х			
shelter in place or to evacuate. The County could			21			
send resource-specific support for the evacuation						
or to check on special needs residents' welfare						
during the crisis.						
34 – Mifflin County						2025 Review Comment: Red Cross.
Provide smoke detectors and basic fire safety		Х				
training to residents.						
35 – Mifflin County						2025 Review Comment:
Acquire and demolish structures on the tax		v				Planning/commissioners.
repository and within the SFHA, to convert land		Х				
to open space / recreational use.						

Mifflin County Mitigation Actions Review Worksheet							
		S	tatus				
<b>Existing Mitigation Actions</b> (2019 HMP)	No Progress/ Unknown	In Progress/Not Yet Complete	Continuous	Completed	Discontinued	Review Comments	
36 – Mifflin County Extend broadband access into new areas by placing new fiber optic cabling on existing pole lines. Necessary work/costs would include: assessment by pole owner of potential make-ready work, deploying technicians to hang new cable, annual pole attachment fee and placing cost for new cabling. Existing gaps in coverage hinder emergency response to certain areas and in doing so, pose substantial risk to public safety.		x				<b>2025 Review Comment:</b> Commissioners adding tower sites/upgrades.	
<b>37 – All municipalities except Juniata</b> <b>Terrace Borough</b> Enforce the floodplain ordinances to ensure that all new construction or substantial improvements to existing structures that are located in the 1- percent-annual-chance floodplain are built with first-floor elevations at or above the Base Flood Elevation (BFE).			X			2025 Review Comment: Planning.	
<b>38</b> – <b>Armagh and Brown Townships</b> Utilize subsidence and sinkhole hazard maps to determine if additional requirements should be added to obtain building permits in sinkhole and subsidence prone areas of community.			X			2025 Review Comment: No update.	

Mifflin County Mitigation Actions Review Worksheet							
		Si	tatus	-			
<b>Existing Mitigation Actions</b> (2019 HMP)	No Progress/ Unknown	In Progress/Not Yet Complete	Continuous	Completed	Discontinued	<b>Review Comments</b>	
<b>39 – Armagh and Wayne Township</b> Reduce vulnerabilities from high hazard potential						<b>2025 Review Comment:</b> Support training and funding opportunities.	
dams that pose an unacceptable risk to the public						training and randing opportunities.	
by securing Rehabilitation of High Hazard			Х				
Potential Dam Grant Program (HHPD) funding							
for rehabilitation projects.							
40 – Juniata Terrace Borough						2025 Review Comment: No update	
Determine if historic public buildings would	х					provided.	
benefit from mitigation to handle snow loads and							
apply for grants as needed. 41 – Juniata Terrace Borough and						2025 Review Comment: No update.	
Lewistown Borough						2025 Review Comment: No update.	
Encourage the use of non-combustible materials							
(i.e. stone, brick, and stucco) for new			Х				
construction, upgrades, and remodels in urban							
areas.							
42 – Juniata Terrace Borough and Menno						2025 Review Comment: No update.	
Township			Х				
Clear brush and downed trees as appropriate for			Λ				
wildfire mitigation.							
43 – Mifflin County and All Municipalities						2025 Review Comment: GIS.	
Utilize elevation, acquisition, relocation, and			Х				
other mitigation methods to mitigate flood prone							
properties.							

Mifflin County Mitigation Actions Review Worksheet							
<b>Existing Mitigation Actions</b> (2019 HMP)	No Progress/ Unknown	In Progress/Not Yet Complete	Continuous	Completed	Discontinued	Review Comments	
<ul> <li>44 – Mifflin County, Armagh, Brown, Derry, Granville, Menno, Oliver, Union, and Wayne Townships, Lewistown and McVeytown Boroughs</li> <li>Publicize volunteer days on behalf of publicly- owned lands. For example, past and planned volunteer activities in Rothrock State Forest include treatment for invasive species (Hemlock Woolly Adelgid) in fall 2018 and fall 2019 and trail maintenance including dead tree removal. Additionally, Forest Fire Prevention and other education programs are offered across the Rothrock State Forest service area. The County could promote these invasive species and wildfire mitigation activities by announcing upcoming events on the County website, the Mifflin Alerts Facebook page, and/or the Mifflin County 9-1-1</li> </ul>			х			2025 Review Comment: State and Ag-extension.	
(Public Safety) Facebook page. <b>45</b> – <b>Mifflin County, Brown and Union</b> <b>Township, and Lewistown Borough</b> Conduct outreach and provide education about radon. For example, include an informative blurb and link (i.e. https://www.dep.pa.gov/Business/RadiationProtec tion/RadonDivision/Pages/Radon-in-the- home.aspx) on County and municipal web pages about the dangers of radon and how to get free test kits.			х			<b>2025 Review Comment:</b> OPS. Updated to "Conduct outreach and provide education about radon. For example, include an informative blurb and link on the municipal and county web pages about the dangers of radon and how to get free test kits."	

Mifflin County Mitigation Actions Review Worksheet							
		Si	tatus				
<b>Existing Mitigation Actions</b> (2019 HMP)	No Progress/ Unknown	In Progress/Not Yet Complete	Continuous	Completed	Discontinued	Review Comments	
46 – Mifflin County						2025 Review Comment: OPS.	
Conduct outreach and provide education about							
swimming and boating safety, invasive species,			Х				
water conservation during drought, and							
emergency preparedness. 47 – Mifflin County						2025 Review Comment: Planning.	
Provide property owners with information about						2025 Review Comment: Flamming.	
weatherizing their homes and potential funding			Х				
sources (i.e. SEDA-Council of Governments).							
48 – Mifflin County						2025 Review Comment: OPS.	
Conduct targeted outreach activities with Plain							
Sect populations to enhance mitigation,							
preparedness, response, and recovery							
communication capabilities. Activities may		X					
include organizing meetings with Plain Sect							
community leaders, attending Plain Sect community events, and distributing educational							
materials to Plain Sect households.							
						2025 Review Comment: Planning.	
49 – Mifflin County						Updated to "Increase municipal	
Increase municipal participation in the CRS		v				participation in the Community	
Program by working with the municipalities to		Х				Rating System (CRS) program by	
achieve the program requirements.						working with municipalities to	
						achieve the program requirements."	

Mifflin County Mitigation Actions Review Worksheet							
		Si	tatus				
<b>Existing Mitigation Actions</b> (2019 HMP)	No Progress/ Unknown	In Progress/Not Yet Complete	Continuous	Completed	Discontinued	Review Comments	
<b>50 – Mifflin County</b> Develop Lowest Floor Elevation Data as part of the County's Next Generation 911 data project.		х				<b>2025 Review Comment:</b> OPS. Updated to "Develop lowest floor elevation data as part of Mifflin County's Next Generation 911 (NG911) data project."	
51 – Mifflin County Incorporate hazard mitigation goals and principles into the Mifflin County Comprehensive Plan Update. See Section 5.2.5 for Plan Integration ideas.		Х				<b>2025 Review Comment:</b> Planning. Updated to "Incorporate hazard mitigation goals and principles into the Mifflin County Comprehensive Plan Update."	
52 – Mifflin County Compile a list of landslide incidents within Mifflin County, including information such as municipality, latitude/longitude, topography, weather conditions, loss of life, property damage costs, and other factors useful in analysis of past occurrence and vulnerability.		Х				2025 Review Comment: MCM.	
53 – Mifflin County Install lightning protection devices and methods, such as lightning rods and grounding, on communications infrastructure and other critical facilities.	Х					2025 Review Comment: Facilities.	

Mifflin County Mitigation Actions Review Worksheet								
		Si	tatus			-		
<b>Existing Mitigation Actions</b> (2019 HMP)	No Progress/ Unknown	In Progress/Not Yet Complete	Continuous	Completed	Discontinued	<b>Review Comments</b>		
54 – Mifflin County Educate and encourage residents to sign up for the AlertPA notification system by CodeRED, which provides emergency and weather-related alerts. Text and email alerts are automatically provided when your address falls in the path of severe weather. Provide the web link on the County website, the Mifflin Alerts Facebook page, and/or the Mifflin County 9-1-1 (Public Safety) Facebook page (https://www.ready.pa.gov/BeInformed/Signup- For-Alerts/Pages/default.aspx).			X			<b>2025 Review Comment:</b> OPS. Updated to "Educate and encourage residents to sign up for the AlertPA notification system by CodeRED, which provides emergency and weather-related alerts. Text and email alerts are automatically provided when your address falls in the path of severe weather. Provide the web link on the County website, the Mifflin Alerts Facebook page, and/or the Mifflin County 9-1-1 (Public Safety) Facebook page."		
55 – Mifflin County Hold annual meetings of the hazard mitigation steering committee, update the MJHMP annually and after disasters, and document meetings and progress.			х			<b>2025 Review Comment:</b> Planning. Updated to "Hold annual meetings of the Mifflin County hazard mitigation local planning team to review the plan annually, and document meetings and progress on planning items."		

### 6.2. Mitigation Goals and Objectives

Based on results of the goals and objectives evaluation exercise and input from the local planning team, a list of seven goals and twenty-one corresponding objectives were developed. *Table 84 – 2025 Goals and Objectives* details the mitigation goals and objectives established for the 2025 Mifflin County Hazard Mitigation Plan.

#### Table 84 - 2025 Goals and Objectives

Mifflin County 2025 Goals and Objective							
Goal/Objective	Description						
Goal 1	Strengthen local and county capabilities to reduce the potential impact of flooding on existing and future public/private assets, including structures, critical facilities, and community lifelines.						
Objective 1.1	Protect existing critical infrastructure and community lifelines from damage that can be caused by all flooding hazards and the impacts of those hazards.						
Objective 1.2	Promote management and regulatory procedures and provide advice on projects that would reduce the impacts of flooding hazards on public and private property.						
Objective 1.3	Develop local projects like maintaining streams and culverts, to reduce the impacts of flooding hazards on public and private property.						
Goal 2	Protect the citizens of Mifflin County as well as the public, including public and private property, from the impacts of natural and human-caused hazards.						
Objective 2.1	Review, update, and maintain regulations limiting development in hazard-prone areas and directing new growth away from those area.						
Objective 2.2	Lessen impacts on natural resources from all hazards.						
Objective 2.3	Protect populations, vulnerable communities, and property in Mifflin County from all hazards.						
Goal 3	Enhance planning and emergency response efforts among local, county, and state emergency management personnel to protect the health and safety of all people in Mifflin County.						
Objective 3.1	Improve coordination and communication between departments and private industry.						
Objective 3.2	Ensure adequate training and resources for those involved in emergency response, services, relief, or hazard mitigation.						
Objective 3.3	Assist and coordinate relief and evacuation in the event of a disaster.						
Objective 3.4	Continue to foster and review the development of information, participants, and resources for subsequent hazard mitigation planning efforts.						

Mifflin County 2025 Goals and Objective							
Goal/Objective	Description						
Goal 4	Build, maintain and enhance Mifflin County's spatial resources and projects to strengthen public and private hazard mitigation planning and decision support capabilities.						
Objective 4.1	Develop data management policies to ensure adequate data management.						
Objective 4.2	Develop and update detailed databases related to each high-risk hazard and vulnerable items to those hazards.						
	Increase public awareness on both the potential impacts of natural						
Goal 5	hazards and activities to reduce the vulnerability of Mifflin County to those hazards.						
Objective 5.1	Develop public and business education and outreach programs on all natural hazards and hazard mitigation.						
Objective 5.2	Educate property owners and the agricultural community in high-risk areas and the precautions that can be taken to mitigate that vulnerability.						
Objective 5.3	Encourage property owners in the Special Flood Hazard Area (1% annual chance floodplain) to purchase flood insurance.						
Objective 5.4	Review, maintain, or develop projects related to stormwater runoff that could reduce the vulnerability of certain areas to flash flooding or stormwater flooding.						
	Increase intergovernmental cooperation and build public/private						
Goal 6	partnerships to implement activities that will reduce the impact of						
	all hazards in Mifflin County.						
Objective 6.1	Maintain open lines of communication between the county and the municipalities regarding hazards and hazard mitigation.						
Objective 6.2	Discuss partnering opportunities and future hazard mitigation involvement with private entities.						
Goal 7	Participate in FEMA's High-Hazard Potential Dam Program (HHPD).						
Objective 7.1	Educate all stakeholders regarding FEMA's HHPD program.						
Objective 7.2	Reduce the long-term vulnerabilities from eligible high hazard potential dams that pose an unacceptable risk to the public.						

Mifflin County 2025 Goals and Objective							
Goal/Objective	Description						
Objective 7.3	Identify, by area, locations that could potentially be impacted by FEMA's HHPD program.						

Goal 7 and Objective 7.1, Objective 7.2, and Objective 7.3 relate to multiple mitigation actions in *Table 84 – 2025 Mitigation Action Plan*. Action 7.1.1 relates to Objective 7.1, Action 7.2.1, 7.2.2, 7.2.3, 7.2.4, 7.2.5, 7.2.6, and 7.2.7 relates to Objective 7.2, and Action 7.3.1 relates to Objective 7.3. All nine of the mitigation actions are covered by Goal 7 of the goals and objectives for the 2025 Hazard Mitigation Plan. These mitigations reduce the vulnerability of county populations and structures by educating the public on the HHPD program, enhancing local policies and procedures for HHPD planning, and digitizing dam inundation areas for future analysis and prevention of losses.

#### 6.3. Identification and Analysis of Mitigation Techniques

This section includes an overview of alternative mitigation actions based on the goals and objectives identified in Section 6.2. There are four general mitigation strategy techniques to reducing hazard risks.

- Planning and regulations
- Structure and infrastructure
- Natural systems protection
- Education and awareness

**Planning and Regulations:** These actions include government authorities, policies or codes that influence the way land and buildings are developed and built. The following are some examples.

- Comprehensive plans
- Land use ordinances
- Subdivision regulations
- Development review
- Building codes and enforcement
- National Flood Insurance Program and Community Rating System
- Capital improvement programs
- Open space preservation
- Stormwater management regulations and master plans

The planning and regulations technique will protect and reduce the impact of specific hazards on new and existing buildings by improving building code standards and regulating new and

renovation construction. The improved building codes will decrease the impact of risk hazards. Subdivision and land development enhancements will also augment this process. Ensuring that municipalities participate in the National Flood Insurance Program and encourage participation in the Community Rating System will decrease the impact as well.

**Structure and infrastructure implementation:** These actions involve modifying existing structures and infrastructure or constructing new structures to reduce hazard vulnerability. The following are examples:

- Acquisitions and elevations of structures in flood prone areas
- Utility undergrounding
- Structural retrofits
- Floodwalls and retaining walls
- Detention and retention structures
- Culverts
- Safe rooms

Structure and infrastructure implementation is a technique that removes or diverts the hazard from structure or protects the structure from a specific hazard. The new or renovated structures are therefore protected or have a reduced impact of hazards.

**Natural Systems Protection:** These are actions that minimize damage and losses and also preserve or restore the functions of natural systems. They include the following:

- Erosion and sediment control
- Stream corridor restoration
- Forest management
- Conservation easements
- Wetland restoration and preservation

Natural resource protection techniques allow for the natural resource to be used to protect or lessen the impact on new or renovated structures through the management of these resources. Utilization and implementation of the examples above will protect new and existing buildings and infrastructure.

**Education and Awareness:** These are actions to inform and educate citizens, elected officials and property owners about hazards and potential ways to mitigate them and may also include participation in national programs. Examples of these techniques include the following.

- Radio and television spots
- Websites with maps and information
- Real estate disclosure

- Provide information and training
- NFIP outreach
- StormReady
- Firewise communities

The education and awareness technique will protect and reduce the impact of specific hazards on new and existing buildings through education of citizens and property owners on the impacts that specific hazards could have on new or renovated structures. This information will allow the owner to make appropriate changes or enhancements that will lessen or eliminate the impacts of hazards.

*Table* 85 – *Mitigation Strategy Technique Matrix* provides a matrix identifying the mitigation techniques used for all low, moderate, and high-risk hazards in the county. The specific actions associated with these techniques are included in *Table 86 – 2025 Mitigation Action Plan*.

Mifflin County Mitigation Strategy Technique Matrix								
		MITIGATION	TECHNIQUE					
Hazard	Planning and Regulations	Structure and Infrastructure	Natural Systems Protection	Education and Awareness				
Drought	Х	Х		Х				
Earthquake	Х	Х		Х				
Extreme Temperatures	Х	Х		Х				
Flood, Flash Flood, and Ice Jam	Х	Х	Х	X				
Hurricane and Tropical Storms	X	Х		X				
Invasive Species	X	Х	Х	X				
Landslides	X	Х		X				
Lightning Strike	X	Х		X				
Pandemic, Epidemic, Endemic, and Infectious Disease	X	Х		X				
Radon Exposure	X	Х		X				
Subsidence and Sinkhole	X	Х		X				
Tornado and Windstorm	X	Х		X				
Wildfire	X	Х		X				
Winter Storms	Х	Х		X				
Blighted Properties/Structure and Building Collapse	X	Х		X				
Civil Disturbance	X	Х		X				
Dam Failure	Х	Х	Х	Х				
Disorientation	X	Х		X				

 Table 85 - Mitigation Strategy Technique Matrix

Mifflin County Mitigation Strategy Technique Matrix											
	N TECHNIQUE										
Hazard	Planning and Regulations	Structure and Infrastructure	Natural Systems Protection	Education and Awareness							
Drowning	X	Х		Х							
Nuclear Incidents	Х	Х		Х							
Environmental Hazards	X	Х	Х	Х							
Substance Use Disorder	Х	Х		Х							
Terrorism and Cyberterrorism	X	Х		Х							
Transportation Accidents	X	Х		Х							
Urban Fire and Explosion	X	Х		Х							
Utility Interruptions	X	Х		Х							

#### 6.4. Mitigation Action Plan

The Mifflin County Hazard Mitigation Local Planning Team (LPT) immediately began work on the mitigation strategy section of the 2025 hazard mitigation plan (HMP) update after the risk assessment section was completed. The LPT started this section by reviewing the 2019 HMP mitigation strategy section. A review of the previous goals, objectives, actions, and project opportunities documented in the 2019 HMP was conducted. The next step the LPT completed was the brainstorming of possible new actions based on new identified risks. The LPT compiled all this information for presentations to the municipalities.

MCM Consulting Group, Inc. completed municipality meetings at various time periods via virtual platforms or in-person meetings. During all these meetings, an overview of mitigation strategy was presented, and the municipalities were informed that they needed to have at least one hazard-related mitigation action for their municipality. All municipalities were invited to attend these meetings. Municipalities that were not able to join conference calls were contacted individually.

The municipalities were notified of draft mitigation actions and encouraged to provide new mitigation actions that could be incorporated into the plan. Municipalities were provided copies of their previously submitted mitigation opportunity forms and asked to determine if the projects were still valid. Municipalities were solicited for new project opportunities as well. All agendas, sign in sheets, and other support information from these meetings is included in Appendix C.

Mitigation measures for the 2025 Mifflin County HMP are listed in the mitigation action plan. *Table 86 – 2025 Mitigation Action Plan* is the 2025 Mifflin County Mitigation Action Plan. This plan outlines mitigation actions and projects that comprise a strategy for Mifflin County. The

action plan includes actions, a benefit and cost prioritization, a schedule for implementation, any funding sources to complete the action, a responsible agency or department and an estimated cost. All benefit and cost analysis were completed using the Pennsylvania Emergency Management Agency recommended analysis tool. The completed analysis is located in Appendix H. *Table 86 – 2025 Mitigation Action Plan* is a matrix that identifies the county and/or municipalities responsible for mitigation actions in the new mitigation action plan. *Table 87 – Municipal Hazard Mitigation Actions Checklist* shows which actions tie to specific municipalities for responsibilities. *Table 88 – Objective to Action Checklist* shows that each mitigation objective has a mitigation action item related to it. *Table 89 – Actions Tied to Hazards* illustrates the specific actions that are tied to each hazard outlined in the hazard mitigation plan.

Funding acronym definitions:

FMA:	Flood Mitigation Assistance Grant Program, administered by the Federal Emergency Management Agency
HMGP:	Hazard Mitigation Grant Program, administered by the Federal Emergency Management Agency
BRIC:	Building Resilient Infrastructure and Communities (BRIC) Program, administered by the Federal Emergency Management Agency
EMPG:	Emergency Management Performance Grant, administered by the Federal Emergency Management Agency
HSGP:	Homeland Security Grant Program, administered by the Federal Emergency Management Agency
HMEP:	Hazardous Material Emergency Planning Grant, administered by the Pennsylvania Emergency Management Agency
HMRF:	Hazardous Material Response Fund, administered by the Pennsylvania Emergency Management Agency
HMERP:	Hazard Mitigation Emergency Response Program administered by the Pennsylvania Emergency Management Agency
HHPD:	Rehabilitation of High-Hazard Potential Dams Grant Program, administered by the Federal Emergency Management Agency

#### **Evaluate and Prioritize Mitigation Actions**

#### **Mitigation Action Evaluation:**

Evaluating mitigation actions involves judging each action against certain criteria to determine whether or not it can be executed. The feasibility of each mitigation action is evaluated using the ten evaluation criteria set forth in the Mitigation Action Evaluation methodology as outlined in the Commonwealth of Pennsylvania's All-Hazard Mitigation Planning, Standard Operating Guide. The methodology solicits input on whether each action is highly effective or feasible and ineffective or not feasible for the criteria. These criteria are listed below and aid in determining the feasibility of implementing one action over another.

- Life Safety: Will the action be effective in promoting public safety?
- Property Protection: Will the action be effective in protecting public or private property?
- Technical: How effective will the action be in avoiding or reducing future losses?
- Political: Does the action have public and political support?
- Legal: Does the community have the authority to implement the proposed measure?
- Environmental: Will the action provide environmental benefits, and will it comply with local, state, and federal environmental regulations?
- Social: Will the action be acceptable by the community, or will it cause any one segment of the population to be treated unfairly?
- Administrative: Is there adequate staffing and funding available to implement the action in a timely manner?
- Local Champion: Is there local support for the action to help ensure its completion?
- Other Community Objectives: Does the action address any current or future community objectives either through municipal planning or community goals?

To evaluate the mitigation actions, each action is identified as highly effective or feasible, ineffective, or not favorable and no cost or benefit. For each criterion, the prioritization methodology assigns a "+" if the action is highly effective or feasible, a "-" if the action was ineffective or not feasible, and a "N" if no cost of benefit could be associated with the suggested action or the action was no applicable to the criteria.

#### **Mitigation Action Prioritization:**

Actions should be compared with one another to determine a ranking or priority by applying the multi-objective mitigation action prioritization criteria. Scores are assigned to each criterion using the following weighted, multi-objective mitigation action prioritization criteria:

- Effectiveness (weight: 20% of score): The extent to which an action reduces the vulnerability of people and property.
- Efficiency (weight: 30% of score): The extent to which time, effort, and cost is well used as a means of reducing vulnerability.
- Multi-Hazard Mitigation (weight: 20% of score): The action reduces vulnerability for more than one hazard.
- Address High Risk Hazard (weight: 15% of score): The action reduces vulnerability for people and property from a hazard identified as high risk.
- Address Critical Communications/Critical Infrastructure (weight: 15% of score): The action pertains to the maintenance of critical functions and structures such as transportation, supply chain management, and data circuits, etc.

Scores of 1, 2, or 3 are assigned for each multi-objective mitigation action prioritization criterion where 1 is a low score and 3 is a high score. Actions are prioritized using the cumulative score assigned to each. Each mitigation action is given a priority ranking (Low, Medium, and High) based on the following:

•	Low Priority:	1.0 - 1.8
•	Medium Priority:	1.9 – 2.4
•	High Priority:	2.5 - 3.0

The cumulative results of the prioritization of mitigation actions is identified in the mitigation action evaluation and prioritization tool. The results for the mitigation action evaluation and prioritization are located in Appendix H of this plan.

### Mifflin County, Pennsylvania 2025 Hazard Mitigation Plan

Table 86 - 2025 Mitigation Action Plan

Mifflin County 2025 Mitigation Action Plan									
- L	Ν	Iitigation Actions		Prio	ritiza	tion	Implementation		
Action Number	Category	Description/ Action Items	Hazard Vulnerability	High	Medium	Low	Schedule	Funding	Local Champion
1.1.1	Structure and Infrastructure	Install an impermeable sheet piling barrier to protect eighty- one structures between Honey Creek and Willow Lane from flooding.	Flooding		X		2025-2030	Local	Brown Township
1.1.2	Structure and Infrastructure	Prevent the backup of sewage into lines and homes if the pump station is flooded or the power is out for a long period. Floodproof the wastewater treatment facility and lift stations located in flood hazard areas. Restore power as soon as possible, which may require use of generators.	Flooding	X			2025-2030	Local	Kistler Borough
1.2.1	Structure and Infrastructure	Acquire, via voluntary buyout, the McCardle Mobile Home Court in Burnham. This property is in the Kishacoquillas Creek floodplain and regularly floods.	Flooding			X	2025-2030	Local	Burnham Borough
1.2.2	Structure and Infrastructure	Acquire and demolish structures on the tax repository and within the SFHA, to convert land to open space / recreational use.	Flooding			X	2025-2030	Local	Mifflin County Office of Public Safety

	Mifflin County 2025 Mitigation Action Plan									
<u>.</u>	Mitigation Actions			Prioritization			Implementation			
Action Number	Category	Description/ Action Items	Hazard Vulnerability	High	Medium	Low	Schedule	Funding	Local Champion	
1.2.3	Structure and Infrastructure	Utilize elevation, acquisition, relocation, and other mitigation methods to mitigate flood prone properties.	Flooding			X	2025-2030	Local	Mifflin County Office of Public Safety Mifflin County Munis.	
1.2.4	Planning and Regulations	Increase municipal participation in the Community Rating System (CRS) program by working with municipalities to achieve the program requirements.	Flooding		X		2025-2030	Local	Mifflin County Office of Public Safety	
1.3.1	Structure and Infrastructure	Install concrete chunks in wire mesh, along the sides of township road T-467 to prevent flash flooding damage to road, pipes, and lawns.	Flash Flooding		X		2025-2030	Local	Armagh Township	
1.3.2	Structure and Infrastructure	Relocate and elevate River Road (T-477), which floods during heavy rain or dam releases, to prevent roadway damage and 12+ road closures per year.	Flash Flooding		X		2025-2030	Local	Bratton Township	

	Mifflin County 2025 Mitigation Action Plan								
- -	N	Iitigation Actions		Prio	ritiza	tion		Imple	mentation
Action Number	Category	Description/ Action Items	Hazard Vulnerability	High	Medium	Low	Schedule	Funding	Local Champion
1.3.3	Structure and Infrastructure	Take actions to preserve and protect major Township infrastructure by inspecting and, as necessary, repairing structural issues with the bridge carrying Alfarata Road over Jack's Creek. Replace existing superstructure, remove existing pier to eliminate collecting debris and exacerbating flooding, and stabilize scour at existing abutments.	Flooding			X	2025-2030	Local	Decatur Township
1.3.4	Structure and Infrastructure	Replace the structurally deficient bridge carrying Shindle Road over an Unnamed Tributary to Jack's Creek, in order to improve the hydraulic capacity and reduce flooding to adjacent properties.	Flooding		X		2025-2030	Local	Decatur Township
1.3.5	Structure and Infrastructure	Take actions to preserve and protect major Township infrastructure by inspecting and, as necessary, repairing structural issues with the bridge carrying Hoffman Road over Jack's Creek. Replace existing deficient superstructure and stabilize scour at existing abutments.	Flooding		X		2025-2030	Local	Decatur Township

	Mifflin County 2025 Mitigation Action Plan								
3 <b>r</b>	Ν		Prio	Prioritization			Implementation		
Action Number	Category	Description/ Action Items	Hazard Vulnerability	High	Medium	Low	Schedule	Funding	Local Champion
1.3.6	Structure and Infrastructure	Take actions to preserve and protect major Township infrastructure by inspecting and, as necessary, repairing structural issues with the bridge carrying Ertley Road over Belltown Run. Replace existing deficient superstructure and stabilize scour at existing abutments.	Flooding		x		2025-2030	Local	Decatur Township
1.3.7	Structure and Infrastructure	Take actions to preserve and protect major Township infrastructure by inspecting and, as necessary, repairing structural issues with the bridge carrying Snook Road over Belltown Run. Replace existing deficient superstructure and the existing pier and stabilize scour at existing abutments.	Flooding		X		2025-2030	Local	Decatur Township

		Mifflin County 2025	Mitigation Ac	ction P	lan				
r	Ν	Mitigation Actions		Prioritization			Implementation		
Action Number	Category	Description/ Action Items	Hazard Vulnerability	High	Medium	Low	Schedule	Funding	Local Champion
1.3.8	Structure and Infrastructure	Improve or replace an existing culvert under SR 655 at the SR 655 and South Penn Street intersection to reduce the threat of nuisance or catastrophic flooding to adjacent properties. Existing culvert capacity is significantly reduced due to sedimentation. Increase, improve, or optimize the hydraulic capacity of the culvert under SR 655.	Flooding		x		2025-2030	Local	Union Township
1.3.9	Structure and Infrastructure	Improve, replace, or re-route private storm water conveyance systems through the lands of Kefram, Inc. to reduce the threat of nuisance or catastrophic flooding to adjacent properties. Increase, improve, or optimize hydraulic capacity of the existing swales and reroute pipes under existing buildings.	Flooding		X		2025-2030	Local	Union Township
1.3.10	Natural Systems Protection	Remove fallen trees and debris and install riprap, to stabilize the banks of Hundry Run. This will alleviate stream bank erosion and prevent the tree/debris buildup that causes flooding. See Appendix C for photos.	Flooding Flash Flooding		X		2025-2030	Local	Burnham Borough

	Mifflin County 2025 Mitigation Action Plan								
5	Ν	Iitigation Actions		Prio	ritiza	tion	Implementation		
Action Number	Category	Description/ Action Items	Hazard Vulnerability	High	Medium	Low	Schedule	Funding	Local Champion
1.3.11	Natural Systems Protection	Prevent further stream bank erosion in Kish Park by installing plantings and managing wildlife.	Flooding	x			2025-2030	Local	Derry Township
2.1.1	Structure and Infrastructure	Repurpose a former industrial site in the floodplain, Phillips Industrial Property along US 22 on the bank of the Juniata River in Lewistown to greenspace. Complete a real estate appraisal and a Phase 1 Environmental Site Assessment, demolish structures, remediate the property, and construct and maintain the intended greenspace.	Flooding		x		2025-2030	Local	Granville Township
2.1.2	Planning and Regulations	Enforce the floodplain ordinances to ensure that all new construction or substantial improvements to existing structures that are located in the 1-percent- annual-chance floodplain are built with first-floor elevations at or above the Base Flood Elevation (BFE).	Flooding		X		2025-2030	Local	Mifflin County Munis. except Juniata Terrace Borough

	Mifflin County 2025 Mitigation Action Plan								
r	Ν	Mitigation Actions		Prio	ritiza	tion		Imple	mentation
Action Number	Category	Description/ Action Items	Hazard Vulnerability	High	Medium	Low	Schedule	Funding	Local Champion
2.1.3	Planning and Regulations	Utilize subsidence and sinkhole hazard maps to determine if additional requirements should be added to obtain building permits in sinkhole and subsidence prone areas of community.	Subsidence and Sinkhole	x			2025-2030	Local	Armagh Township Brown Township
2.2.1	Planning and Regulations	Identify areas where existing watercourses run near or adjacent to existing township roadway networks.	Flooding			X	2025-2030	Local	Decatur Township
2.2.2	Natural Systems Protection	Establish tree program and replanting plan to address current inventory and health of trees in Kish Park, due to removal of 200+ ash trees killed by the Emerald Ash Borer. In addition to providing shade, some of these trees will stabilize stream banks in the park.	Invasive Species		x		2025-2030	Local	Derry Township
2.2.3	Natural Systems Protection	Conduct smoke testing of sewer lines and inspect homes, to identify homes with basement floor drains and sump pumps that are connected to the Municipal Sewer system. This is a concern due to the potential for home heating oil to contaminate the system. Create a corrective action plan.	Environme ntal Hazards			X	2025-2030	Local	McVeytown Borough

	Mifflin County 2025 Mitigation Action Plan								
-	N	Iitigation Actions		Prio	ritiza	tion	Implementation		
Action Number	Category	Description/ Action Items	Hazard Vulnerability	High	Medium	Low	Schedule	Funding	Local Champion
2.3.1	Planning and Regulations	Map, assess, and plan responses to address wildfires. Educate residents on fire safety construction and techniques.	Wildfire		x		2025-2030	Local	Decatur Township
2.3.2	Structure and Infrastructure	Install three inlets and pave Virginia Avenue, to fix dramatic road deterioration due to water and to reduce icy roadway conditions in winter.	Flooding Winter Storm	X			2025-2030	Local	Lewistown Borough
2.3.3	Structure and Infrastructure	Replace the Church Street Bridge, which has become unstable due to age and erosion of the foundations.	Transportat ion Accidents		X		2025-2030	Local	Newton Hamilton Borough
2.3.4	Structure and Infrastructure	Upgrade storm sewers to improve drainage and avoid sinkholes.	Subsidence and Sinkhole		X		2025-2030	Local	Juniata Terrace Borough
2.3.5	Structure and Infrastructure	Safely demolish aging, unused smokestacks and tanks located at the former Fairmont facility.	Infrastructu re Collapse		X		2025-2030	Local	Union Township
2.3.6	Structure and Infrastructure	Remove or replace existing structurally or hydraulically deficient bridge carrying Spring Run Road over Kishacoquillas Creek. Existing bridge is the sole access to several residential and recreational properties.	Transportat ion Accidents	X			2025-2030	Local	Union Township

	Mifflin County 2025 Mitigation Action Plan									
r	Ν	Iitigation Actions		Prio	Prioritization			Implementation		
Action Number	Category	Description/ Action Items	Hazard Vulnerability	High	Medium	Low	Schedule	Funding	Local Champion	
2.3.7	Structure and Infrastructure	Determine if historic public buildings would benefit from mitigation to handle snow loads and apply for grants as needed.	Winter Storms		x		2025-2030	Local	Juniata Terrace Borough	
2.3.8	Structure and Infrastructure	Encourage the use of non- combustible materials (i.e. stone, brick, and stucco) for new construction, upgrades, and remodels in urban areas.	Urban Fire and Explosion		X		2025-2030	Local	Juniata Terrace Borough Lewistown Borough	
2.3.9	Planning and Regulations	Clear brush and downed trees as appropriate for wildfire mitigation.	Wildfire		x		2025-2030	Local	Juniata Terrace Borough Menno Township	
2.3.10	Planning and Regulations	Compile a list of landslide incidents within Mifflin County, including information such as municipality, latitude/longitude, topography, weather conditions, loss of life, property damage costs, and other factors useful in analysis of past occurrence and vulnerability.	Landslide		X		2025-2030	Local	Mifflin County Office of Public Safety	
2.3.11	Planning and Regulations	Install lightning protection devices and methods, such as lightning rods and grounding, on communications infrastructure and other critical facilities.	Lightning Strike	x			2025-2030	Local	Mifflin County Office of Public Safety	

		Mifflin County 2025	Mitigation Ac	ction P	lan				
5	Ν	Iitigation Actions		Prio	ritiza	tion		Imple	mentation
Action Number	Category	Description/ Action Items	Hazard Vulnerability	High	Medium	Low	Schedule	Funding	Local Champion
3.1.1	Structure and Infrastructure	Extend broadband access into new areas by placing new fiber optic cabling on existing pole lines. Necessary work/costs would include: assessment by pole owner of potential make-ready work, deploying technicians to hang new cable, annual pole attachment fee and placing cost for new cabling. Existing gaps in coverage hinder emergency response to certain areas and in doing so, pose substantial risk to public safety.	All Hazards			x	2025-2030	Local	Mifflin County Office of Public Safety
3.2.1	Planning and Regulations	Review training items for emergency response personnel in Mifflin County, including any training that may be beneficial during the next hazard mitigation planning period.	All Hazards	X			2025-2030	Local	Mifflin County Office of Public Safety
3.2.2	Planning and Regulations	Increase the number of table top exercises held within Mifflin County, including first responders, municipalities, and critical infrastructure, to review, exercise, and train for different scenarios.	All Hazards	X			2025-2030	Local	Mifflin County Office of Public Safety

		Mifflin County 2025	Mitigation Ac	ction P	lan				
r	Ν	Aitigation Actions		Prio	ritiza	tion		Imple	mentation
Action Number	Category	Description/ Action Items	Hazard Vulnerability	High	Medium	Low	Schedule	Funding	Local Champion
3.3.1	Planning and Regulations	Develop and maintain a list, or spatially enabled file, of all traffic routes and access control points for evacuation route planning. This will include which roadways will be open or closed depending on the scenario.	All Hazards	x			2025-2030	Local	Mifflin County Office of Public Safety Mifflin County GIS
3.4.1	Planning and Regulations	Develop a drought emergency plan to identify responses and prioritize actions.	Drought	X			2025-2030	Local	Decatur Township
3.4.2	Planning and Regulations	Incorporate hazard mitigation goals and principles into the Mifflin County Comprehensive Plan Update.	All Hazards	X			2025-2030	Local	Mifflin County Planning
4.1.1	Planning and Regulations	Create, review, and update data management policies for Mifflin County and all municipalities with spatially enabled data.	All Hazards	rds X			2025-2030	Local	Mifflin County GIS Mifflin County Munis.
4.2.1	Planning and Regulations	Develop a database to access and monitor existing conditions and rehabilitate problem areas near watercourses.	Flooding			X	2025-2030	Local	Decatur Township

		Mifflin County 2025	Mitigation Ac	ction P	lan					
r	Ν	Iitigation Actions		Prio	ritiza	tion	Implementation			
Action Number	Category	Description/ Action Items	Hazard Vulnerability	High	Medium	Low	Schedule	Funding	Local Champion	
4.2.2	Planning and Regulations	Update the database of special needs populations in Mifflin County, by location and need. The database could be used during extended disaster events, in the event that residents are asked to shelter in place or to evacuate. The County could send resource- specific support for the evacuation or to check on special needs residents' welfare during the crisis.	All Hazards		x		2025-2030	Local	Mifflin County Office of Public Safety	
4.2.3	Planning and Regulations	Develop lowest floor elevation data as part of Mifflin County's Next Generation 911 (NG911) data project.	Flooding		X		2025-2030	Local	Mifflin County Office of Public Safety	
5.1.1	Education and Awareness	Provide smoke detectors and basic fire safety training to residents.	Fire Hazards Urban Fire Wildfire			X	2025-2030	Local	Mifflin County Office of Public Safety	

		Mifflin County 2025	Mitigation Ac	tion P	lan					
r	Ν	Iitigation Actions		Prioritization			Implementation			
Action Number	Category	Description/ Action Items	Hazard Vulnerability	High	Medium	Low	Schedule	Funding	Local Champion	
5.1.2	Education and Awareness	Publicize volunteer days on behalf of publicly-owned lands. For example, past and planned volunteer activities in Rothrock State Forest include treatment for invasive species (Hemlock Woolly Adelgid) in fall 2018 and fall 2019 and trail maintenance including dead tree removal. Additionally, Forest Fire Prevention and other education programs are offered across the Rothrock State Forest service area. The County could promote these invasive species and wildfire mitigation activities by announcing upcoming events on the County website, the Mifflin Alerts Facebook page, and/or the Mifflin County 9-1- 1 (Public Safety) Facebook page.	All Natural Hazards		X		2025-2030	Local	Mifflin County Office of Public Safety Armagh Township, Brown Township, Granville Township, Menno Township, Oliver Township, Union Township, Union Township, Wayne Township Lewistown Borough, McVeytown Borough	

		Mifflin County 2025	Mitigation Ac	tion P	lan				
5	Ν	Aitigation Actions		Prio	ritiza	tion		Imple	mentation
Action Number	Category	Description/ Action Items	Hazard Vulnerability	High Medium Low		Low	Schedule	Funding	Local Champion
5.1.3	Education and Awareness	Conduct outreach and provide education about radon. For example, include an informative blurb and link on the municipal and county web pages about the dangers of radon and how to get free test kits.	Radon Exposure			x	2025-2030	Local	Mifflin County Office of Public Safety Brown Township, Union Township, Lewistown Borough
5.1.4	Education and Awareness	Conduct outreach and provide education about swimming and boating safety, invasive species, water conservation during drought, and emergency preparedness.	Invasive Species Drought			X	2025-2030	Local	Mifflin County Office of Public Safety
5.1.5	Education and Awareness	Provide property owners with information about weatherizing their homes and potential funding sources (i.e. SEDA-Council of Governments).	Hurricane and Tropical Storms Winter Storms			X	2025-2030	Local	Mifflin County Office of Public Safety

		Mifflin County 2025	Mitigation Ac	ction P	lan					
- L	N	Iitigation Actions		Prio	ritiza	tion	Implementation			
Action Number	Category	Description/ Action Items	Hazard Vulnerability	High	Medium	Low	Schedule	Funding	Local Champion	
5.1.6	Education and Awareness	Educate and encourage residents to sign up for the AlertPA notification system by CodeRED, which provides emergency and weather- related alerts. Text and email alerts are automatically provided when your address falls in the path of severe weather. Provide the web link on the County website, the Mifflin Alerts Facebook page, and/or the Mifflin County 9-1- 1 (Public Safety) Facebook page.	All Natural Hazards		x		2025-2030	Local	Mifflin County Office of Public Safety	
5.2.1	Education and Awareness	Identify and educate residents within or adjacent to the Meadow Creek and Jack's Creek floodplains. Develop a mailer to send to affected landowners, to educate them about flood mitigation techniques.	Flooding			X	2025-2030	Local	Decatur Township	
5.3.1	Education and Awareness	Review the requirements for flood insurance with municipal citizens and assist				X	2025-2030	Local	Mifflin County Munis.	

		Mifflin County 2025	Mitigation Ac	ction P	lan				
-1	Ν	Iitigation Actions		Prio	ritiza	tion		Imple	mentation
Action Number	Category	Description/ Action Items	Hazard Vulnerability	High	Medium	Low	Schedule	Funding	Local Champion
5.3.2	Education and Awareness	Host or coordinate workshops and training sessions with FEMA Region III and other educational organizations.	Flooding			X	2025-2030	Local	Mifflin County Mifflin County Munis.
5.4.1	Structure and Infrastructure	Stabilize Middle Road and embankment, to prevent continued collapse into Strodes Run Creek.	Flash Flooding Stormwater		X		2025-2030	Local	Granville Township
5.4.2	Structure and Infrastructure	Implement Oliver Township road and infrastructure drainage improvements, to reduce water and ice hazards on roads as well as infrastructure damage due to washouts.	Flash Flooding Stormwater	x			2025-2030	Local	Oliver Township
5.4.3	Structure and Infrastructure	Install a culvert under Ferguson Valley Road (T- 328), which floods during heavy rain events. Stormwater runoff from agricultural fields crosses and closes the road and can cause washout.	Flash Flooding Stormwater		X		2025-2030	Local	Wayne Township
6.1.1	Planning and RegulationsHold annual meetings of the Mifflin County hazard mitigation local planning team to review the plan annually, and document meetings and progress on planning items.		All Hazards	X			2025-2030	Local	Mifflin County Office of Public Safety

		Mifflin County 2025	Mitigation Ac	ction P	lan				
	Ν	Aitigation Actions		Prio	ritiza	tion		Implei	nentation
Action Number	Category	Description/ Action Items	Hazard Vulnerability	High	Medium	Low	Schedule	Funding	Local Champion
6.2.1	Planning and Regulations	Coordinate with the PA Historic and Museum Commission to establish whether or not the Juniata Canal Lockkeeper's House is considered historic. Its location in a floodplain dictates "substantial improvement" if significant renovations are made, unless it can be defined as a historic structure. Convert the house into a museum.	Flooding			x	2025-2030	Local	Wayne Township
6.2.2	Education and Awareness	Conduct targeted outreach activities with Plain Sect populations to enhance mitigation, preparedness, response, and recovery communication capabilities. Activities may include organizing meetings with Plain Sect community leaders, attending Plain Sect community events, and distributing educational materials to Plain Sect households.	All Hazards		X		2025-2030	Local	Mifflin County Office of Public Safety

	Mifflin County 2025 Mitigation Action Plan										
	Ν	Iitigation Actions		Prio	ritiza	tion		Imple	mentation		
Action Number	Category	Description/ Action Items	Hazard Vulnerability	High	Medium	Low	Schedule	Funding	Local Champion		
7.1.1	Education and Awareness	Distribute educational materials about the high- hazard potential dam (HHPD) program to municipalities, communities, and county residents.	Dam Failure			X	2025-2030	Local	Mifflin County Office of Public Safety Mifflin County Munis.		
7.2.1	Planning and Regulations	Reduce vulnerabilities from high hazard potential dams that pose an unacceptable risk to the public by securing Rehabilitation of High Hazard Potential Dam Grant Program (HHPD) funding for rehabilitation projects.	Dam Failure	x			2025-2030	Local	Armagh Township Wayne Township		
7.2.2	Education and Awareness	Provide education on local mitigation policies and programs that address high- hazard potential dams to municipalities and county residents.	Dam Failure			X	2025-2030	Local	Mifflin County Office of Public Safety Mifflin County Munis.		
7.2.3	Planning and Regulations	Ensure continued collaboration with both private and public dam owners, to increase their input in the local planning process and the hazard mitigation strategy for Mifflin County.	Dam Failure			X	2025-2030	Local	Mifflin County Office of Public Safety Mifflin County LPT		

		Mifflin County 2025	Mitigation Ac	tion P	lan				
5	Ν	Iitigation Actions		Prio	ritiza	tion		Imple	nentation
Action Number	Category	Description/ Action Items	Hazard Vulnerability	High	Medium	Low	Schedule	Funding	Local Champion
7.2.4	Natural Systems Protection	Research the feasibility of installing flood protection measures in areas around Mifflin County that would be adversely impacted by flooding from a high-hazard potential dam failure, including natural spaces, local parks, and outdoor areas.	Dam Failure			X	2025-2030	Local	Mifflin County Office of Public Safety Mifflin County Conservation District
7.2.5	Structure and Infrastructure	If funding becomes available, perform acquisitions, elevations, relocations, and foundation stabilization on homes and structures within areas of potential impact from a failure of a high-hazard potential dam in Mifflin County.	Dam Failure			X	2025-2030	Local	Mifflin County Office of Public Safety Mifflin County Conservation District Mifflin County LPT
7.2.6	Structure and Infrastructure	Review the early warning systems in place for dams in Mifflin County. If no early warning systems are in place, research the feasibility of constructing or implementing those systems.	Dam Failure	X			2025-2030	Local	Mifflin County Office of Public Safety Mifflin County LPT

		Mifflin County 2025	Mitigation Ac	tion P	lan				
-	Ν	Iitigation Actions		Prio	ritiza	tion	Implementation		
Action Number	Category	Description/ Action Items	Hazard Vulnerability	High	Medium	Low	Schedule	Funding	Local Champion
7.2.7	Planning and Regulations	Review or develop evacuation plans for the Mifflin County high-hazard dams.	Dam Failure	x			2025-2030	Local	Mifflin County Office of Public Safety Mifflin County LPT
7.3.1	Education and Awareness	Acquire or maintain digitized dam inundation polygons to determine at risk populations for dams designated high- hazard potential dams by FEMA.	Dam Failure	X			2025-2030	Local	Mifflin County Office of Public Safety Mifflin County LPT

Table 87 - Municipal Hazard Mitigation Actions Checklist

Municipal Hazard Mitigation Actions Checklist											
Municipality	1.1.1	1.1.2	1.2.1	1.2.2	1.2.3	1.2.4	1.3.1	1.3.2	1.3.3	1.3.4	1.3.5
Armagh Township					Х		Х				
Bratton Township					Х			Х			
Brown Township	Х				Х						
Burnham Borough			Х		Х						
Decatur Township					Х				Х	Х	Х
Derry Township					Х						
Granville Township					Х						
Juniata Terrace Borough					Х						
Kistler Borough		Х			Х						
Lewistown Borough					Х						
McVeytown Borough					Х						
Menno Township					Х						
Newton Hamilton					Х						
Borough											
Oliver Township					Х						
Union Township					Х						
Wayne Township					Х						

# Mifflin County, Pennsylvania 2025 Hazard Mitigation Plan

Municipal Hazard Mitigation Actions Checklist											
Municipality	1.1.1	1.1.2	1.2.1	1.2.2	1.2.3	1.2.4	1.3.1	1.3.2	1.3.3	1.3.4	1.3.5
Mifflin County				X	X	X					

	Municipal Hazard Mitigation Actions Checklist										
Municipality	1.3.6	1.3.7	1.3.8	1.3.9	1.3.10	1.3.11	2.1.1	2.1.2	2.1.3	2.2.1	2.2.2
Armagh Township								Х	Х		
Bratton Township								Х			
Brown Township								Х	Х		
Burnham Borough					Х			Х			
Decatur Township	Х	Х						Х		Х	
Derry Township						Х		Х			Х
Granville Township							Х	Х			
Juniata Terrace											
Borough											
Kistler Borough								Х			
Lewistown Borough								Х			
McVeytown Borough								Х			
Menno Township								Х			
Newton Hamilton								Х			
Borough											
Oliver Township								Х			
Union Township			Х	Х				Х			
Wayne Township								Х			
Mifflin County											

	]	Municip	al Haza	rd Miti	gation <b>A</b>	Actions	Checkl	ist			
Municipality	2.2.3	2.3.1	2.3.2	2.3.3	2.3.4	2.3.5	2.3.6	2.3.7	2.3.8	2.3.9	2.3.10
Armagh Township											
Bratton Township											
Brown Township											
Burnham Borough											
Decatur Township		Х									
Derry Township											
Granville Township											
Juniata Terrace					x			х	x	x	
Borough					Λ			Λ	Λ	Λ	
Kistler Borough											
Lewistown Borough			Х								
McVeytown Borough	Х										
Menno Township										Х	
Newton Hamilton				x							
Borough				Λ							
Oliver Township											
Union Township						Х	Х				

# Mifflin County, Pennsylvania 2025 Hazard Mitigation Plan

Municipal Hazard Mitigation Actions Checklist											
Municipality	2.2.3	2.3.1	2.3.2	2.3.3	2.3.4	2.3.5	2.3.6	2.3.7	2.3.8	2.3.9	2.3.10
Wayne Township											
Mifflin County											X

	Municipal Hazard Mitigation Actions Checklist										
Municipality	2.3.11	3.1.1	3.2.1	3.2.2	3.3.1	3.4.1	3.4.2	4.1.1	4.2.1	4.2.2	4.2.3
Armagh Township								Х			
Bratton Township								Х			
Brown Township								Х			
Burnham Borough								Х			
Decatur Township						Х		Х	Х		
Derry Township								Х			
Granville Township								Х			
Juniata Terrace Borough								Х			
Kistler Borough								Х			
Lewistown Borough								Х			
McVeytown Borough								Х			
Menno Township								Х			
Newton Hamilton								x			
Borough								Λ			
Oliver Township								Х			
Union Township								Х			
Wayne Township								Х			
Mifflin County	X	X	X	X	X		X	X		X	X

Municipal Hazard Mitigation Actions Checklist											
Municipality	5.1.1	5.1.2	5.1.3	5.1.4	5.1.5	5.1.6	5.2.1	5.3.1	5.3.2	5.4.1	5.4.2
Armagh Township		Х						Х	Х		
Bratton Township								Х	Х		
Brown Township		Х	Х					Х	Х		
Burnham Borough								Х	Х		
Decatur Township							Х	Х	Х		
Derry Township								Х	Х		
Granville Township		Х						Х	Х	Х	
Juniata Terrace Borough								Х	Х		
Kistler Borough								Х	Х		
Lewistown Borough		Х	Х					Х	Х		
McVeytown Borough		Х						Х	Х		
Menno Township		Х						Х	Х		
Newton Hamilton								Х	Х		
Borough											
Oliver Township		Х						Х	Х		X
Union Township		Х	X					Х	Х		
Wayne Township		Х						Х	X		

Municipal Hazard Mitigation Actions Checklist											
Municipality         5.1.1         5.1.2         5.1.3         5.1.4         5.1.5         5.1.6         5.2.1         5.3.1         5.3.2         5.4.1         5.4.2											
Mifflin County	X	X	X	X	X	X			X		

	Mu	nicipal H	Iazard N	<b>Aitigati</b>	on Acti	ons Che	ecklist				
Municipality	5.4.3	6.1.1	6.2.1	6.2.2	7.1.1	7.2.1	7.2.2	7.2.3	7.2.4	7.2.5	7.2.6
Armagh Township					Х	Х	Х				
Bratton Township					Х		Х				
Brown Township					Х		Х				
Burnham Borough					Х		Х				
Decatur Township					Х		Х				
Derry Township					Х		Х				
Granville Township					Х		Х				
Juniata Terrace Borough					Х		Х				
Kistler Borough					Х		Х				
Lewistown Borough					Х		Х				
McVeytown Borough					Х		Х				
Menno Township					Х		Х				
Newton Hamilton					Х		Х				
Borough					V		v				
Oliver Township					X		X				
Union Township					Х		Х				
Wayne Township	X		X		Х	X	Х				
Mifflin County		X		X	X		X	X	X	X	X

Municipal Hazard Mitigation Actions Checklist										
Municipality	7.2.7	7.3.1								
Armagh Township										
Bratton Township										
Brown Township										
Burnham Borough										
Decatur Township										
Derry Township										
Granville Township										
Juniata Terrace Borough										
Kistler Borough										
Lewistown Borough										
McVeytown Borough										
Menno Township										
Newton Hamilton										
Borough										
Oliver Township										
Union Township										
Wayne Township										
Mifflin County	X	X								

Objective	Number of Actions
Objective 1.1	2
Objective 1.2	4
Objective 1.3	11
Objective 2.1	3
Objective 2.2	3
Objective 2.3	11
Objective 3.1	1
Objective 3.2	2
Objective 3.3	1
Objective 3.4	2
Objective 4.1	1
Objective 4.2	3
Objective 5.1	6
Objective 5.2	1
Objective 5.3	2
Objective 5.4	3
Objective 6.1	1
Objective 6.2	2
Objective 7.1	1
Objective 7.2	7
Objective 7.3	1

Table 89 - Actions Tied to Hazard

Actions Tied to Hazard								
Hazard	Actions Related							
Natural	Hazards							
Drought	3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.1, 3.4.2, 4.1.1,							
Drought	4.2.2, 5.1.2, 5.1.4, 5.1.6, 6.1.1, 6.2.2							
Forthemalia	3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2,							
Earthquake	5.1.2, 5.1.6, 6.1.1, 6.2.2							
Extrama Tamparaturas	3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2,							
Extreme Temperatures	5.1.2, 5.1.6, 6.1.1, 6.2.2							

Actions Tied to Hazard		
Hazard	Actions Related	
	1.1.1, 1.1.2, 1.2.1, 1.2.2, 1.2.3, 1.2.4, 1.3.3,	
	1.3.4, 1.3.5, 1.3.6, 1.3.7, 1.3.8, 1.3.9, 1.3.10,	
Flood	1.3.11, 2.1.1, 2.1.2, 2.2.1, 2.3.2, 3.1.1, 3.2.1,	
11000	3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.1, 4.2.2, 4.2.3,	
	5.1.2, 5.1.6, 5.2.1, 5.3.1, 5.3.2, 6.1.1, 6.2.1,	
	6.2.2	
	1.3.1, 1.3.2, 1.3.10, 3.1.1, 3.2.1, 3.2.2, 3.3.1,	
Flash Flooding	3.4.2, 4.1.1, 4.2.2, 5.1.2, 5.1.6, 5.4.1, 5.4.2,	
	5.4.3, 6.1.1, 6.2.2	
Ice Jam	3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2,	
	5.1.2, 5.1.6, 6.1.1, 6.2.2	
Illumisons and Transisal Stamp	3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2,	
Hurricane and Tropical Storm	5.1.2, 5.1.5, 5.1.6, 6.1.1, 6.2.2	
Lunging Surging	2.2.2, 3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1,	
Invasive Species	4.2.2, 5.1.2, 5.1.4, 5.1.6, 6.1.1, 6.2.2	
Landslides	2.3.10, 3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1,	
Landshides	4.2.2, 5.1.2, 5.1.6, 6.1.1, 6.2.2	
Lightning Strike	2.3.11, 3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1,	
Lightning Strike	4.2.2, 5.1.2, 5.1.6, 6.1.1, 6.2.2	
Pandemic, Epidemic, and Infectious Disease	3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2,	
	5.1.2, 5.1.6, 6.1.1, 6.2.2	
Radon Exposure	3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2,	
	5.1.2, 5.1.3, 5.1.6, 6.1.1, 6.2.2	
Subsidence and Sinkhole	2.1.3, 2.3.4, 3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2,	
Subsidence and Sinkhole	4.1.1, 4.2.2, 5.1.2, 5.1.6, 6.1.1, 6.2.2	
Townsdo and Windstown	3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2,	
Tornado and Windstorm	5.1.2, 5.1.6, 6.1.1, 6.2.2	
Wildfire	2.3.1, 2.3.9, 3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2,	
	4.1.1, 4.2.2, 5.1.1, 5.1.2, 5.1.6, 6.1.1, 6.2.2	
Winter Storm	2.3.2, 2.3.7, 3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2,	
	4.1.1, 4.2.2, 5.1.2, 5.1.5, 5.1.6, 6.1.1, 6.2.2	
Human-Caused Hazards		

Hazard         Actions Related           Blighted Properties/ Structure and Building Collapse         2.3.5, 3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2           Civil Disturbance         3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2           Dam Failure         3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2           Dam Failure         3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2           Dam Failure         3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2           Downing         3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2           Drowning         3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2           Nuclear Incidents         3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2           Environmental Hazards         2.2.3, 3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2           Substance Use Disorder         3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2           Terrorism and Cyberterrorism         3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2           Transportation Accidents         2.3.3, 2.3.6, 3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2           Urban Fire and Explosion         2.3.8, 3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 5.1.1, 6.1.1, 6.2.2           Utility Interruptions         3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2	Actions Tied to Hazard		
Collapse         4.2.2, 6.1.1, 6.2.2           Civil Disturbance         3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2           Dam Failure         3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2, 7.1.1, 7.2.1, 7.2.2, 7.2.3, 7.2.4, 7.2.5, 7.2.6, 7.2.7, 7.3.1           Disorientation         3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2           Drowning         3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2           Nuclear Incidents         3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2           Environmental Hazards         2.2.3, 3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2           Substance Use Disorder         3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2           Terrorism and Cyberterrorism         3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2           Urban Fire and Explosion         2.3.3, 2.3.6, 3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2           Urban Fire and Explosion         2.3.8, 3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2           Urban Fire and Explosion         2.3.8, 3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2	Hazard	Actions Related	
Civil Disturbance       3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2,         Dam Failure       3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2,         Dam Failure       3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2,         Disorientation       3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2,         Drowning       3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2,         Drowning       3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2,         Nuclear Incidents       3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2,         6.1.1, 6.2.2       3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2,         Nuclear Incidents       3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2,         6.1.1, 6.2.2       3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2,         Environmental Hazards       2.2.3, 3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2,         Substance Use Disorder       3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2,         Gi.1.1, 6.2.2       3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2,         Terrorism and Cyberterrorism       3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2,         Transportation Accidents       2.3.3, 2.3.6, 3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2,         Urban Fire and Explosion       2.3.8, 3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2,         Utility Interruptions       3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2,	Blighted Properties/ Structure and Building	2.3.5, 3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1,	
Civil Disturbance       6.1.1, 6.2.2         Dam Failure       3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2, 7.1.1, 7.2.1, 7.2.2, 7.2.3, 7.2.4, 7.2.5, 7.2.6, 7.2.7, 7.3.1         Disorientation       3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2         Drowning       3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2         Nuclear Incidents       3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2         Nuclear Incidents       3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2         Substance Use Disorder       3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2         Terrorism and Cyberterrorism       3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2         Transportation Accidents       2.3.3, 2.3.6, 3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2         Urban Fire and Explosion       2.3.8, 3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2         Urban Fire and Explosion       3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2         Urban Fire and Explosion       3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2	Collapse	4.2.2, 6.1.1, 6.2.2	
6.1.1, 6.2.2         Dam Failure         3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2,         6.1.1, 6.2.2, 7.1.1, 7.2.1, 7.2.2, 7.2.3, 7.2.4,         7.2.5, 7.2.6, 7.2.7, 7.3.1         Disorientation         3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2,         6.1.1, 6.2.2         Drowning         3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2,         6.1.1, 6.2.2         Drowning         3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2,         6.1.1, 6.2.2         Nuclear Incidents         2.2.3, 3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2,         6.1.1, 6.2.2         Environmental Hazards         2.2.3, 3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2,         6.1.1, 6.2.2         Substance Use Disorder         3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2,         6.1.1, 6.2.2         Terrorism and Cyberterrorism         3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2,         6.1.1, 6.2.2         Transportation Accidents         2.3.3, 2.3.6, 3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1,         4.2.2, 5.1.1, 6.1.1, 6.2.2         Urban Fire and Explosion         2.3.8, 3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2,         Utitity Interruptions <td rowspan="2">Civil Disturbance</td> <td>3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2,</td>	Civil Disturbance	3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2,	
Dam Failure       6.1.1, 6.2.2, 7.1.1, 7.2.1, 7.2.2, 7.2.3, 7.2.4, 7.2.5, 7.2.6, 7.2.7, 7.3.1         Disorientation       3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2         Drowning       3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2         Nuclear Incidents       3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2         Environmental Hazards       2.2.3, 3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2         Substance Use Disorder       3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2         Terrorism and Cyberterrorism       3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2         Transportation Accidents       2.3.3, 2.3.6, 3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2         Urban Fire and Explosion       2.3.8, 3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 5.1.1, 6.1.1, 6.2.2         Utility Interruptions       3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2,		6.1.1, 6.2.2	
7.2.5, 7.2.6, 7.2.7, 7.3.1         Disorientation         3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2         Drowning         3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2         Nuclear Incidents         3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2         Nuclear Incidents         2.2.3, 3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2         Environmental Hazards         2.2.3, 3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2         Substance Use Disorder         3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2         Terrorism and Cyberterrorism         3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2         Urban Fire and Explosion         2.3.8, 3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 1.1.1, 4.2.2, 5.1.1, 6.1.1, 6.2.2         Utility Interruptions		3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2,	
Disorientation       3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2,         0.1.1, 6.2.2       3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2,         0.1.1, 6.2.2       3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2,         Nuclear Incidents       3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2,         6.1.1, 6.2.2       3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2,         Environmental Hazards       2.2.3, 3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1,         Substance Use Disorder       3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2,         Ferrorism and Cyberterrorism       3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2,         Transportation Accidents       2.3.3, 2.3.6, 3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2,         Urban Fire and Explosion       2.3.8, 3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1,         Utility Interruptions       3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2,	Dam Failure	6.1.1, 6.2.2, 7.1.1, 7.2.1, 7.2.2, 7.2.3, 7.2.4,	
Disorientation         6.1.1, 6.2.2           Drowning         3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2           Nuclear Incidents         3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2           Environmental Hazards         2.2.3, 3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2           Substance Use Disorder         3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2           Terrorism and Cyberterrorism         3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2           Transportation Accidents         2.3.3, 2.3.6, 3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2           Urban Fire and Explosion         2.3.8, 3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 5.1.1, 6.1.1, 6.2.2           Utility Interruptions         3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 5.1.1, 6.1.1, 6.2.2		7.2.5, 7.2.6, 7.2.7, 7.3.1	
6.1.1, 6.2.2         Drowning         3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2,         6.1.1, 6.2.2         Nuclear Incidents         Environmental Hazards         2.2.3, 3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2,         6.1.1, 6.2.2         Substance Use Disorder         Terrorism and Cyberterrorism         3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2,         6.1.1, 6.2.2         Transportation Accidents         Urban Fire and Explosion         2.3.8, 3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2,         1.1, 6.2.2         Utility Interruptions	Discrimination	3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2,	
Drowning       6.1.1, 6.2.2         Nuclear Incidents       3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2         Environmental Hazards       2.2.3, 3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2         Substance Use Disorder       3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2         Terrorism and Cyberterrorism       3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2         Transportation Accidents       2.3.3, 2.3.6, 3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2         Urban Fire and Explosion       2.3.8, 3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 5.1.1, 6.1.1, 6.2.2         Utility Interruptions       3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 5.1.1, 6.1.1, 6.2.2	Disorientation	6.1.1, 6.2.2	
6.1.1, 6.2.2         Nuclear Incidents         8.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2         Environmental Hazards         2.2.3, 3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2         Substance Use Disorder         3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2         Terrorism and Cyberterrorism         3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2         Transportation Accidents         Urban Fire and Explosion         2.3.8, 3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 1.1, 4.2.2, 5.1.1, 6.1.1, 6.2.2         Utility Interruptions	Durania	3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2,	
Nuclear Incidents       6.1.1, 6.2.2         Environmental Hazards       2.2.3, 3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2         Substance Use Disorder       3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2         Terrorism and Cyberterrorism       3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2         Transportation Accidents       2.3.3, 2.3.6, 3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2         Urban Fire and Explosion       2.3.8, 3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 5.1.1, 6.1.1, 6.2.2         Utility Interruptions       3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2	Drowning	6.1.1, 6.2.2	
6.1.1, 6.2.2         Environmental Hazards       2.2.3, 3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2         Substance Use Disorder       3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2         Terrorism and Cyberterrorism       3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2         Transportation Accidents       2.3.3, 2.3.6, 3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2         Urban Fire and Explosion       2.3.8, 3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2         Utility Interruptions       3.1.1, 3.2.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2		3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2,	
Environmental Hazards       4.2.2, 6.1.1, 6.2.2         Substance Use Disorder       3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2         Terrorism and Cyberterrorism       3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2         Transportation Accidents       2.3.3, 2.3.6, 3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2         Urban Fire and Explosion       2.3.8, 3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 5.1.1, 6.1.1, 6.2.2         Utility Interruptions       3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 5.1.1, 6.1.1, 6.2.2	Nuclear Incidents	6.1.1, 6.2.2	
4.2.2, 6.1.1, 6.2.2         Substance Use Disorder         3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2,         6.1.1, 6.2.2         Terrorism and Cyberterrorism         3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2,         6.1.1, 6.2.2         Transportation Accidents         Urban Fire and Explosion         2.3.8, 3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1,         4.2.2, 5.1.1, 6.1.1, 6.2.2         Utility Interruptions		2.2.3, 3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1,	
Substance Use Disorder       6.1.1, 6.2.2         Terrorism and Cyberterrorism       3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2         Transportation Accidents       2.3.3, 2.3.6, 3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2         Urban Fire and Explosion       2.3.8, 3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 5.1.1, 6.1.1, 6.2.2         Utility Interruptions       3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 5.1.1, 6.1.1, 6.2.2	Environmental Hazards	4.2.2, 6.1.1, 6.2.2	
6.1.1, 6.2.2         Terrorism and Cyberterrorism         6.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2         Transportation Accidents         Urban Fire and Explosion         Utility Interruptions		3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2,	
Terrorism and Cyberterrorism       6.1.1, 6.2.2         Transportation Accidents       2.3.3, 2.3.6, 3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2         Urban Fire and Explosion       2.3.8, 3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 5.1.1, 6.1.1, 6.2.2         Utility Interruptions       3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 1.1.1, 4.2.2	Substance Use Disorder	6.1.1, 6.2.2	
6.1.1, 6.2.2         Transportation Accidents         2.3.3, 2.3.6, 3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 6.1.1, 6.2.2         Urban Fire and Explosion         2.3.8, 3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 5.1.1, 6.1.1, 6.2.2         Utility Interruptions	Terrorism and Cyberterrorism	3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2,	
Iransportation Accidents       4.1.1, 4.2.2, 6.1.1, 6.2.2         Urban Fire and Explosion       2.3.8, 3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 5.1.1, 6.1.1, 6.2.2         Utility Interruptions       3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2, 1.1.1, 4.2.2		6.1.1, 6.2.2	
4.1.1, 4.2.2, 6.1.1, 6.2.2         Urban Fire and Explosion         4.2.2, 5.1.1, 6.1.1, 6.2.2         Utility Interruptions		2.3.3, 2.3.6, 3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2,	
Urban Fire and Explosion         4.2.2, 5.1.1, 6.1.1, 6.2.2           Utility Interruptions         3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2,	I ransportation Accidents	4.1.1, 4.2.2, 6.1.1, 6.2.2	
4.2.2, 5.1.1, 6.1.1, 6.2.2         Utility Interruptions         3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1, 4.2.2,	Urban Fire and Explosion	2.3.8, 3.1.1, 3.2.1, 3.2.2, 3.3.1, 3.4.2, 4.1.1,	
Lifility Interruptions		4.2.2, 5.1.1, 6.1.1, 6.2.2	
Lifility Interruptions	Utility Interruptions		

## 7. Plan Maintenance

### 7.1. Update Process Summary

Monitoring, evaluating, and updating this plan is critical to maintaining its value and success in Mifflin County's hazard mitigation efforts. Ensuring effective implementation of mitigation activities paves the way for continued momentum in the planning process and gives direction for the future. This section explains who will be responsible for maintenance activities and what those responsibilities entail. It also provides a methodology and schedule of maintenance activities including a description of how the public will be involved on a continued basis. This HMP update also defines the municipalities' role in updating and evaluating the plan. Finally, the 2025 HMP update encourages continued public involvement and how this plan may be integrated into other planning mechanisms in the county.

### 7.2. Monitoring, Evaluating and Updating the Plan

Hazard mitigation planning in Mifflin County is a responsibility of all levels of government (i.e., county, and local), as well as the citizens of the county. The Mifflin County Local Planning Team will be responsible for maintaining this multi-jurisdictional HMP. The local planning team will meet annually and following each emergency declaration to review the plan. The director of public safety and the director of planning with Mifflin County will be the primary individuals responsible for reviewing and updating the plan at least once every five years. Every municipality that has adopted this plan will also be afforded the opportunity to provide updated information or information specific to hazards encountered during an emergency or disaster. Each review process will ensure that the hazard vulnerability and risk analysis reflect the current conditions of the county, that the capabilities assessment accurately reflects local circumstances and that the hazard mitigation strategies are updated based on the county's damage assessment reports and local mitigation project priorities. The HMP must be updated on a five-year cycle. An updated HMP must be completed and approved by the end of the five-year period. The monitoring, evaluating, and updating of the plan every five years will rely heavily on the outcomes of the annual HMP planning team meetings.

The Mifflin County Local Planning Team will complete a hazard mitigation progress report to evaluate the status and accuracy of the multi-jurisdictional HMP and record the local planning team's review process. The annual plan review will be distributed to appropriate representatives at both PEMA and FEMA. The following items will be completed during the annual review and reporting process:

- Review the risk assessment section and identify occurrences of hazards within the last year. Identify date, time, damage, fatalities, and other specific information of the events. Also identify any new hazards that have occurred or increased risk with the county.
- Complete a review and update of the capability assessment section. Identify any capability weaknesses since the last review. The capability assessment surveys from the previous hazard mitigation plan will be reviewed and new capability assessment forms can be distributed to the municipalities during the annual review process.
- Complete a review of the mitigation strategy section. Review the goals and objectives identified in the 2025 HMP and determine if any updates are needed. Provide all mitigation actions and opportunities to the county and municipalities that are applicable. Have all entities complete an action review matrix and document all results in the report. Also, add any new actions that are identified. Complete a review of each mitigation opportunity and identify the status of each opportunity on the opportunity review spreadsheet. All information will be included in the annual review report.

The Mifflin County Office of Public Safety will maintain a copy of these records and place them in Appendix I of this plan. Mifflin County will continue to work with all municipalities regarding hazard mitigation projects, especially those municipalities that did not submit projects for inclusion in this plan.

The Mifflin County local planning team should also be reviewed annually to address any changes to the membership that may have occurred over the past calendar year. The LPT can be expanded and updated with new stakeholders to address potential changes in guidance by the Commonwealth of Pennsylvania and the Federal Emergency Management Agency.

### 7.3. Continued Public Involvement

The Mifflin County Office of Public Safety will ensure that the 2025 Mifflin County Hazard Mitigation Plan is posted and maintained on the Mifflin County website and will continue to encourage public review and comment on the plan. The Mifflin County website that the plan will be located at is as follows: https://www.mifflincountypa.gov/planning/plans-and-links

The public will have access to the 2025 Mifflin County HMP through their local municipal office, the Mifflin County Planning Department, or the Mifflin County Office of Public Safety. Information on upcoming events related to the HMP or solicitation for comments will be announced via newsletters, newspapers, mailings, and the county website.

The citizens of Mifflin County are encouraged to submit their comments to elected officials and/or members of the Mifflin County HMP Local Planning Team. To promote public participation, the Mifflin County Local Planning Team will post a public comment form as wells as the Hazard Mitigation Project Opportunity Form on the county's website. These forms will offer the public various opportunities to supply their comments and observations. All comments received will be maintained and considered by the Mifflin County Hazard Mitigation Planning Team.

Once the Mifflin County 2025 Hazard Mitigation Plan is adopted by the Mifflin County Board of County Commissioners, the plan will be disseminated to various county agencies and local municipalities that develop and implement specific plans and ordinances. Each participating municipality will be responsible for implementing the specific recommendations in section 5.2.5, plan integration, of the capability assessment into their local planning documents including comprehensive plans, zoning ordinances, land development, and subdivision regulations. Whenever possible, the Mifflin County Office of Public Safety will serve as a liaison to assist with these integrations and updates. As discussed above in section 7.2, progress on multi-jurisdictional plan integration will be addressed as part of the annual review conducted by the Mifflin County Local Planning Team.

## 8. Plan Adoption

#### 8.1. **Resolutions**

In accordance with federal and state requirements, the governing bodies of each participating jurisdiction must review and adopt by resolution, the 2025 Mifflin County Hazard Mitigation Plan. Copies of the adopting resolutions are included in this plan in Appendix J. FEMA Region III in Philadelphia, Pennsylvania is the final approval authority for the Hazard Mitigation Plan. PEMA also reviews the plan before submission to FEMA.

# 9. Appendices

<b>APPENDIX A:</b>	References
<b>APPENDIX B:</b>	FEMA Local Mitigation Review Tool
<b>APPENDIX C:</b>	Meetings and Support Documents
<b>APPENDIX D:</b>	Municipal Flood Maps
<b>APPENDIX E:</b>	Critical and Community Lifeline Facilities
<b>APPENDIX F:</b>	2024 HAZUS Reports
<b>APPENDIX G:</b>	2024 Mitigation Project Opportunities
<b>APPENDIX H:</b>	2024 Mitigation Action Evaluation & Prioritization
<b>APPENDIX I:</b>	Annual Review Documentation
<b>APPENDIX J:</b>	Mifflin County & Municipal Adoption Resolutions